

Minutes of the 14th Meeting of the Inter-Ministerial Committee (IMC) to consider applications for recognition as Pre-shipment Inspection Agency (PSIA)

The 14th Meeting of the IMC was held on 21.6.2019 in Room No. 4, H-Wing, Udyog Bhawan under the Chairmanship of Shri K.C. Rout, Addl. DGFT to consider (i) those cases deferred in the 13th Meeting of PSIA held on 28.3.2019, (ii) extension of period of validity as recognized PSIA of those PSIAs whose term is ending in 2019 and (iii) consideration of fresh applications for enlistment as PSIAs under Appendix 2G as per Para 2.55 of HBP 2015-20 for which applications had been sought vide Trade Notice No. 04/2015-20 dated 12.4.2019.

2. The following members attended the meeting:

- i. Shri S.P.Roy, Joint DGFT
- ii. Shri B.K. Singh, SO(F), AERB
- iii. Shri Ajeet Singh, SO(D), AERB
- iv. Shri Nand Lal, Consultant, DPIIT
- v. Shri Nirmal Kumar, Dy. DGFT

3. A total of 35 applications were received. Out of these 35 applications, 33 applications were for empanelment as PSIA and extension of period of validity as PSIA and 02 were for adding of instruments and adding of more countries. In respect of 16 applicants, viz. M/s Global Marine Inspection, M/s Tubby Impex, M/s Assure Chartered Engineers, M/s TUV Rheinland (India) Pvt. Ltd., M/s Nippon Kaiji Kentei Kyokai, M/s Global Multitrade Inc., M/s Olivine Commercial Pte. Ltd., M/s ELBI Consultancy (India) Pvt. Ltd., M/s Premier Exim, M/s Cerin Co. Ltd., M/s Asia Inspection Agency Co. Ltd., M/s APGM Engineering Services Pvt. Ltd., Sunshine International Cargo Inspection Services Inc., M/s Bureau Veritas India Pvt. Ltd., M/s NQAQSR, North America and M/s Geo-chem Middle East the Committee noted that there are deficiencies in the applications. Accordingly, the Committee decided that the deficiencies in the applications be conveyed to the applicants so that they can rectify the same and re-submit by 9.9.2019. After examination of the fresh documents submitted, the applications will be re-considered by the Committee. The deficiency in the applications is indicated against the name of each applicant in the Appendix.

4. The Committee observed that in the applications received from 14 applicants viz. M/s Ravi Energie Pvt. Ltd. Baroda, M/s Ravi Energie Gulf, FZC, M/s Ravi Energie Inc, USA, M/s Nagson Engineers & Consultants, M/s Morpheus Services, M/s Exim World, M/s Wise Services FZE, M/s SVIA Consultant Services LLP, M/s United Engineering Services and Consultancy, M/s Sandeep Garg & Company, M/s TSK Engineers Pvt.Ltd., M/s Valueguru Chartered Engineers, and Valuers Pvt. Ltd., Global Mines and Minerals FZE and M/s Afro Asia Inspection SarLU the details of instruments and the details in the calibration certificate submitted are in order and these applicants are eligible of appointment as PSIA. Accordingly, the Committee decided to recommend them as PSIA for appointment by the competent authority w.e.f, the date of notification of the revised Appendix 2G.

ASB

5. Two requests were received for addition of instruments and countries from M/s Ni-Met Metals, And M/s Baltic Control. The Committee decided to add instruments and country of operations in respect of M/s Ni-Met Metals and as regards M/s Baltic Control it was noted that the request is not in prescribed ANF 21 form accordingly the case was deferred.

6. As regards the remaining three applicants viz. M/s Cayley Aerospace Inc., M/s NMCI Inspection & Survey Ltd., M/s Marine Inspection and Logistics International, it was noted that the applications were received after the last of submission of application, therefore, these applications could not be considered. The Committee was further informed that two more requests have been received after the last date viz. from M/s Melt Enterprises and M/s Nireekshan Engineers and Surveyors. The Committee accordingly decided that these applicants may re-submit their application, without paying further processing fees when fresh applications are invited by DGFT.

7. The Committee also decided to add the country of operations in respect of M/s Mats Fareast(Pte) Ltd. The application M/s Mats Fareast Ltd. for addition of country of operation was deferred in the 13th Meeting of PSIA.

ASL

No.	Name of the Applicant	Make	Model	SI No.	Date of calibration	Supporting documents of calibration	Date of Purchase	Copy of invoice should be attached	photograph attached	Comments
ANNEXURE A/PSIA 14th Meeting Held on 21.06.2019)										
1	3	4	5	6	7	8	9	10	11	14
No.	Name of the Applicant	Make	Model	SI No.	Date of calibration	Supporting documents of calibration	Date of Purchase	Copy of invoice should be attached	photograph attached	Comments
1	Ravi Energie Pvt Ltd, Heroda	International Medcon, Inc.	RadAlert 100	73449	07.03.2019	Yes	12.11.2009	99210	Yes	O.K.
		International Medcon, Inc.	RadAlert 100	X00945	18.03.2019	Yes	29.05.2015	103080	Yes	O.K.
		International Medcon, Inc.	RadAlert 100	X00959	18.03.2019	Yes	29.05.2015	103080	Yes	O.K.
		International Medcon, Inc.	RadAlert 100	X00960	18.03.2019	Yes	29.05.2015	103080	Yes	O.K.
		International Medcon, Inc.	RadAlert 100	X00964	18.03.2019	Yes	29.05.2015	103080	Yes	O.K.
		SATC	GR-135 Plus Spectrometer Kit W/HE3	9091	18.03.2019	Yes	08.07.2013	101000039415	Yes	O.K.
		Morphix Technologies	TraceX Explosives Detection Kit	Lot No. 9949, Part No. 310100	-	-	19.05.2016	64319	Yes	O.K.
		International Medcon, Inc.	RadAlert 100	X00982	18.03.2019	Yes	29.05.2015	103080	Yes	O.K.
		International Medcon, Inc.	RadAlert 100	X00984	18.03.2019	Yes	29.05.2015	103080	Yes	O.K.
		International Medcon, Inc.	RadAlert 100	X00985	18.03.2019	Yes	29.05.2015	103080	Yes	O.K.
2	Ravi Energie Pvt Ltd, Heroda	International Medcon, Inc.	RadAlert 100	X00987	18.03.2019	Yes	29.05.2015	103080	Yes	O.K.
		SATC	GR-135 Plus Spectrometer Kit W/HE3	9093	20.03.2019	Yes	08.07.2013	101000039416	Yes	O.K.
		Spectrox Corporation	Spectrox-EX-DETECT Model XD-2 Explosives Detection Kit	7420062	-	-	12.11.2009	9159	Yes	O.K.
		Morphix Technologies	TraceX Explosives Detection Kit	Lot No. 9949, Part No. 310100	-	-	19.05.2016	64318	Yes	O.K.
3	Ravi Energie INC, USA	International Medcon, Inc.	RadAlert 100	SI675	19.03.2019	Yes	28.08.2011	101436	Yes	O.K.
		International Medcon, Inc.	RadAlert 100	SI676	18.03.2019	Yes	28.08.2011	101436	Yes	O.K.

International Medicon, Inc.	RadAlert 100	\$1680	19.03.2019	Yes	28.08.2011	101436	Yes	O.K.
International Medicon, Inc.	RadAlert 100	\$1681	19.03.2019	Yes	28.08.2011	101436	Yes	O.K.
International Medicon, Inc.	RadAlert 100	\$1682	18.03.2019	Yes	28.08.2011	101436	Yes	O.K.
International Medicon, Inc.	RadAlert 100	\$1684	19.03.2019	Yes	28.08.2011	101436	Yes	O.K.
International Medicon, Inc.	RadAlert 100	\$1685	18.03.2019	Yes	28.08.2011	101436	Yes	O.K.
International Medicon, Inc.	RadAlert 100	\$1687	18.03.2019	Yes	28.08.2011	101436	Yes	O.K.
International Medicon, Inc.	RadAlert 100	\$1688	16.03.2019	Yes	28.08.2011	101436	Yes	O.K.
International Medicon, Inc.	RadAlert 100	\$1689	18.03.2019	Yes	28.08.2011	101436	Yes	O.K.
International Medicon, Inc.	RadAlert 100	\$1690	18.03.2019	Yes	28.08.2011	101436	Yes	O.K.
International Medicon, Inc.	RadAlert 100	\$1691	19.03.2019	Yes	28.08.2011	101436	Yes	O.K.
International Medicon, Inc.	RadAlert 100	\$1692	18.03.2019	Yes	28.08.2011	101436	Yes	O.K.
International Medicon, Inc.	RadAlert 100	\$1693	19.03.2019	Yes	28.08.2011	101436	Yes	O.K.
International Medicon, Inc.	RadAlert 100	\$1694	19.03.2019	Yes	28.08.2011	101436	Yes	O.K.
International Medicon, Inc.	RadAlert 100	\$1697	19.03.2019	Yes	28.08.2011	101436	Yes	O.K.
International Medicon, Inc.	RadAlert 100	\$1698	18.03.2019	Yes	28.08.2011	101436	Yes	O.K.
International Medicon, Inc.	RadAlert 100	\$1699	18.03.2019	Yes	28.08.2011	101436	Yes	O.K.
International Medicon, Inc.	RadAlert 100	\$1700	18.03.2019	Yes	28.08.2011	101436	Yes	O.K.
International Medicon, Inc.	RadAlert 100	\$1701	18.03.2019	Yes	28.08.2011	101436	Yes	O.K.
International Medicon, Inc.	RadAlert 100	\$1702	18.03.2019	Yes	28.08.2011	101436	Yes	O.K.
International Medicon, Inc.	RadAlert 100	\$1703	19.03.2019	Yes	28.08.2011	101436	Yes	O.K.
International Medicon, Inc.	RadAlert 100	\$1704	19.03.2019	Yes	28.08.2011	101436	Yes	O.K.
International Medicon, Inc.	RadAlert 100	\$1706	19.03.2019	Yes	28.08.2011	101436	Yes	O.K.
International Medicon, Inc.	RadAlert 100	\$X00966	19.03.2019	Yes	29.05.2015	103080	Yes	O.K.
International Medicon, Inc.	RadAlert 100	X000975	19.03.2019	Yes	29.05.2015	103080	Yes	O.K.

		MSPIC Spectrometer	200191	03.05.19	Yes	08.06.15	Yes	Yes	Details of Instruments not mentioned in Annexure-1 of ANF-2L.	
		MSPIC Spectrometer	200192	03.05.19	Yes	08.06.15	Yes	Yes		
		MSPIC Spectrometer	200193	03.05.19	Yes	08.06.15	Yes	Yes		
		TraceX Explosives Detection Kit	510100-05	—	—	26.07.15	Yes 611		Photograph is not available	
5	Tubby Impex	MedSpec	RADCOMM 100624	13.05.2019	Yes	03.05.2019	R-5064	Yes	Calibration test results including the calibration percentage error (± 20%) is not provided under Calibration Certificate(CC). The CC is required to provide percentage error in CC.	
			RADCOMM 100625	13.05.2019	Yes	03.05.2019	R-5064	Yes		
			RADCOMM 100626	13.05.2019	Yes	03.05.2019	R-5064	Yes		
			RADCOMM 100627	13.05.2019	Yes	03.05.2019	R-5064	Yes		
			RADCOMM 100628	13.05.2019	Yes	03.05.2019	R-5064	Yes		
			RADCOMM 100629	13.05.2019	Yes	03.05.2019	R-5064	Yes		
			RADCOMM							
			RADCOMM							
	Assure Chartered Engineers	MSPIC RADIO GAMMA Spectrometers	200128	12.05.2019	Yes	09.09.2015	15-1738	Yes	Calibration percentage error is to be mentioned and should not be exceeding the limit of 20% in the CC.	
		MSPIC RADIO GAMMA Spectrometers	200132	12.05.2019	Yes	09.09.2015	15-1738	Yes		
		MSPIC RADIO GAMMA Spectrometers	200134	12.05.2019	Yes	09.09.2015	15-1738	Yes		
		MSPIC RADIO GAMMA Spectrometers	200018	12.05.2019	Yes	13.05.2015	15-1738	Yes		
		Morphix Technologies Inc	Trace X Explosive Detector	510100-05		12.06.2015	63096			Photo not available
6	Assure Chartered Engineers	RADCOMM	RIHANDY	100621	30.04.2019	Yes	17.04.2019	RC/2019-20/P1001	Yes	Serial No of the instruments not mentioned on the invoice. It should be clearly indicated.
		RADCOMM	MSPIC	200316	30.04.2019	Yes	17.04.2019	RC/2019-20/P1001	Yes	
		REDIFFERENCE Explosive Detector	XCAT	XCAT1100640	—	10.05.2019	SL-011/2019-20	Yes	O.K.	
7	TUV Rheinland (India) Pvt. Ltd	RAVSAT/MI RE MAS de Survey System	mas	21/2020	17.01.2019	Yes	16.10.2015	06515-16	Yes	O.K.
		THERMO SCIENTIFIC	RHDEXE-g	9699	24.10.2018	Yes	28.01.2013	1-1304-TBVR-KAR	Yes	CC is not authenticated as it is issued by unrecognised Calibration agency.

		Explosive Detector							Explosive Detector Not Available	
8	Najson Engineers & Consultants	RADCOMM	RLANDY	100623	13.05.2019	Yes	06.05.2019	R-5061	Yes	O.K.
		RADCOMM	MSPEC	200323	13.05.2019	Yes	06.05.2019	R-5061	Yes	O.K.
		Morphox Technologies	Trace X Explosive Detector	Lot No 16584	—	—	13.05.2019	SL 012/2019-20	Yes	O.K.
9	Morphox Services	RADCOMM	RLANDY	100622	13.05.2019	Yes	06.05.2019	R-5062	Yes	O.K.
		RADCOMM	MSPEC	200321	13.05.2019	Yes	06.05.2019	R-5062	Yes	O.K.
		Morphox Technologies	Trace X Explosive Detector	16384	—	—	13.05.2019	SL 013/2019-20	Yes	O.K.
10	FAXIM World Ltd	S.E. International Inc	Inspector Handheld Digital Radiation Alert Detector	45397	28.04.2019	Yes	28.05.2015	0065509-IN	Yes	O.K.
		S.E. International Inc	Inspector Handheld Digital Radiation Alert Detector	45398	28.04.2019	Yes	28.05.2015	0065509-IN	Yes	O.K.
		S.E. International Inc	Inspector Handheld Digital Radiation Alert Detector	45399	28.04.2019	Yes	28.05.2015	0065509-IN	Yes	O.K.
		S.E. International Inc	Inspector Handheld Digital Radiation Alert Detector	45475	28.04.2019	Yes	28.05.2015	0065509-IN	Yes	O.K.
		S.E. International Inc	Inspector Handheld Digital Radiation Alert Detector	45476	28.04.2019	Yes	28.05.2015	0065509-IN	Yes	O.K.
		S.E. International Inc	Inspector Handheld Digital Radiation Alert Detector	45526	28.04.2019	Yes	29.05.2015	25617	Yes	Photograph is blur not acceptable
		S.E. International Inc	Inspector Handheld Digital Radiation Alert Detector	45527	28.04.2019	Yes	29.05.2015	0025617	Yes	Photograph is blur not acceptable
		S.E. International Inc	Inspector Handheld Digital Radiation Alert Detector	45528	28.04.2019	Yes	29.05.2015	0025617	Yes	Photograph is blur not acceptable
		S.E. International Inc	Inspector Handheld Digital Radiation Alert Detector	45600	28.04.2019	Yes	29.05.2015	0025617	Yes	Photograph is blur not acceptable
		S.E. International Inc	Inspector Handheld Digital Radiation Alert Detector	45601	28.04.2019	Yes	29.05.2015	0025617	Yes	O.K.
		S.E. International Inc	Inspector Handheld Digital Radiation Alert Detector	45602	28.04.2019	Yes	29.05.2015	0025617	Yes	O.K.
		S.E. International Inc	Inspector Handheld Digital Radiation Alert Detector	45603	28.04.2019	Yes	29.05.2015	0025617	Yes	Photograph is blur not acceptable
		S.E. International Inc	Inspector Handheld Digital Radiation Alert Detector	45604	28.04.2019	Yes	29.05.2015	0025617	Yes	O.K.
		S.E. International Inc	Inspector Handheld Digital Radiation Alert Detector	45833	28.04.2019	Yes	10.07.2015	3992-CAN	Yes	O.K.
		S.E. International Inc	Inspector Handheld Digital Radiation Alert Detector	45834	28.04.2019	Yes	10.07.2015	3992-CAN	Yes	O.K.

		RADECOM Radiation Detection System	MEISpec Hand Held Gamma Spectrometer	200135	26.04.2019	Yes	28.03.2015	R-3771	Yes	O.K.
		RADECOM Radiation Detection System	MEISpec Hand Held Gamma Spectrometer	200136	26.04.2019	Yes	28.03.2015	R-3771	Yes	O.K.
		Morphox Technologies	Trace X Explosive Detector	16384			16.04.2019	1162	Yes	O.K.
	Wise Services PZL	S. E. International Inc	Inspector Handheld Radiation Monitor	45753	27.04.2019	Yes	12.05.2015	immed/2015/76	Yes	O.K.
		S. E. International Inc	Inspector Handheld Radiation Monitor	45945	27.04.2019	Yes	16.05.2015	immed/2015/81	Yes	O.K.
		S. E. International Inc	Inspector Handheld Radiation Monitor	45518	27.04.2019	Yes	19.05.2015	25615	Yes	Photograph is blur
		S. E. International Inc	Inspector Handheld Radiation Monitor	45517	27.04.2019	Yes	19.05.2015	25615	Yes	Photograph is blur
		S. E. International Inc	Inspector Handheld Radiation Monitor	45523	27.04.2019	Yes	19.05.2015	25615	Yes	Photograph is blur
		S. E. International Inc	Inspector Handheld Radiation Monitor	45525	27.04.2019	Yes	19.05.2015	25615	Yes	Photograph is blur
		S. E. International Inc	Inspector Handheld Radiation Monitor	45815	27.04.2019	Yes	20.08.2015	40100/AE	Yes	O.K.
		S. E. International Inc	Inspector Handheld Radiation Monitor	45815	27.04.2019	Yes	14.07.2015	39950/AE	Yes	O.K.
		S. E. International Inc	Inspector Handheld Radiation Monitor	45821	27.04.2019	Yes	14.07.2015	39950/AE	Yes	O.K.
		S. E. International Inc	Inspector Handheld Radiation Monitor	45820	27.04.2019	Yes	14.07.2015	39950/AE	Yes	O.K.
		S. E. International Inc	Inspector Handheld Radiation Monitor	45825	27.04.2019	Yes	20.08.2015	40100/AE	Yes	O.K.
		S. E. International Inc	Inspector Handheld Radiation Monitor	45828	27.04.2019	Yes	14.07.2015	39950/AE	Yes	O.K.
		S. E. International Inc	Inspector Handheld Radiation Monitor	45814	27.04.2019	Yes	14.07.2015	39950/AE	Yes	O.K.
		S. E. International Inc	Inspector Handheld Radiation Monitor	45818	27.04.2019	Yes	14.07.2015	39950/AE	Yes	O.K.
		S. E. International Inc	Inspector Handheld Radiation Monitor	45819	27.04.2019	Yes	14.07.2015	39950/AE	Yes	O.K.
		S. E. International Inc	Inspector Handheld Radiation Monitor	45826	27.04.2019	Yes	14.07.2015	39950/AE	Yes	O.K.
		S. E. International Inc	Inspector Handheld Radiation Monitor	45827	27.04.2019	Yes	14.07.2015	39950/AE	Yes	O.K.
		S. E. International Inc	Inspector Handheld Radiation Monitor	45990	27.04.2019	Yes	14.07.2015	39950/AE	Yes	O.K.
		S. E. International Inc	Inspector Handheld Radiation Monitor	45994	27.04.2019	Yes	14.07.2015	39950/AE	Yes	O.K.
		S. E. International Inc	Inspector Handheld Radiation Monitor	45851	27.04.2019	Yes	20.08.2015	40100/AE	Yes	O.K.

		S. E. International Inc.	Inspector Handheld Radiation Monitor	45852	27.04.2019	Yes	20.08.2015	4010/L/AE	Yes	O.K.
		S. E. International Inc.	Inspector Handheld Radiation Monitor	45853	27.04.2019	Yes	20.08.2015	4010/L/AE	Yes	O.K.
		S. E. International Inc.	Inspector Handheld Radiation Monitor	45789	27.04.2019	Yes	20.08.2015	4010/L/AE	Yes	O.K.
		S. E. International Inc.	Inspector Handheld Radiation Monitor	45793	27.04.2019	Yes	20.08.2015	4010/L/AE	Yes	O.K.
		S. E. International Inc.	Inspector Handheld Radiation Monitor	45794	27.04.2019	Yes	20.08.2015	4010/L/AE	Yes	O.K.
		S. E. International Inc.	Inspector Handheld Radiation Monitor	45790	27.04.2019	Yes	20.08.2015	4010/L/AE	Yes	O.K.
		S. E. International Inc.	Inspector Handheld Radiation Monitor	45481	27.04.2019	Yes	25.05.2015	0065508-IN	Yes	O.K.
		S. E. International Inc.	Inspector Handheld Radiation Monitor	45482	27.04.2019	Yes	25.05.2015	0065508-IN	Yes	O.K.
		S. E. International Inc.	Inspector Handheld Radiation Monitor	45479	27.04.2019	Yes	25.05.2015	0065508-IN	Yes	O.K.
		S. E. International Inc.	Inspector Handheld Radiation Monitor	45480	27.04.2019	Yes	25.05.2015	0065508-IN	Yes	O.K.
		MEDSPEC hand held Gamma Spectrometer	Radecon Radiation Detection Systems	200143	26.04.2019	Yes	01.05.2019	EXIM/INV/825/2019	Yes	O.K.
		MEDSPEC hand held Gamma Spectrometer	Radecon Radiation Detection Systems	200144	26.04.2019	Yes	01.05.2019	EXIM/INV/825/2019	Yes	O.K.
		TraceXI Explosive		L.O. No.16384			16.04.2019	1161	Yes	O.K.
12	SVIA Consultant Services LLP	RADCONM	Radio Nuclear Identifier	200324	03.05.2019	Yes	03.05.2019	R-5066	Yes	O.K.
			Gamma Scout Radiation Survey meter	072803	08.05.2019	Yes	08.05.2019	EEF-GJ-010/19-20	Yes	O.K.
		Morphix	TraceXI Explosive	Part No. 510100406 No. 16384	-	-	10.05.2019	#SCSLIP/20192020(B.60A)	Yes	O.K.
13	Sandeep Garg & Company	Atomex Hand Held Radiation Survey Meters	AT6130	18861	13.03.2019	Yes	28.01.2013	621	Yes	O.K.
		Atomex Hand Held Radiation Survey Meters	AT6130	19955	26.12.2017	Yes	28.01.2013	621	Yes	O.K.
		Atomex Hand Held Radiation Survey Meters	AT6130	19957	07.05.2019	Yes	28.01.2013	621	Yes	O.K.

	Atomtex Hand Held Radiation Survey Meters	AT6130	19959	24.04.2019	Yes	28.01.2013	621	Yes	O.K.
	Atomtex Hand Held Radiation Survey Meters	AT6130	19980	28.08.2018	Yes	28.01.2013	621	Yes	O.K.
	Atomtex Hand Held Radiation Survey Meters	AT6130	20446	07.03.2018	Yes	13.07.2015	904	Yes	O.K.
	Atomtex Hand Held Radiation Survey Meters	AT6130	20448	10.10.2017	Yes	13.07.2015	904	Yes	O.K. Validity only for Two years from 10.10.2017
	Atomtex Hand Held Radiation Survey Meters	AT6130	20449	24.04.2018	Yes	13.07.2015	904	Yes	O.K.
	Atomtex Hand Held Radiation Survey Meters	AT6130	20562	07.03.2018	Yes	13.07.2015	904	Yes	O.K.
	Atomtex Hand Held Radiation Survey Meters	AT6130	20564	07.03.2018	Yes	13.07.2015	904	Yes	O.K.
	Atomtex Hand Held Radiation Survey Meters	AT6130	20566	28.08.2018	Yes	13.07.2015	904	Yes	O.K.
	Atomtex Hand Held Radiation Survey Meters	AT6130	20451	24.06.2017	Yes	17.07.2015	905	Yes	Validity of two years expired 24.06.2017
	Atomtex Hand Held Radiation Survey Meters	AT6130	20455	13.05.2019	Yes	17.07.2015	905	Yes	O.K.
	Atomtex Hand Held Radiation Survey Meters	AT6130	20848	21.01.2019	Yes	03.12.2016	SAN/409	Yes	O.K.
	Atomtex Hand Held Radiation Survey Meters	AT6130	20850	21.01.2019	Yes	03.12.2016	SAN/409	Yes	O.K.
	Atomtex Hand Held Radiation Survey Meters	AT6130	20851	21.01.2019	Yes	03.12.2016	SAN/408	Yes	O.K.
	Atomtex Hand Held Radiation Survey Meters	AT6130	20852	24.12.2018	Yes	03.12.2016	SAN/408	Yes	O.K.
	Saphymo GEMET Hand Held Radiation Survey Meters	TXG-S10S	MS000060	24.04.2019	Yes	17.11.2015	871	Yes	O.K.
	Atomtex Hand Held Radiation Survey Meters	AT6130	20971	02.4.2019	Yes	15.02.2019	—	Yes	Invoice No. not mentioned

	Atomtex Hand Held Radiation Survey Meters	AT6130	20876	02.04.2019	Yes	23.01.2016	SAN/596	Yes	O.K.
	Atomtex Hand Held Radiation Survey Meters	AT6130	20710	07.05.2019	Yes	01.06.2015	113	Yes	O.K.
	Atomtex Hand Held Radiation Survey Meters	AT6130	20711	07.05.2019	Yes	01.06.2015	115	Yes	O.K.
	RADCOM RADCOM	RIHNDY RHNDY	120191 100200	06.05.2019 14.05.2019	Yes Yes	04.01.2013 03.04.2013	11174 11400	Yes Yes	O.K. O.K.
	Atomtex Hand Held Radiation Survey Meters	AT6130	20904	14.05.2019	Yes	11.08.2016	SAN/231	Yes	O.K.
	Saphymo GAMBH Hand Held Radiation Survey Meters	ME-S10S	NIS000165	14.05.2019	Yes	13.10.2016	RN161018	Yes	O.K.
	Saphymo GAMBH Hand Held Radiation Survey Meters	ME-S10S	NIS000169	14.05.2019	Yes	13.10.2016	RN161018	Yes	O.K.
	Saphymo GAMBH Hand Held Radiation Survey Meters	ME-S10S	MS000167	14.05.2019	Yes	13.10.2016	RN161018	Yes	O.K.
	Saphymo GAMBH Hand Held Radiation Survey Meters	ME-S10S	NIS000168	14.05.2019	Yes	13.10.2016	RN161018	Yes	O.K.
	Atomtex Hand Held Radiation Survey Meters	AT6130	20905	06.05.2019	Yes	28.10.2016	SAN/356	Yes	O.K.
	Atomtex Hand Held Radiation Survey Meters	AT6130	20733	06.05.2019	Yes	07.09.2015	SAN/314	Yes	O.K.
	Atomtex Hand Held Radiation Survey Meters	AT6130	20735	06.05.2019	Yes	07.09.2015	SAN/314	Yes	O.K.
	RADCOM	APSE-C	200027	07.05.2019	Yes	03.04.2013	11400	Yes	O.K.
	RADCOM	APSE-C	200283	07.05.2019	Yes	13.02.2016	RC1130216/N/401	Yes	O.K.
	RADCOM	APSE-C	200036	07.05.2019	Yes	04.01.2013	11174	Yes	O.K.
	FLIR Radio Nuclear Identifier	Identifier	903558-08	10.05.2019	Yes	16.01.2013	616	Yes	O.K.
	FLIR Radio Nuclear Identifier	Identifier	903558-124	27.10.2017	Yes	21.09.2012	577	Yes	O.K.
	FLIR Radio Nuclear Identifier	Identifier	903555-136	27.04.2019	Yes	24.09.2012	579	Yes	O.K.
	FLIR Radio Nuclear Identifier	Identifier	903555-144	27.04.2019	Yes	18.01.2013	619	Yes	O.K.
	FLIR Radio Nuclear Identifier	Identifier	903555-145	27.04.2019	Yes	16.01.2013	617	Yes	O.K.

	FLIR Radio Nuclear Identifier	Identifier	910381-51	26.12.2017	Yes	18.01.2013	618	Yes	O.K.
	FLIR Radio Nuclear Identifier	Identifier	903555-279	27.10.2017	Yes	04.04.2013	658	Yes	O.K.
	FLIR Radio Nuclear Identifier	Identifier	903558-126	14.05.2019	Yes	09.11.2012	597	Yes	O.K.
	FLIR Radio Nuclear Identifier	Identifier	903555-135	14.05.2019	Yes	24.09.2012	579	Yes	O.K.
	RADCOMM	XPSEC	200045	10.04.2019	Yes	03.04.2012	11400	Yes	O.K.
	Morphis Technologies	TraceX Explosives Detection Kit	Part No 5101001.04 No. 16384(02KIS)			10.05.2019	TSSL-01-2019-20	Yes	O.K.
14	Nippon Kaifu Kentei Syokai	Hitachi Aloka Medical Ltd.	PDR-111	2040.9619	05.11.2018	Yes		Yes	
	EUDELM Measurements Inc	Model 344-2	278952	11.04.2017	Yes			Yes	
	Hitachi Aloka Medical Ltd.	PDR-111	20238000	02.05.2018	Yes			Yes	
	Hitachi Aloka Medical Ltd.	PDR-111	20238001	02.05.2018	Yes			Yes	
	Hitachi Aloka Medical Ltd.	PDR-111	20187791	01.08.2018	Yes			Yes	
	Hitachi Aloka Medical Ltd.	TCS-171	R00128	02.10.2018	Yes			Yes	
	EUDELM Measurements Inc	Model 344-2	278769	20.06.2018	Yes			Yes	
	Hitachi Ltd.	TCS-1172	20615683	20.11.2018	Yes			Yes	
	Hitachi Aloka Medical Ltd.	PDR-111	201A4641	11.03.2019	Yes			Yes	
	Hitachi Ltd.	TCS-1172	20315682	20.11.2018	Yes			Yes	
	EUDELM Measurements Inc	Model 344-2	278703	13.06.2018	Yes			Yes	
	Hitachi Aloka Medical Ltd.	PDR-111	20237760	04.04.2018	Yes			Yes	

	Hitech Aloka Medical Ltd	PDR-111	20238065	30.08.2018	Yes			Yes
	Hitech Aloka Medical Ltd	TCS-171B	R07984	10.04.2018	Yes			Yes
	Hitech Ltd	TCS-1172	205W0946	08.03.2018	Yes			Yes
	LUDLUM Measurements Inc	Model 3/44-2	278692	13.04.2018	Yes			Yes
	LUDLUM Measurements Inc	Model 3/44-2	268866	12.03.2019	Yes			Yes
	Hitech Aloka Medical Ltd	TCS-171B	20242628	22.02.2018	Yes			Yes
	LUDLUM Measurements Inc	Model 3/44-2	278947	27.06.2018	Yes			Yes
	Hitech Ltd	TCS-1172	205W0947	22.02.2019	Yes			Yes
	Hitech Aloka Medical Ltd	PDR-111	2041693	16.05.2018	Yes			Yes
	LUDLUM Measurements Inc	Model 3/44-2	278744	19.05.2018	Yes			Yes
	LUDLUM Measurements Inc	Model 3/44-2	278841	11.04.2018	Yes			Yes
	Hitech Ltd	TCS-1172	205W0948	27.02.2019	Yes			Yes
	LUDLUM Measurements Inc	Model 3/44-2	278944	28.03.2018	Yes			Yes
	LUDLUM Measurements Inc	Model 3/44-2	278852	26.04.2018	Yes			Yes
	Hitech Aloka Medical Ltd	PDR-101	R01209	20.06.2018	Yes			Yes
	Hitech Aloka Medical Ltd	TCS-172B	20160634	08.08.2018	Yes			Yes
	Hitech Aloka Medical Ltd	TCS-161	06R054	08.10.2018	Yes			Yes
	LUDLUM Measurements Inc	Model 3/44-2	278712	06.10.2018	Yes			Yes
	Hitech Aloka Medical Ltd	PDR-101	R01049	24.06.2018	Yes			Yes
	Hitech Aloka Medical Ltd	TCS-161	R04406	12.06.2018	Yes			Yes
	Hitech Aloka Medical Ltd	TCS-161	R04407	24.06.2018	Yes			Yes
	Hitech Aloka Medical Ltd	TCS-172B	20013735	29.06.2017	Yes			Yes
	Hitech Aloka Medical Ltd	PDR-201	16R1629	14.08.2018	Yes			Yes
	Hitech Aloka Medical Ltd	TCS-172B	20237239	29.05.2018	Yes			Yes

	Hirachi Ltd	TCS-1172	205W0955	11.03.2019	Yes		Yes
	LEEDLUM Measurements Inc	Model 3/44-2	278871	16.05.2018	Yes		Yes
	LEEDLUM Measurements Inc	Model 3/44-2	278928	16.05.2018	Yes		Yes
	Hirachi Ltd	TCS-1172	205L0376	03.07.2018	Yes		Yes
	Hirachi Ltd	TCS-1172	205L0375	03.07.2018	Yes		Yes
	LEEDLUM Measurements Inc	Model 3/44-2	278719	10.04.2018	Yes		Yes
	Hierba Ltd	PA-1000	S18XCR11	02.10.2018	Yes		Yes
	Hirachi Ltd	TCS-1172	205L0374	06.04.2018	Yes		Yes
	LEEDLUM Measurements Inc	Model 3/44-2	278817	06.04.2018	Yes		Yes
	LEEDLUM Measurements Inc	Model 3/44-2	278814	31.05.2018	Yes		Yes
	Palmaster	PM1703	50606	03.04.2017	Yes		Yes
	Hirachi Aloka Medical Ltd	PDR-101	R00866	05.03.2019	Yes		Yes
	LEEDLUM Measurements Inc	Model 3/44-2	278920	02.10.2018	Yes		Yes
	Hirachi Aloka Medical Ltd	TCS-171	R006099	06.04.2017	Yes		Yes
	Hirachi Ltd	TCS-1172	205L0373	03.07.2017	Yes		Yes
	LEEDLUM Measurements Inc	Model 3/44-2	278771	31.05.2018	Yes		Yes
	LEEDLUM Measurements Inc	Model 3/44-2	278833	02.04.2018	Yes		Yes
	LEEDLUM Measurements Inc	Model 3/44-2	278752	14.08.2018	Yes		Yes
	Hirachi Ltd	TCS-1172	205L5746	05.02.2019	Yes		Yes
	Hirachi Ltd	TCS-1172	205D2549	31.05.2018	Yes		Yes
	Hirachi Aloka Medical Ltd	PDR-101	R01192	16.05.2018	Yes		Yes
	LEEDLUM Measurements Inc	Model 3/44-2	278907	05.06.2018	Yes		Yes
	Hirachi Aloka Medical Ltd	TCS-171	R06712	31.05.2018	Yes		Yes
	Hirachi Aloka Medical Ltd	PDR-111	201K7599	11.03.2018	Yes		Yes
	Hirachi Ltd	TCS-1172	205D2548	11.05.2018	Yes		Yes
	Hirachi Aloka Medical Ltd	PDR-101	R01050	22.05.2018	Yes		Yes
	Hirachi Aloka Medical Ltd	TCS-171	R06149	18.05.2018	Yes		Yes
	LEEDLUM Measurements Inc	Model 3/44-2	278701	13.06.2018	Yes		Yes
	Hirachi Ltd	TCS-1172	205D2547	28.08.2018	Yes		Yes
	Hirachi Ltd	TCS-1172	205D2546	30.05.2018	Yes		Yes

The applicant has to submit completed ANF-21 form. In all the invoices submitted serial Nos. are not indicated. In some of the instruments serial no. is written by hand. Blank draft for processing fees not available.

	LUDELM Measurements Inc	Model 3/44-2	278788	02.04.2018	Yes			Yes
	LUDELM Measurements Inc	Model 3/44-2	278819	22.05.2018	Yes			Yes
	LUDELM Measurements Inc	Model 3/44-2	278824	12.07.2018	Yes			Yes
	LUDELM Measurements Inc	Model 3/44-2	278830	29.05.2018	Yes			Yes
	LUDELM Measurements Inc	Model 3/44-2	278845	21.07.2017	Yes			Yes
	LUDELM Measurements Inc	Model 3/44-2	278848	22.02.2019	Yes			Yes
	LUDELM Measurements Inc	Model 3/44-2	278856	09.01.2019	Yes			Yes
	LUDELM Measurements Inc	Model 3/44-2	278869	13.04.2018	Yes			Yes
	LUDELM Measurements Inc	Model 3/44-2	278884	01.08.2018	Yes			Yes
	Hiachi Ltd	TCS-172	205D2545	30.05.2017	Yes			Yes
	LUDELM Measurements Inc	Model 3/44-2	278888	06.04.2018	Yes			Yes
	LUDELM Measurements Inc	Model 3/44-2	278897	11.03.2019	Yes			Yes
	LUDELM Measurements Inc	Model 3/44-2	278902	28.08.2018	Yes			Yes
	LUDELM Measurements Inc	Model 3/44-2	278941	04.09.2018	Yes			Yes
	Hiachi Aloka Medical Ltd	PDR-101	R01043	28.02.2019	Yes			Yes
	LUDELM Measurements Inc	Model 3/44-2	278963	01.08.2018	Yes			Yes
	Hiachi Aloka Medical Ltd	PDR-101	R01057	22.02.2019	Yes			Yes
	Hiachi Aloka Medical Ltd	PDR-111	204U9589	31.05.2018	Yes			Yes
	LUDELM Measurements Inc	Model 3/44-2	278685	01.02.2019	Yes			Yes
	LUDELM Measurements Inc	Model 3/44-2	287032	27.08.2018	Yes			Yes
	LUDELM Measurements Inc	Model 3/44-2	278739	28.06.2017	Yes			Yes
	Hiachi Aloka Medical Ltd	TCS-172B	204N9448	16.05.2018	Yes			Yes
	LUDELM Measurements Inc	Model 3/44-2	324175	07.05.2018	Yes			Yes
	Hiachi Aloka Medical Ltd	PDR-111	201K7140	29.12.2017	Yes			Yes
	Hiachi Aloka Medical Ltd	PDR-111	201K7141	29.12.2017	Yes			Yes

	Hitachi Aloka Medical Ltd.	PDR-111	20487900	20.08.2018	Yes			Yes	Serial No. of instrument not mentioned in invoice
	Hitachi Aloka Medical Ltd.	PDR-111	20487904	30.08.2018	Yes			Yes	
	LUDLUM Measurements Inc.	Model 3/4-2	278956	27.04.2017	Yes			Yes	
	LUDLUM Measurements Inc.	Model 3/4-2	278773	20.02.2019	Yes			Yes	
	Hitachi Aloka Medical Ltd.	PDR-111	20369517	21.07.2017	Yes			Yes	
	SEIKO EG&G CO.Ltd	GM25-70 Radio Nucleon Identifier	31-P22995H					Yes	
	SEIKO EG&G CO.Ltd	GM30-70 Radio Nucleon Identifier	51-P13055A					Yes	
	Rigaku Analytical Devices	Progeny ResQ 1064	P17250479					Yes	
	Thermo Fisher Scientific Inc.	XL-31-980S	102374					Yes	
15	Corrus Co Ltd	STE INTERNATIONAL	Ranger	5103	30.04.2019	Yes	16.05.2017	Yes	
	STE INTERNATIONAL	Ranger	5109	30.04.2019	Yes	16.05.2017		Yes	
	Thermo	RADEYE PRD	3694	30.04.2019	Yes	23.08.2015		Yes	
	RADECOMI Systems	MSPEC	200322	13.05.2019	Yes	06.05.2019		Yes	

	Olympus Survey meter	Delta element DE-2000	583348	04.01.2019	Yes			Yes	Serial No. not mentioned in invoice Serial No. not Visible on Photograph Details provided for spectrometer in 'C' are incorrect
	Morphux	TraceX Explosives Detection Systems	Part no: 510110 Lot No. 12586					Yes	Invoice of the Explosive Detector not available. Bank draft of processing fees not available
16	Global Multitrade Inc	International Medcom Inc	Rud Alert 100X	X01695	06.05.2019	Yes	20.12.2016	Yes	O.K.
		International Medcom Inc	Rud Alert 100X	X01696	06.05.2019	Yes	20.12.2016	Yes	O.K.
		International Medcom Inc	Rud Alert 100X	X01699	06.05.2019	Yes	20.12.2016	Yes	O.K.
		International Medcom Inc	Rud Alert 100X	X01700	06.05.2019	Yes	20.12.2016	Yes	O.K.
		International Medcom Inc	Rud Alert 100X	X01701	06.05.2019	Yes	20.12.2016	Yes	O.K.
		International Medcom Inc	Rud Alert 100X	X01702	06.05.2019	Yes	20.12.2016	Yes	O.K.
		RAIDCOMM Systems Corp.	MSPEC	200303	07.05.2019	Yes	21.12.2016	Yes	Incomplete Photograph
		RAIDCOMM Systems Corp.	MSPEC	200304	07.05.2019	Yes	21.12.2016	Yes	Incomplete Photograph
		Morphux Technologies	TraceX Explosive Detection Kit	Lot No. 10725 part no: 510110	—	—	20.12.2016	Yes	O.K.
17	Olivine Commercial Pvt Ltd	Mirron Technologies (trados) Oy	RDS-30	312065			05.02.2014	2014/001	Yes
		Mirron Technologies (trados) Oy	RDS-30	312066			05.02.2014	2014/002	Yes
		RAIDCOMM Systems Corp.	RHANDY	100385			26.08.2015	R-3877/3878	Yes
		RAIDCOMM Systems Corp.	RHANDY	100386			26.08.2015	R-3877/3878	Yes
		RAIDCOMM Systems Corp.	RHANDY	100425			26.08.2015	R-3877/3878	Yes
		RAIDCOMM Systems Corp.	RHANDY	100382			26.08.2015	R-3877/3878	Yes
		RAIDCOMM Systems Corp.	RHANDY	100383			26.08.2015	R-3877/3878	Yes

	RAIDCOM Systems Corp.	RELANDY	100563			24.01.2017	R-4247	Yes	Calibration Certificates not attached Photographs of some of the instruments also not attached.
	RAIDCOM Systems Corp.	RELANDY	100564			24.01.2017	R-4247		
	RAIDCOM Systems Corp.	RELANDY	100565			24.01.2017	R-4247		
	RAIDCOM Systems Corp.	RELANDY	100566			24.01.2017	R-4247		
	Elarus Systems	Syclone Portable Gamma Ray Spectro meter	50049			19.03.2014	14-1148	Yes	
	RAIDCOM Systems Corp.	MSPEC	200200			26.08.2015	R-3877/3878	Yes	
	RAIDCOM Systems Corp.	MSPEC	200201			26.08.2015	R-3877/3878	Yes	
	RAIDCOM Systems Corp.	MSPEC	200202			26.08.2015	R-3877/3878	Yes	
	RAIDCOM Systems Corp.	MSPEC	200203			26.08.2015	R-3877/3878		
	RAIDCOM Systems Corp.	MSPEC	200204			26.08.2015	R-3877/3878		
	RAIDCOM Systems Corp.	MSPEC	200205			26.08.2015	R-3877/3878		
	RAIDCOM Systems Corp.	MSPEC	200206			26.08.2015	R-3877/3878		
	RAIDCOM Systems Corp.	MSPEC	200245			24.01.2017	R-4247		
	RAIDCOM Systems Corp.	MSPEC	200289			24.01.2017	R-4247		
	RAIDCOM Systems Corp.	MSPEC	200290			24.01.2017	R-4247		
	RAIDCOM Systems Corp.	MSPEC	200291			24.01.2017	R-4247		
	RAIDCOM Systems Corp.	MSPEC	200292			24.01.2017	R-4247		
	Explosives Detection System								Not Available
18	ISK Engineers Pvt Ltd	Gamma Scout	Gamma Scout with Alert	46402	13.02.2019	Yes	19.10.2015	EE-008/2015-16	
									O.K.

		Gamma Scout	Gamma Scout with Alert	67826			05.01.2017	118618400178	Yes	Serial No. Not mentioned in Invoice Monitor Repair Invoice Attached Calibration test results including the calibration percentage error (= 20%) is not provided under Calibration Certificate(CC). The CC is required to provide percentage error in CC.
		Radcon	MSPIC	200224	12.06.2018	Yes	14.07.2016	160714-121	Yes	O.K.
		Radcon	MSPIC	200288	24.5.2019	Yes	17.01.2017	15530	Yes	O.K.
		Radcon	MSPIC	200283	16.5.2019	Yes	08.08.2017	16235	Yes	O.K.
		Morphix Explosives detection system	TraceX	part no. 510100 Lot No. 16384			8.5.2019	627	Yes	O.K.
19	El BI Consultancy (India) Pvt Ltd	Atomex Hand Held Radiation Survey Meters	AT6130C	26708	02.04.2019	Yes	25.04.2014	San-017	Yes	O.K.
		Atomex Radio Nuclear Identifier	AT6102A	61202	30.08.2017	Yes	02.01.2013	SAN-039	Yes	Calibration is valid only upto 29.08.2019
		RedXJetense Explosives Detection System	Xcell	1100602			10.05.2019	SI-01072019-20	Yes	O.K.
20	Premier Esim	RadEye	PRD	32000			10.05.2019	5	Yes	CC not available
		RadEye	PRD	32007					Yes	CC and Invoice not available

		Explosives Detection System								Not available
21	Asia Inspection Agency Co Ltd	Radeconm System	Radeconm	100631	13.05.2019	Yes	06.05.2019	R-5065	Yes	Calibration test results including the calibration percentage error ($\leq 20\%$) is not provided under Calibration Certificate (CC). The CC is required to provide percentage error in CC.
		Radeconm System	Radeconm	100632	13.05.2019	Yes	06.05.2019	R-5065	Yes	
		Radeconm System	Radeconm	100633	13.05.2019	Yes	06.05.2019	R-5065	Yes	
		Radeconm System	Radeconm	100634	13.05.2019	Yes	06.05.2019	R-5065	Yes	
		Radeconm System	Radeconm	100635	13.05.2019	Yes	06.05.2019	R-5065	Yes	
		Radeconm System	Radeconm	100636	13.05.2019	Yes	06.05.2019	R-5065	Yes	Calibration percentage error is to be mentioned and should not be exceeding the limit of 20% in the CC
		Radeconm System	Radeconm	100637	13.05.2019	Yes	06.05.2019	R-5065	Yes	
		Radeconm System	NISPEC	200325	13.05.2019	Yes	06.05.2019	R-5065	Yes	

		Morphix Technologies Explosive Detection System	Trace X Explosive Detection Kit	200076								Explosive Detection System not available
22	APQM Engineering Services Pvt Ltd	Radeonn	Rhurdy	72470						Yes	No documents made available	
		Radeonn	MSPEC	200224				24.04.2019			Invoice No. and Serial No. of Instrument not mentioned on Invoice Calibration Certificate not attached	
		Explosive Detection System									Explosive Detection System not available	
23	Sunshine International Cargo Inspection Services Inc	Radeonn System Corp	Rhurdy	100502				10.09.2015	13929	Yes	Calibration Certificate not attached	
		Radeonn System Corp	Rhurdy	100527				11.05.2016	14688	Yes		
		Radeonn System Corp	Rhurdy	100528				11.05.2016	14688	Yes		
		Radeonn System Corp	Rhurdy	100500				10.09.2015	13929	Yes		
		Radeonn System Corp	Rhurdy	100529				11.05.2016	14688	Yes		
		Radeonn System Corp	Rhurdy	100506						No	Calibration Certificate, Photographs and invoice not attached	
		Radeonn System	MSPEC	100199						Yes	Calibration Certificate and invoice not attached	
		Radeonn System	MSPEC	100124						Yes		
		Radeonn System	MSPEC	100198						Yes		
		Radeonn System	MSPEC	100123						Yes		

		TraceX Explosives Detection System		Lot no. 6375				18.09.2018	15466		Explosives Detection System photograph is not attached
24	Bureau Veritas India Pvt Ltd	Thermo Scientific	Radeye PRD-8	30144	27.04.2019	Yes				Yes	Serial No of instrument not mention in invoice
		Thermo Scientific	Radeye-M-G	10068	27.04.2019	Yes				Yes	Serial No of instrument not mention in invoice
		Lawanda-Ltd Explosive Detection System	Poln MI	2898				14.08.2015	58/SKC/(15-16)	Yes	O.K.
25	Valuepura Chartered Engineers, Surveyors Valueurs	Thermo Fisher Scientific	Radeye PRD	30339	11.07.2018	Yes		08.03.2013	1-1307-VCEV-TN	Yes	O.K.
		Thermo Fisher Scientific	Radeye PRD	31222	05.02.2019	Yes		05.09.2013	815-VG-VC-TN	Yes	O.K.
		Thermo Fisher Scientific	Radeye-G	9728	27.04.2019	Yes		08.03.2013	1-1307-VCEV-TN	Yes	O.K.
		Thermo Fisher Scientific	Radeye-M-G	10465	30.03.2019	Yes		05.09.2013	815-VG-VC-TN	Yes	O.K.
		Explosive Detection System	X-CAT-1	XCAT1005CI				30.10.2015	EX20151001	Yes	O.K.
26	Global Mines and Minerals PZC	Atomex Hand Held Radiation Survey Meter	AT6130	20004	25.05.2018	Yes		19.03.2013	6	Yes	O.K.
		Atomex Hand Held Radiation Survey Meter	AT6130	18895	10.01.2019	Yes		21.05.2014	7	Yes	O.K.
		Atomex Hand Held Radiation Survey Meter	AT6130	20107	28.08.2018	Yes		21.05.2014	8	Yes	O.K.
		Atomex Hand Held Radiation Survey Meter	AT6130	20110	13.05.2019	Yes		21.05.2014	9	Yes	O.K.
		Atomex Hand Held Radiation Survey Meter	AT6130	20113	04.02.2019	Yes		21.05.2014	10	Yes	O.K.
		Atomex Hand Held Radiation Survey Meter	AT6130	20809	28.08.2018	Yes		29.07.2015	15-1011	Yes	O.K.
		Atomex Hand Held Radiation Survey Meter	AT6130	20811	28.08.2018	Yes		29.07.2015	15-1011	Yes	O.K.
		Atomex Hand Held Radiation Survey Meter	AT6130	20812	12.07.2017	Yes		29.07.2015	15-1011	Yes	Validity of CTC only up to two years from issue Not acceptable

	Atomex Hand Held Radiation Survey Meter	AT6130	20813	24.12.2018	Yes	29.07.2015	15-1011	Yes	O.K.
	Atomex Hand Held Radiation Survey Meter	AT6130	20815	23.04.2019	Yes	29.07.2015	15-1011	Yes	O.K.
	Atomex Hand Held Radiation Survey Meter	AT6130	20817	10.01.2019	Yes	29.07.2015	15-1011	Yes	O.K.
	Atomex Hand Held Radiation Survey Meter	AT6130	20818	12.06.2017	Yes	29.07.2015	15-1011	Yes	Validity of CC only up to two years from issue Not acceptable
	Atomex Hand Held Radiation Survey Meter	AT6130	20819	08.07.2017	Yes	29.07.2015	15-1011	Yes	Validity of CC only up to two years from issue Not acceptable
	Atomex Hand Held Radiation Survey Meter	AT6130	20820	07.03.2018	Yes	29.07.2015	15-1011	Yes	O.K.
	Atomex Hand Held Radiation Survey Meter	AT6130	20821	30.04.2019	Yes	29.07.2015	15-1011	Yes	O.K.
	Atomex Hand Held Radiation Survey Meter	AT6130	20822	23.04.2019	Yes	29.07.2015	15-1011	Yes	O.K.
	Atomex Hand Held Radiation Survey Meter	AT6130	20823	28.08.2018	Yes	29.07.2015	15-1011	Yes	O.K.
	Atomex Hand Held Radiation Survey Meter	AT6130	20825	13.05.2019	Yes	29.07.2015	15-1011	Yes	O.K.
	Atomex Hand Held Radiation Survey Meter	AT6130	20826	28.08.2018	Yes	29.07.2015	15-1011	Yes	O.K.
	Atomex Hand Held Radiation Survey Meter	AT6130	20827	18.09.2017	Yes	29.07.2015	15-1011	Yes	Validity of CC only up to two years from issue
	Atomex Hand Held Radiation Survey Meter	AT6130	20828	18.09.2017	Yes	29.07.2015	15-1011	Yes	Validity of CC only up to two years from issue
	Atomex Hand Held Radiation Survey Meter	AT6130	20829	18.09.2017	Yes	29.07.2015	15-1011	Yes	Validity of CC only up to two years from issue
	Atomex Hand Held Radiation Survey Meter	AT6130	20830	17.08.2017	Yes	29.07.2015	15-1011	Yes	Validity of CC only up to two years from issue Not acceptable
	Atomex Hand Held Radiation Survey Meter	AT6130	20831	08.07.2017	Yes	29.07.2015	15-1011	Yes	Validity of CC only up to two years from issue Not acceptable

	Atomex Hand Held Radiation Survey Meter	AT6130	20832	15.06.2017	Yes	29.07.2015	15-1011	Yes	Validity of CC only up to two years from issue. Not acceptable
	Atomex Hand Held Radiation Survey Meter	AT6130	20833	13.05.2019	Yes	29.07.2015	15-1011	Yes	O.K.
	Atomex Hand Held Radiation Survey Meter	AT6130	20834	28.08.2018	Yes	29.07.2015	15-1011	Yes	O.K.
	Atomex Hand Held Radiation Survey Meter	AT6130	20835	25.10.2017	Yes	29.07.2015	15-1011	Yes	Validity of CC only up to two years from issue
	Atomex Hand Held Radiation Survey Meter	AT6130	20836	23.04.2019	Yes	29.07.2015	15-1011	Yes	O.K.
	Atomex Radio Nuclear Identifier	AT1321	40	18.01.2019	Yes	21.05.2014	7	Yes	O.K.
	Atomex Radio Nuclear Identifier	AT1321	41	18.01.2019	Yes	21.05.2014	8	Yes	O.K.
	Atomex Radio Nuclear Identifier	AT1321	42	23.04.2019	Yes	21.05.2014	9	Yes	O.K.
	Atomex Radio Nuclear Identifier	AT1321	43	23.04.2019	Yes	21.05.2014	10	Yes	O.K.
	Atomex Radio Nuclear Identifier	AT1321	81	13.05.2019	Yes	29.07.2015	15-1011	Yes	O.K.
	Atomex Radio Nuclear Identifier	AT1321	83	13.05.2019	Yes	29.07.2015	15-1011	Yes	O.K.
	Atomex Radio Nuclear Identifier	AT1321	84	13.05.2019	Yes	29.07.2015	15-1011	Yes	O.K.
	Atomex Radio Nuclear Identifier	AT1321	87	13.05.2019	Yes	29.07.2015	15-1011	Yes	O.K.
	Atomex Radio Nuclear Identifier	AT1321	88	13.05.2019	Yes	29.07.2015	15-1011	Yes	O.K.
	Atomex technologies Explosive Detection System	TraceX	Lot No. 16384			05.06.2019	1173	Yes	O.K.
27	United Engineering Services & Consultancy	Radiation Systems	RC2PULS-BASIC	2P00658B	Yes	08.06.2018	RC/18-19/0004	Yes	O.K.
	Radiation Systems	MSPHC	200311	30.05.2018	Yes	08.06.2018	RC/18-19/0004	Yes	O.K.
	Atomex technologies Explosive Detection System	TraceX	Lot no. 14133			10.07.2018	SL-016/2018-19	Yes	O.K.

28	Atto Asia Inspection Sat U	Radcomm Systems	Rhurdy	100300	25.04.2019	Yes	11.06.2015	No Number	Yes	Calibration test results including the calibration percentage error (= 20%) is not provided under Calibration Certificate (C). The C.C. is required to provide percentage error in C.C.
		Radcomm Systems	Rhurdy	100355	10.03.2019	Yes	11.06.2015	No Number	Yes	
		Radcomm Systems	NSP/C	200109	25.04.2019	Yes	01.06.2015	ME-T/201-15	Yes	O.K.
		Radcomm Systems	NSP/C	200110	10.03.2019	Yes	01.06.2015	ME-T/201-15	Yes	O.K.
		Explosive Detection Kit	Detectchem Seeker NDT	335020606140220			30.07.2015	P005	Yes	O.K.
	NOI/QSR North America									
29		Hand Held Radiation Survey Meters GQ Electronics LLC	GMN-320 Plus	F488009102D05B	11.03.2019	Yes	16.12.2016	MPA/20161216	Yes	The Serial No. of the instruments is not mentioned on the invoices. There are 3 invoices for total 20piece GMN-320 plus
		Hand Held Radiation Survey Meters GQ Electronics LLC	GMN-320	F4880094060C97	11.03.2019	Yes			Yes	
		Hand Held Radiation Survey Meters GQ Electronics LLC	GMN-320	F488003E029863	11.03.2019	Yes			Yes	
		Hand Held Radiation Survey Meters GQ Electronics LLC	GMN-320	F48800C023520	11.03.2019	Yes			Yes	
		Hand Held Radiation Survey Meters GQ Electronics LLC	GMN-320	F48800CD05ED68	11.03.2019	Yes			Yes	

	Hand Held Radiation Survey Meters Electronics LLC	GMC_320	F48800A105F293	11.03.2019	Yes			Yes	
	Hand Held Radiation Survey Meters Electronics LLC	GMC_320	F48800A106688C	11.03.2019	Yes			Yes	
	Hand Held Radiation Survey Meters Electronics LLC	GMC_320	F48801B706F1A0	11.03.2019	Yes			Yes	
	Hand Held Radiation Survey Meters Electronics LLC	GMC_320	F48800AC06F886	11.03.2019	Yes			Yes	
	Hand Held Radiation Survey Meters Electronics LLC	GMC_320	F48801B706F1B0	11.03.2019	Yes			Yes	
	Hand Held Radiation Survey Meters Electronics LLC	GMC_320	F488007406601D	11.03.2019	Yes			Yes	
	Hand Held Radiation Survey Meters Electronics LLC	GMC_320 Plus	F48800AC06F883	11.03.2019	Yes	16.12.2016	MP/AZ/20161216	Yes	
	Hand Held Radiation Survey Meters Electronics LLC	GMC_320 Plus	F488007306915D	11.03.2019	Yes	16.12.2016	MP/AZ/20161216	Yes	
	Hand Held Radiation Survey Meters Electronics LLC	GMC_320 Plus	F48801B706F17E	11.03.2019	Yes	16.12.2016	MP/AZ/20161216	Yes	Photograph containing the serial no. is not clear
	Hand Held Radiation Survey Meters Electronics LLC	GMC_320 Plus	F48800A1066F7F	11.03.2019	Yes	16.12.2016	MP/AZ/20161216	Yes	
	Hand Held Radiation Survey Meters Electronics LLC	GMC_320 Plus	F4880136027220	11.03.2019	Yes	16.12.2016	MP/AZ/20161216	Yes	
	Hand Held Radiation Survey Meters Electronics LLC	GMC_320 Plus	F48800C806E490	11.03.2019	Yes	16.12.2016	MP/AZ/20161216	Yes	
	Hand Held Radiation Survey Meters Electronics LLC	GMC_320 Plus	F48800C704D0E2	11.03.2019	Yes	16.12.2016	MP/AZ/20161216	Yes	
	Hand Held Radiation Survey Meters Electronics LLC	GMC_320 Plus	F488012201F888	11.03.2019	Yes	16.12.2016	MP/AZ/20161216	Yes	
	Hand Held Radiation Survey Meters Electronics LLC	GMC_320 Plus	F48800A105F27D	11.03.2019	Yes	16.12.2016	MP/AZ/20161216	Yes	
	Hand Held Radiation Survey Meters Electronics LLC	RC2 PLUS	2P00444B	13.03.2019	Yes	07.11.2016	14861	Yes	
	S.E. International Inc Identifier	Radiation alert Inspector	33696	13.03.2019	Yes		48098	Yes	

