

Minutes of the 15th Meeting of the Inter-Ministerial Committee (IMC) to consider applications for recognition as Pre- Shipment Inspection Agency (PSIA)

The 15th Meeting of the IMC was held on 24.09.2020 through video conferencing via Webex under the Chairmanship of Shri Hardeep Singh, Addl. DGFT to consider:

- i. Applications deferred in the 14th Meeting of PSIA held on 21.06.2019
 - ii. Consideration of fresh applications for enlistment as PSIAs.
2. The following members attended the meeting:
- i. Shri S.P. Roy, Joint DGFT
 - ii. Dr. Avinash Sonawane, Head, RSD, AERB
 - iii. Shri B.K. Singh, AERB
 - iv. Shri Mahesh M., AERB
 - v. Shri Ajeet Singh, SO(D), AERB
 - vi. Shri Nirmal Kumar, Dy. DGFT
3. A total of 28 applications were received. Out of these 28 applications, 24 applications were for empanelment as PSIA's and extension of period of validity as PSIA's while 04 applicants had applied for addition of instruments and addition of area of operation.
4. After examination of the fresh documents submitted by the applicants, the Committee decided as under:

S.No. 1	SMV International Incorporation
Address of Head Office	M-93, 3 rd Floor, Saket New Delhi-110017
Areas applied for	Israel, Australia, New Zealand, South Africa, North America, UK, European Union, West Africa, South America, UAE, South Korea, Japan, East Africa, Philippines, Kuwait, Malaysia and Taiwan
Explosives Detector	Morphix Technologies TraceX Explosive Detector Part No. 510100
Comments/ Decision of the Committee	The Committee noted that the applicant has 8 survey-meter and 1 spectrometer, as in the Annexure of these minutes, which were found to be acceptable . The Committee decided to recommend M/s SMV International Incorporation for recognition as PSIA for the area applied for.

S.No. 2	Gattini & Co.
Address of Head Office	Plot No. 8, Behind Fish Market, Near Runwal Omkar E-Square, Sion(E), Mumbai 400 022.
Comments/ Decision of the Committee	The Committee decided to reject the case as the firm did not submit re-validated calibration certificates of its instruments and the re-validated Membership Certificate of the Metal Recycling Association of India or any other listed Organisation as in Public Notice no. 12 dated 18th May,2015



S.No. 3	Skanda Engineers and Consultants
Address of Head Office	No.94/1, Katha No. 59, Seegehalli, Virgonagar Post, K.R. Puram, Bangalore-560 049, Karnataka
Areas applied for	Sri Lanka
Explosives Detector	Morphix Technologies TraceX Explosive Detector 16858 Part No. 510100
Decision of the Committee	The Committee noted that the applicant has 1 survey-meter and 1 spectrometer, as in the Annexure of these minutes, which were found to be acceptable. The Committee decided to recommend M/s Skanda Engineers and Consultants for recognition as PSIA for the area applied for.

S.No. 4	Nireekshan Engineers and Surveyors
Address of Head Office	New No. 63, Old No. 31, 1 st Floor, Armenian Street, Chennai, 600 001
Areas applied for	USA & UK
Explosives Detector	RadComm TraceX Explosive Detector 5 Kits Part No. 510100 S.No. 16858
Decision of the Committee	The Committee noted that the applicant has 2 survey-meters and 1 spectrometer, as in the Annexure of these minutes, which were found to be acceptable . The Committee decided to recommend M/s Nireekshan Engineers and Surveyors for recognition as PSIA for areas they have applied for, subject to submission of an authentic copy of calibration from Shandong Coal.

S.No. 5	APGM Engineering Services Pvt. Ltd
Address of Head Office	New No.12, Old No. 157, Alwarpet Street, , Alwarpet , Chennai-600018.TN.
Areas applied for	USA
Explosives Detector	Morphix Technologies TraceX Explosive Detector Lot No. 16384
Decision of the Committee	The Committee noted that the applicant has 1 survey-meter and 1 spectrometer, as in the Annexure of these minutes, which were found to be acceptable. The Committee decided to recommend M/s APGM Engineering Services Pvt. Ltd for recognition as PSIA for the areas they have applied for.

S.No. 6	Pashupati Consulting and Inspection Agency
Address of Head Office	441/15, Arya Nagar, Firozabad-283203, Uttar Pradesh, India
Decision of the Committee	The Committee decided to reject the case due to non receipt of revalidated calibration certificates of instruments and valid certificate of membership of any listed Organisation as in Public Notice no. 12 dated 18th May,2015.

S.No. 7	MELT Enterprise LTD
Address of Head Office	20-22 Wenlock Road, London N1 7GU, United Kingdom
Areas applied for	UK, USA, Dominican Republic, European Union, East Europe, Norway, South Africa, West Africa, Senegal, Mozambique, Japan, Australia, New Zealand, UAE, Saudi Arabia, Bahrain, Israel, South America, Honduras, Brazil, Chile, Paraguay, Philippines, Indonesia, Hong Kong, Singapore, Pacific Islands, Papua New Guinea, Fiji and Taiwan
Explosives Detector	TraceX, Lot no 16858
Decision of the Committee	The Committee noted that the applicant has 4 survey-meters and 1 spectrometer as in the Annexure of these minutes, which were found to be acceptable . The Committee decided to recommend M/s MELT Enterprise LTD for recognition as PSIA for the areas they have applied for.

S.No. 8	Nectar Inspection Services LLC
Address of Head Office	P.O. Box No. 90468, G-S 12, Building No: Q 02 Al Warsan, First Plot No: 451-0, Dubai, UAE
Areas applied for	UAE, UK, Austria, Canada, Lebanon, Oman, Sri Lanka, Brazil, Singapore, Australia, Guinea, Sierra Leone and Thailand
Explosives Detector	XLT 898 NITON 9633
Decision of the Committee	The Committee noted that the applicant has 8 survey-meters and 5 spectrometers which were found to be acceptable as given in the Annexure of these minutes. The Committee decided to recommend M/s Nectar Inspection Services LLC for recognition as PSIA for the areas they have applied for.

S.No. 9	G P & Associates
Address of Head Office	Flat 005, #27, Poona Palace, 12 th A Cr, 2 nd Mn, 3 rd Ph, J P Nagar, Bangalore - 560078
Decision of the Committee	The Committee decided to reject the case due to non receipt of revalidated calibration certificates of its instruments and a valid certificate of membership of Metal Recycling Association of India.

S.No. 10	CWM Survey & Inspection, Netherlands
Address of Head Office	Sluisjesdijk 127, 3087 AE Rotterdam, The Netherlands
Areas applied for	The Netherlands, USA & UAE
Explosives Detector	Exploranium GR 130
Decision of the Committee	The Committee noted that the applicant has 17 survey-meters and 1 spectrometer, as in the Annexure of these minutes, which were found to be acceptable . The Committee decided to recommend M/s CWM Survey & Inspection, Netherlands for recognition as PSIA for areas they have applied for.

S.No. 11	Hamilton Steel Logistics Inc.
Address of Head Office	Unit # 2, 42 Keefer Ct, Hamilton, ON, L8E 4V4, Canada
Areas applied for	Canada and USA
Explosives Detector	Spectrex, XD 2 EX-DETECT, S.No. 18787
Decision of the Committee	The Committee decided to defer the case as calibration certificate not provided in the format.

S.No. 12	Marine Inspection and Logistics International Rotterdam
Address of Head Office	Tuinlaan 48, 3111 AW, Schiedam, The Netherlands
Areas applied for	European Union, USA, Canada, Caribbean, Turkey and United Kingdom.
Explosives Detector	Multi Pro Systems Toxic fumes/gasses, Explosive/LEL-Sensors, ARMF-0616 and ARMF-0451
Decision of the Committee	The Committee decided to defer the case as the Calibration Certificate for Radiation Alert Ranger SE International S.No. R309072 was verified and the result were found to be not acceptable. Also calibration certificate for Spectrometer No 910383-36 and No 4628-61 were not submitted.

S.No. 13	Cayley Aerospace Inc
Address of Head Office	18830, 38 th Ave W, Lynnwood, WA, 98037-7637, USA
Explosives Detector	Fido XT, S.No. 98447 (details not furnished)
Decision of the Committee	The Committee noted that the applicant has not furnished details of explosive detector, as such the Committee decided to defer the case.

S.No. 14	NMCI Inspection & Survey Company Pvt Ltd
Address of Head Office	Shramik Ramdas Trust Building, 2 nd Floor, Plot No. 59/C, Sector- 29, Vashi, Navi Mumbai-400 705, Maharashtra, India
Areas applied for	USA, Canada, Mauritius, Sri Lanka, United Kingdom and European Union
Explosives Detector	Indy Surplus, Sabre 2000, Lot No. 20285
Decision of the Committee	The Committee noted that the applicant has 3 survey-meters and 1 spectrometer, as in the Annexure of these minutes, which were found to be acceptable . The Committee decided to recommend M/s NMCI Inspection & Survey Company Pvt Ltd for recognition as PSIA for the areas they have applied for.

S.No. 15	GEO Chem Inspection (Malaysia) SDN. BHD
Address of Head Office	Blk 47 Ayer Rajah Crescent, #05-01, Ayer Rajah Industrial Estate, Singapore - 139947.
Decision of the Committee	The Committee rejected the application as it was found to be incomplete.

S.No. 16	GEO Chem Middle East
Address of Head Office	Plot No. TP010305, Techno Park-Jabal Ali, Dubai, UAE, Post Box No. 5778
Decision of the Committee	The Committee rejected the application as it was found to be incomplete.

S.No. 17	Maruti Chartered Engineers and Valuers
Address of Head Office	No 72/80 Moore St, Near DTDC Courier, Parrys, Chennai- 600001, Tamil Nadu, India
Areas applied for	Sri Lanka
Explosives Detector	MORPHEX TECHNOLOGIES, TRACE X EXPLOSIVES DETECTION, Lot No. 510100
Decision of the Committee	The Committee noted that the applicant has 1 survey-meter and 1 spectrometer, as given in the Annexure of these minutes, which were found to be acceptable . The Committee decided to recommend M/s Maruti Chartered Engineers and Valuers for recognition as PSIA for the areas they have applied for.

S.No. 18	Nippon Kaiji Kentei Kyokai
Address of Head Office	9-7, 1-Chome Hatchobori, Chuo-Ku, Tokyo 104-0032, Japan
Decision of the Committee	The Committee rejected the application as it found that reply to its observations were incomplete..

S.No. 19	Covenant Insurance Surveyors & Loss Assessors Pvt Ltd
Address of Head Office	1 B Jaysons, 41 Lakshmanaswamy Road, K K Nagar, Chennai - 600078
Decision of the Committee	The Committee decided to reject the case as the applicant has not submitted the completed Annexure-1 of the application form, calibration certificate of its instruments clearly indicating the validity period, the copy of the invoice all instruments and explosive detector and the certificate of its membership of Metal Recycling Association of India.

S.No. 20	Premier Exim
Address of Head Office	1/15, Ground Floor, Sunder Vihar, New Delhi-110087
Areas applied for	Bangladesh and Sri Lanka
Explosives Detector	Explosive Detection Kit, TraceX 5/Box
Decision of the Committee	The Committee noted that the applicant has 1 survey-meter and 1 spectrometer, as given in the Annexure of these minutes, which were found to be acceptable,. The Committee decided to recommend M/s Premier Exim for recognition as PSIA for the areas they have applied for.

S.No. 21	Ruswal Global LLC
Address of Head Office	Office 325A, 38A Elizarova prospect, St. Petersburg, Russia, 192148
Areas applied for	UK, European Union and Russia
Explosives Detector	MORPHIX TECHNOLOGIES, TRACE X EXPLOSIVES DETECTION, Lot No. 18591
Decision of the Committee	The Committee noted that the applicant has 3 survey-meters and 1 spectrometer, as given in the annexure, which were found to be acceptable. The Committee decided to recommend M/s Ruswal Global LLC for recognition as PSIA for the areas they have applied for.

S.No. 22	NMCI Inspection & Survey (MTIUS) LTD
Address of Head Office	45A, Avenue Des Goyaviers Quatre- Bornes Pin: 72238, Mauritius
Areas applied for	Mauritius, Sri Lanka, Reunion, Seychelles, Madagascar, South Africa, Singapore, UAE, Saudi Arabia, Oman, Kuwait, Bangui, Angola, DRC Congo, Guinea Bissau, Senegal, Ghana, China, Russia, Iran, Chile, Indonesia, Cambodia, Thailand, Bangladesh, Egypt, Mozambique, UK, European Union, Georgia, Djibouti, Somaliland, Nigeria, Myanmar & Jordan
Explosives Detector	MORPHIX TECHNOLOGIES, TRACE X EXPLOSIVES DETECTION, Lot No. 510100-05
Decision of the Committee	The Committee noted that the applicant has 4 survey-meters and 2 spectrometers, as given in the Annexure of these minutes, which were found to be acceptable. The Committee decided to recommend M/s NMCI Inspection & Survey (MTIUS) LTD for recognition as PSIA for the areas they have applied for.

S.No. 23	Humber Inspection International Ltd.
Address of Head Office	Prince Henry Drive, Queens Road, Immingham, DN40 1QY. United Kingdom.
Decision of the Committee	The Committee decided to defer the case for examination as the Test parameters are not mentioned in the calibration certificate for any of the instruments.

S.No. 24	Silver Dragon Resources Singapore Pte Ltd.
Address of Head Office	No. 21 Woodlands Close PRIMZ Bizhub, #04-34 Singapore 737854.
Areas applied for	Singapore, Philippines, Malaysia, South Africa, Taiwan, Korea, China and Hong Kong
Decision of the Committee	The Committee noted that the applicant has 4 survey-meters and 1 spectrometer which were found to be acceptable as given in the Annexure of these minutes. The Committee decided to recommend M/s Silver Dragon Resources Singapore Pte Ltd. for recognition as PSIA for the areas they have applied for.

Addition of Instruments and Area of Operation

S.No. 25	Baltic Control International Ltd UK
Address of Head Office	Charles House, 5 th floor, 108-110, Finchley Road, NW3 5JJ London, UK
Additional area of Operation applied	European Union, Singapore, Norway, Philippines, Malta, Bangladesh, Ukraine, Japan, Switzerland, Hong Kong, Iceland, Australia, Bosnia and Herzegovina, New Zealand, Scotland, South Africa, Malaysia, Algeria, South Korea, UAE, China, Saudi Arabia, Thailand, Turkey, Taiwan, Morocco, Kazakhstan, USA, Georgia, Mexico, Canada, Brazil, South America, Central America, Argentina, Honduras, Peru, Guatemala, Uruguay, Costa Rica, Chile and Dominican Republic
Decision of the Committee	The Committee decided to defer the case as replies to earlier queries not received.

S.No. 26	Global Marine Inspection
Address of Head Office	Unit No. 23, Eros Metro Mall, Dwarka, New Delhi-110078, India
Additional area of Operation applied	European Union and UK, South Africa, West Africa and East Africa, Singapore, Thailand, Indonesia, Malaysia, Taiwan and Vietnam, North America, Hong Kong, South America, Central America and Caribbean, UAE, Bahrain, Kuwait, Oman, Qatar and Saudi Arabia, Australia and New Zealand.
Decision of the Committee	The Committee decided to add 10 survey-meters and 7 spectrometers as they were found to be acceptable as given in the Annexure of these minutes.

S.No. 27	Metal Services
Address of Head Office	S-17, Shakti Arcade, Opp. R.K. Hall, Science City Road, Sola, Ahmedabad-380 060
Additional area of Operation applied	Thailand, Vietnam, Saudi Arabia, Angola, (Congo & DRC), UAE, Kuwait, China, Bahrain and Egypt
Decision of the Committee	The Committee did not find any instrument acceptable to be added to the list of instruments already approved as calibration certificates were expired.

S.No. 28	NI-Met Metals Inc
Address of Head Office	2939 Portland Drive, Suite 300, Oakville, Ontario, L6H 5S4, Canada
Additional area of Operation applied	EU, South America, Egypt, Sri Lanka, Israel and Mexico
Decision of the Committee	The Committee decided to defer the case as replies to earlier queries not received from firm.

5. The committee further noted that as per Para-2.55 (f) , “a PSIA can also carry out inspections in countries, where it does not have a full time equipped branch office but which falls within its area of operation, by deputing its inspectors. However, for such inspections in other countries , the PSIA will be required to give prior intimation to DGFT by sending an e-mail (at psia-travel-dgft@gov.in) and furnishing details of visit/inspection done bt the Inspector in PSIC”. Accrodingly, the committee decided that a regular monitoring of the same be ensured.

6. **Meeting was ended with vote of thanks to the chair.**

ANNEXURE (PSIA 15th Meeting held on 24.09.2020)

S. No.	Name of the Applicant	Make	Model	Sl. No. of applicant	Date of calibration	Expiration Date of Calibration Certificate	Supporting documents of calibration	Date of Purchase	Copy of invoice should be attached	Photograph Attached	Comments
1	2	3	4	5	6	7	8	9	10	11	12
1	<i>SMAV International Incorporation</i>	RadComm	Mspec	200268	06.08.2019	05.08.2021	Yes				Ok
		RadComm	RHandy	100695	12.08.2020	11.08.2021	Yes	11.08.2020	Yes	Yes	Ok
		RadComm	RHandy	100696	12.08.2020	11.08.2021	Yes	11.08.2020	Yes	Yes	Ok
		RadComm	RHandy	100697	12.08.2020	11.08.2021	Yes	11.08.2020	Yes	Yes	Ok
		RadComm	RHandy	100698	12.08.2020	11.08.2021	Yes	11.08.2020	Yes	Yes	Ok
		RadComm	RHandy	100699	12.08.2020	11.08.2021	Yes	11.08.2020	Yes	Yes	Ok
		RadComm	RHandy	100700	12.08.2020	11.08.2021	Yes	11.08.2020	Yes	Yes	Ok
		RadComm	RHandy	100701	12.08.2020	11.08.2021	Yes	11.08.2020	Yes	Yes	Ok
		RadComm	RHandy	100702	12.08.2020	11.08.2021	Yes	11.08.2020	Yes	Yes	Ok
		Morphix Technologies	TraceX	510100-05	NR	NR	Yes	12.01.2017	Yes	Yes	Ok
2	<i>Gutini & Co.</i>	RadComm Systems, 2931 Portland Drive, Oakville, Ontario, Canada L6H 5S4	Rhandy	100379	31.08.2017	-	Yes	11.08.2015	Yes	Yes	Not Ok
		RadComm Systems, 2931 Portland Drive, Oakville, Ontario, Canada L6H 5S4	Rhandy	100512	13.08.2015	-	Yes	13.10.2015	Yes	Yes	Not Ok
		RadComm Systems, 2931 Portland Drive, Oakville, Ontario, Canada L6H 5S4	Rhandy	100514	12.01.2016	-	Yes	13.01.2016	Yes	Yes	Not Ok

		Quarta-Rad, Inc. 1201 Orange St, Ste 700, Wilmington, DE 19801	Radex RD1212	1.11601E+13	07.03.2017	-	NA	06.02.2017	Yes	Yes	Not Ok
		Spectrometer	MSpec	200051	04.12.2018	04.12.2019	Yes	22.07.2013	Yes	Yes	Not Ok
		Spectrometer	MSpec	200043	04.12.2018	04.12.2019	Yes	11.08.2015	Yes	Yes	Not Ok
		Explosive Detection	TraceX	510100	NR	NR	Yes	31.08.2016	Yes	NA	Not Ok
3	Skanda Engineers and Consultants	Radcomm, Canada	RHANDY	100655	19.09.2019	18.09.2020	Yes	21.09.2019	Yes	Yes	Ok
		Radcomm, Canada	MSpec	200341	19.09.2019	19.09.2020	Yes	21.09.2019	Yes	Yes	Ok
		Explosives Detection Morphix Technologies	TraceX	16858 Part No 510100	NR		NR	20.09.2019	Yes	Yes	Ok
4	Nireekshan Engineers and Surveyors	RADCOMM	Rhandy Portable Handheld Detector	100397	24.07.2020	23.07.2021	Yes	03.02.2016	Yes	Yes	Ok (subject to verification for)
		Shandong China Coal	RAD-35 Handheld Radiation Detector	170310122	23.07.2020	22.07.2021	Yes	17.07.2019	Yes	Yes	Ok
		RADCOMM	MSPEC Portale Gamma Spectrometer	200154	24.07.2020	23.07.2021	Yes	03.02.2016	Yes	Yes	Ok
		RADCOMM	TRACEX Explosive Detector - 5 Kits Part No: 510100	16858	NR	NR	Yes	15.07.2019	Yes	Yes	Ok
5	APGM Engineering Services Pvt Ltd	SE International	Ranger	R-309592	06.09.2019	05.09.2021	Yes	06.09.2019	Yes	Yes	Ok
		Radcom	MSpec	200224	06.09.2019	05.09.2021	Yes	05.01.2019	Yes	Yes	Ok
		Explosives Detection Morphix Technologies	TraceX	16384	NR	NR	Yes	30.08.2019	Yes	Yes	Ok
6	Pashupati Consulting and Inspection	Atomex, Belarus	AT6130	20357	18.06.2014	17.06.2016	Yes	22.09.2014	Yes	Yes	Not Ok

	Agency	FLIR, Germany	Identifinder2-NG Hand-Held Radionuclide Deive	910383-153	03.05.2019	-	Yes	22.09.2014	Yes	Yes	Not Ok
		RedXDefence, United States	XCAT Narcotics, Gunshot residue and Explosive Detection System	3455	NR	NR	Yes	17.08.2015	Yes	NA	Not Ok
7	MELT Enterprise LTD	RADCOMM Systems Corp	Mspec Handheld Gamma Ray Spectrometer	200162	30.06.2020	29.06.2021	Yes	08.05.2019	Yes	Yes	Ok
		S.E International INC Inspector USB	Portable Radiation Detector	47555	07.07.2020	07.07.2021	Yes	10.07.2016	Yes	Yes	Ok
		S.E International INC Inspector USB	Portable Radiation Detector	47556	07.07.2020	07.07.2021	Yes	10.07.2016	Yes	Yes	Ok
		S.E International INC Inspector USB	Portable Radiation Detector	47557	07.07.2020	07.07.2021	Yes	10.07.2016	Yes	Yes	Ok
		S.E International INC Inspector USB	Portable Radiation Detector	47558	07.07.2020	07.07.2021	Yes	10.07.2016	Yes	Yes	Ok
		TraceX	Lot no 16858 Part No 510100	NR	NR	Yes	19.07.2019	Yes	Yes	Ok	
8		Nectar Inspection Services LLC	International Medcom Inc	Radalert 100	73388	10.08.2020	10.08.2021	Yes	15.12.2012	Yes	Yes
	International Medcom Inc		R-100X	X00618	10.08.2020	10.08.2021	Yes	15.07.2014	Yes	Yes	Ok
	S.E International INC		Inspector EXP	28216	10.08.2020	10.08.2021	Yes	28.05.2015	Yes	Yes	Ok
	S.E International INC		Inspector EXP	28214	06.08.2020	06.08.2021	Yes	28.05.2015	Yes	Yes	Ok
	S.E International INC		Inspector EXP	28215	05.08.2020	05.08.2021	Yes	28.05.2015	Yes	Yes	Ok
	S.E International INC		Inspector EXP	28277	10.08.2020	10.08.2021	Yes	10.09.2015	Yes	Yes	Ok
	S.E International INC		Inspector EXP	28359	06.08.2020	06.08.2021	Yes	10.09.2015	Yes	Yes	Ok
	S.E International INC		Inspector EXP	28358	05.08.2020	05.08.2021	Yes	10.09.2015	Yes	Yes	Ok
	RAD COMM		Mspec	200092	200092	18.09.2019	Yes	15.07.2014	Yes	Yes	Ok
	RAD COMM		Mspec	200085	200085	18.09.2019	Yes	28.05.2015	Yes	Yes	Ok
	RAD COMM	Mspec	200086	200086	18.09.2019	Yes	28.05.2015	Yes	Yes	Ok	

		RAD COMM	Mspec	200099	200099	18.09.2019	Yes	28.05.2015	Yes	Yes	Ok
		RAD COMM	Mspec	200103	200103	18.09.2019	Yes	28.05.2015	Yes	Yes	Ok
		XL T 898 NITON	Thermo Niton Scrap Analysis System	9633	9633	NR	NR	09.06.2012	Yes	Yes	Ok
9	G P & Associates	RADCOMM	Rhandy	100561	05.01.2017	04.01.2019	Yes	05.01.2017	Yes	Yes	Not Ok
		RADCOMM	MSPEC	200267	16.01.2017	16.01.2018	Yes	05.01.2017	Yes	Yes	Not Ok
			TraceX	510100	NR	NR	Yes	14.02.2018	Yes	Yes	Not Ok
10	CWM Survey & Inspection, The Netherlands	RAE Systems	Gamma Rac	140500057	09.09.2019	09.09.20	Yes	12.07.2011	Yes	Yes	Ok
		Gamma Scout	Gamma Rac	63993	19.09.2019	18.09.2020	Yes	23.11.2015	Yes	Yes	Ok
		Radex	Quarta	09142A78B50411	14.05.2020	14.05.2021	Yes	08.04.2015	Yes	Yes	Ok
		Gamma Scout	Gamma Scout	64059	04.05.2020	04.05.2021	Yes	08.04.2015	Yes	Yes	Ok
		Gamma Scout	Gamma Scout	64056	19.06.2020	19.06.2021	Yes	08.04.2015	Yes	Yes	Ok
		Gamma Scout	Gamma Scout	103004	06.02.2020	05.02.2021	Yes	29.05.2015	Yes	Yes	Ok
		Gamma Scout	Gamma Scout	64375	23.07.2020	23.07.2021	Yes	12.05.2015	Yes	Yes	Ok
		Gamma Scout	Gamma Scout	103080	17.09.2019	18.09.2019	Yes	13.07.2015	Yes	Yes	Ok
		Gamma Scout	Gamma Scout	105257	27.12.2019	28.12.2019	Yes	14.12.2018	Yes	Yes	Ok
		Gamma Scout	Gamma Scout	105254	12.12.2019	13.12.2019	Yes	14.12.2018	Yes	Yes	Ok
		RAE Systems	QRAE II Diffusion	155-113765	09.09.2019	09.09.2020	Yes	07.10.2016	Yes	Yes	Ok
		RAE Systems	PGM 7300	590-000121	09.09.2019	09.09.2020	Yes	03.12.2018	Yes	Yes	Ok
		Radex	Quarta	05172AA8551476	26.04.2020	25.04.2021	Yes	08.02.2018	Yes	Yes	Ok
		Radex	Quarta	05172A855146	17.06.2020	16.06.2021	Yes	08.02.2018	Yes	Yes	Ok

	Radex	Quarta	02182AA8551742	12.12.2019	11.12.2020	Yes	14.12.2018	Yes	Yes	Ok
	Gamma Scout	Gamma Scout	74148	19.09.2019	18.09.2020	Yes	09.09.2019	Yes	Yes	Ok
	Gamma Scout	Gamma Scout	74158	19.09.2019	18.09.2020	Yes	09.09.2019	Yes	Yes	Ok
	Target	IronMAN	1120-3536	24.07.2020	23.07.2021	Yes	19.09.2018	Yes	Yes	Ok
	Exploranium	GR130	1414+GB-B	24.07.2020	23.07.2021	Yes	07.02.2016	Yes	Yes	Ok
11	Hamilton Steel Logistics Inc.	RC-2	3335	31.07.2020	31.07.2021	Yes	15.10.2010	Yes	Yes	Deferred
	RADCOMM	RC-2	3335	31.07.2020	31.07.2021	Yes	15.10.2010	Yes	Yes	Deferred
	RADCOMM	Syclone	50046	29.08.2019	29.08.2020	Yes	10.01.2013	Yes	Yes	Deferred
	Spectrex	XD 2 EX-DETECT	18787	NR	NR	Yes	01.06.2015	Yes	Yes	Deferred
12	Marine Inspection and Logistics	Exploranium GR-110 E	310162	02.10.2019	02.10.2020	Yes	09.10.2019	Yes	Yes	Ok
	Inspector Xtreme USB	S.E International INC	41787	30.06.2020	NA	Yes	08.09.2015	Yes	Yes	Ok
	Inspector Xtreme USB	S.E International INC	47506	30.06.2020	30.06.2020	Yes	16.11.2016	Yes	Yes	Ok
	Inspector Xtreme USB	S.E International INC	47507	30.06.2020	30.06.2020	Yes	16.11.2016	Yes	Yes	Ok
	Inspector Xtreme USB	S.E International INC	R307295	30.06.2020	NA	Yes	09.05.2018	Yes	Yes	Ok
	Inspector Xtreme USB	S.E International INC	47118	30.06.2020	30.06.2020	Yes	09.03.2016	Yes	Yes	Ok
	Inspector Xtreme USB	S.E International INC	6510	30.06.2020	30.06.2021	Yes	29.05.2015	Yes	Yes	Ok
	Inspector Xtreme USB	S.E International INC	20817	25.06.2020	25.06.2021	Yes	29.05.2015	Yes	Yes	Ok
	Inspector Xtreme USB	S.E International INC	41790	05.03.2020	05.03.2021	Yes	08.09.2015	Yes	Yes	Ok
	Inspector Xtreme USB	S.E International INC	41793	30.12.2019	30.12.2020	Yes	29.05.2015	Yes	Yes	Ok

	Inspector Xtreme USB		S.E International INC	48387	21.01.2020	21.01.2021	Yes	21.10.2016	Yes	Yes	Ok
	Radiation Alert Ranger SE	S.E International INC	310161	02.10.2019	02.10.2020	Yes	09.10.2019	Yes	Yes	Ok	
	Radiation Alert Ranger SE	S.E International INC	310160	02.10.2019	02.10.2020	Yes	09.10.2019	Yes	Yes	Ok	
	Radiation Alert Ranger SE	S.E International INC	R307296	30.06.2020	NA	Yes	09.05.2018	Yes	Yes	Ok	
	Radiation Alert Ranger SE	S.E International INC	R309071	30.06.2020	NA	Yes	31.03.2019	Yes	Yes	Ok	
	Radiation Alert Ranger SE International	S.E International INC	R309072	30.06.2020	NA	Yes	31.03.2019	Yes	Yes	Calibration Certificate verified and results are not acceptable.	
	FLIR radiation detection	Identifier 2	910383-36		NA	Yes	04.03.2013	Yes	Yes	Calibration certificate not submitted	
	FLIR radiation detection	Identifier 2	4628-61		NA	Yes	04.03.2013	Yes	Yes	Calibration certificate not submitted	
	Multi Pro Systems Toxic fumes/gasses	Explosive/LEL-Sensors	ARMF-0616,	NR	NR	NR	11.10.2019	Yes	Yes	Not Ok	
	Multi Pro Systems Toxic fumes/gasses	Explosive/LEL-Sensors	ARMF-0451	NR	NR	NR	11.10.2019	Yes	Yes	Not Ok	
13	Cayley Aerospace Inc	Thermo Scientific	FH-40G	30223	03.03.2019	02.03.2021	Yes	13.04.2015	Yes	Yes	Ok
	Thermo Scientific	FH-40G	26183	02.02.2019	01.02.2021	Yes	23.03.2010	Yes	Yes	Ok	
	Radcomm	Syclone	50023	22.05.2020	22.05.2021	Yes	23.03.2010	Yes	Yes	Ok	
	Explosive Detector	Fido XT	98447	NR		NR				Ok	

14	NMCI Inspection & Survey Company Pvt Ltd	ZORO Tools	Monitor M4	74975	13.08.2019	14.08.2021	Yes	25.06.2013	Yes	Yes	Ok
		Pla Electro	PSDSM 162S	352	01.08.2019	01.08.2021	Yes	11.09.2019	Yes	Yes	Ok
		Pla Electro	PSDSM 162S	353	01.08.2019	01.08.2021	Yes	11.09.2019	Yes	Yes	Ok
		RADCOMM	MSPEC	200090	04.05.2019	03.05.2021	Yes	04.04.2014	Yes	Yes	Ok
		IndySurplus	Sabre 2000	20285	NR	NR	Yes	04.08.2014	Yes	Yes	Ok
15	GEO Chem Inspection (Malaysia) SDN. BHD	Rhandy Portable Radiation Detector		100333	Not submitted			17.04.2014	Yes		Not Ok
		Rhandy Portable Radiation Detector		100381	Not submitted						Not Ok
		Medspec Portable Gamma Spectrometer		200091	Not submitted			17.04.2014	Yes		Not Ok
16	GEO Chem Middle East	RADCOMM	MSpec	200239	14.05.2019		Yes			Yes	Not Ok
		RADCOMM		200240						Yes	Not Ok
		NDS 2000		46275						Yes	Not Ok
		RADCOMM		100430	14.05.2019		Yes			Yes	Not Ok
		RHANDY		100427	14.05.2019		Yes			Yes	Not Ok
		SYCLON		50031	31.05.2019		Yes			Yes	Not Ok
		Morphix	TraceX	7461						Yes	Not Ok
17	Marruti Chartered Engineers and Valuers	GAMMA	SCOUT	104243	12.08.2020	11.08.2022	Yes	13.09.2017	Yes	Yes	Ok
		RADCOMM	MSPEC	200343	27.09.2019	26.09.2020	Yes	27.09.2019	Yes	Yes	Ok
		MORPHEX TECHNOLOGIES	TRACE X EXPLOSIVES DETECTION	510100	NR	NR	Yes	16.09.2019	Yes	Yes	Ok
18	Nippon Kaiji Kenkei Kyokai	Hitachi Aloka Medical, Ltd.	PDR-111	204U9616	05.11.2018	N/A	Yes	24.08.2018	Yes	Yes	
		Hitachi Aloka Medical, Ltd.	PDR-111	20238000	02.05.2018	N/A	Yes	24.09.2013	Yes	Yes	
		Hitachi Aloka Medical, Ltd.	PDR-111	20238001	02.05.2018	N/A	Yes	24.09.2013	Yes	Yes	

Not qualified, since Firm needs
to provide the accreditation
certificate about the NKKK
authorized calibration agency
from the competent authority of
their country, for further

	LUDLUM Measurements, Inc.	Model 3 / 44-2	278788	02.04.2018	N/A	Yes	12.04.2011	Yes	Yes
	LUDLUM Measurements, Inc.	Model 3 / 44-2	278819	22.05.2018	N/A	Yes	12.04.2011	Yes	Yes
	LUDLUM Measurements, Inc.	Model 3 / 44-2	278824	12.07.2018	N/A	Yes	12.04.2011	Yes	Yes
	LUDLUM Measurements, Inc.	Model 3 / 44-2	278830	29.05.2018	N/A	Yes	12.04.2011	Yes	Yes
	LUDLUM Measurements, Inc.	Model 3 / 44-2	278848	22.02.2019	N/A	Yes	12.04.2011	Yes	Yes
	LUDLUM Measurements, Inc.	Model 3 / 44-2	278856	09.01.2019	N/A	Yes	12.04.2011	Yes	Yes
	LUDLUM Measurements, Inc.	Model 3 / 44-2	278869	13.04.2018	N/A	Yes	12.04.2011	Yes	Yes
	LUDLUM Measurements, Inc.	Model 3 / 44-2	278884	01.08.2018	N/A	Yes	12.04.2011	Yes	Yes
	Hitachi, Ltd.	TCS-1172	205D2545	30.05.2017	N/A	Yes	28.06.2017	Yes	Yes
	LUDLUM Measurements, Inc.	Model 3 / 44-2	278897	11.03.2019	N/A	Yes	12.04.2011	Yes	Yes
	LUDLUM Measurements, Inc.	Model 3 / 44-2	278902	28.08.2018	N/A	Yes	12.04.2011	Yes	Yes
	LUDLUM Measurements, Inc.	Model 3 / 44-2	278941	04.09.2018	N/A	Yes	12.04.2011	Yes	Yes
	LUDLUM Measurements, Inc.	Model 3 / 44-2	278963	01.08.2018	N/A	Yes	12.04.2011	Yes	Yes
	Hitachi Aloka Medical, Ltd.	PDR-111	204U9589	31.05.2018	N/A	Yes	30.03.2017	Yes	Yes
	LUDLUM Measurements, Inc.	Model 3 / 44-2	278685	01.02.2019	N/A	Yes	12.04.2011	Yes	Yes
	LUDLUM Measurements, Inc.	Model 3 / 44-2	287032	27.08.2018	N/A	Yes	04.10.2011	Yes	Yes
	LUDLUM Measurements, Inc.	Model 3 / 44-2	278739	28.06.2017	N/A	Yes	12.04.2011	Yes	Yes
	Hitachi Aloka Medical, Ltd.	TCS-1172	204N9448	16.05.2018	N/A	Yes	20.07.2016	Yes	Yes
	LUDLUM Measurements, Inc.	Model 3 / 44-2	324175	07.05.2018	N/A	Yes	NA	Yes	Yes
	Hitachi Aloka Medical, Ltd.	PDR-111	20487900	20.08.2018	N/A	Yes	18.09.2015	Yes	Yes

	Hitachi Aloka Medical, Ltd.	PDR-111	20487904	30.08.2018	N/A	Yes	25.09.2015	Yes	Yes	
	LUDLUM Measurements, Inc.	Model 3 / 44-2	278773	20.02.2019	N/A	Yes	12.04.2011	Yes	Yes	
	SEIKO EG&G CO., LTD.	GEM25-70	51-P22995B	23.05.2017	N/A	NA	NA	NA	NA	
	SEIKO EG&G CO., LTD.	GEM30-70	51-P13055A	23.05.2017	N/A	NA	NA	NA	NA	
	Rigaku Analytical Devices, Inc.	Progeny ResQ 1064	P17250479	02.09.2019	N/A	NA	NA	NA	NA	Photograph and other document of explosive detector not attached
	Thermo Fisher Scientific Inc.	XL-3i-9805	102374	02.09.2019	N/A	NA	NA	NA	NA	Photograph and other document of explosive detector not attached
19	Covenant Insurance Surveyors & Loss Assessors Pvt Ltd	NA	NA	NA	N/A	NA	NA	NA	NA	Not OK. The applicant has to submit completed Annexure-1 of the application form. Calibration certificate of its instruments clearly indicating the validity period. Also the copy of the invoice all instruments and explosive detector. Also the certificate of its membership of Metal Recycling Association of India
20	Premier Exim	Rhandy	Radcomm	100654	10.09.2019	Yes	10.09.2019	Yes	Yes	Ok
	MSPEC	Spectrometer	200336	10.09.2019	Yes	Yes	10.09.2019	Yes	Yes	Ok
	Explosive Detection Kit	TraceX 5/Box	N/R	N/R	N/R	N/R	09.09.2019	Yes	Yes	Ok

21	Ruswal global LLC	RADCOMM	Radalert 100X	X02933	27.01.2020	NA	Yes	10.08.2020	Yes	Yes	Ok
		RADCOMM	Radalert 100X	X02951	10.02.2020	NA	Yes	10.08.2020	Yes	Yes	Ok
		RADCOMM	Radalert 100X	X02950	10.02.2020	NA	Yes	10.08.2020	Yes	Yes	Ok
		RADCOMM	Mspec	200247	05.08.2020	05.08.2021	Yes	29.07.2020	Yes	Yes	Ok
		Morphix Technologies	TraceX	18591	NR	NR	NR	29.07.2020	Yes	Yes	Ok
22	NMCI Inspection & Survey (MTIUS) LTD	RADCOMM SYSTEMS	R HANDY	100544	08.08.2016		Yes	09.08.2016	Yes	Yes	Not Ok, Equipments are delisted on Institution request and resubmitted amended ANF-2L
		RADCOMM SYSTEMS	R HANDY	100545	28.08.2016		Yes	09.08.2016	Yes	Yes	Not Ok, Equipments are delisted on Institution request and resubmitted amended ANF-2L
		GS Geuger Group	Gamma Scout	103646	13.02.2018	12.03.2020	Yes	08.05.2017	NA	Yes	Not Ok, Equipments are delisted on Institution request and resubmitted amended ANF-2L
		GS Geuger Group	Gamma Scout	103649	03.03.2018	02.03.2020	Yes	08.05.2017	NA	Yes	Not Ok, Equipments are delisted on Institution request and resubmitted amended ANF-2L
		GS Geuger Group	Gamma Scout	104402	03.03.2018	02.03.2020	Yes	08.05.2018	NA	Yes	Not Ok, Equipments are delisted on Institution request and resubmitted amended ANF-2L
		RADCOMM SYSTEMS	R HANDY	100609	12.08.2020	11.08.2021	Yes	13.02.2018	Yes	Yes	Ok
		RADCOMM SYSTEMS	R HANDY	100610	12.08.2020	11.08.2021	Yes	13.02.2018	Yes	Yes	Ok
		GS Geuger Group	Gamma Scout	67808			Yes	09.01.2018	NA	Yes	Not Ok, Equipments are delisted on Institution request
		GS Geuger Group	Gamma Scout	104696	05.09.2018	05.09.2020	Yes	31.05.2018	Yes	Yes	Calibration expired

		GS Greuger Group	Gamma Scout	104698	05.09.2018	05.09.2020	Yes	31.05.2018	Yes	Yes	Calibration expired
		PLA	PSDM 162S	347	14.05.2019	14.05.2021	Yes	15.05.2019	Yes	Yes	OK
		PLA	PSDM 162S	348	14.05.2019	14.05.2021	Yes	15.05.2019	Yes	Yes	OK
		RADCOMM	MSPEC	200222	12.08.2020	11.08.2021	Yes	09.08.2016	Yes	Yes	OK
		RADCOMM	MSPEC	200223	12.08.2020	11.08.2021	Yes	09.08.2016	Yes	Yes	OK
		Morphix Technologies	TraceX	510100-05	NR	NR	NR	27.10.2016	Yes	Yes	OK
23	Humber Inspection International Ltd.	R100X	RAD ALERT	X01056	06.01.2020	06.01.2021	Yes	14.07.2015	Yes	Yes	Not OK, Test parameters are not mentioned in the calibration certificate.
		R100X	RAD ALERT	X01059	24.09.2019	24.09.2020	Yes	10.10.2014	Yes	Yes	Not OK, Test parameters are not mentioned in the calibration certificate.
		R100X	RAD ALERT	X01066	27.07.2020	27.07.2021	Yes	30.07.2015	Yes		Not OK, Test parameters are not mentioned in the calibration certificate.
		R100X	RAD ALERT	X01067	13.07.2020	13.07.2021	Yes	30.07.2015	Yes	Yes	Not OK, Test parameters are not mentioned in the calibration certificate.
		R100X	RAD ALERT	X01215	13.03.2020	13.03.2021	Yes	02.10.2015	Yes	Yes	Not OK, Test parameters are not mentioned in the calibration certificate.
		R100X	RAD ALERT	X01277	03.10.2019	03.10.2020	Yes	23.12.2015	Yes	Yes	Not OK, Test parameters are not mentioned in the calibration certificate.
		R100X	RAD ALERT	X01366	29.01.2020	29.01.2021	Yes	07.03.2016	Yes	Yes	Not OK, Test parameters are not mentioned in the calibration certificate.
		R100X	RAD ALERT	X01367	10.10.2019	10.10.2020	Yes	07.03.2016	Yes	Yes	Not OK, Test parameters are not mentioned in the calibration certificate.
		100	DIGILERT	35148	21.08.2020	21.08.2021	Yes	13.03.2012	Yes	Yes	Not OK, Test parameters are not mentioned in the calibration certificate.



	R100X	RAD ALERT	X01658	16.10.2019	16.10.2020	Yes	09.01.2017	Yes	Yes	Not OK, Test parameters are not mentioned in the calibration certificate.
	R100X	RAD ALERT	X01715	16.07.2020	16.07.2021	Yes	09.01.2017	Yes	Yes	Not OK, Test parameters are not mentioned in the calibration certificate.
	R100X	RAD ALERT	X01947	01.06.2020	01.06.2021	Yes	14.09.2017	Yes	Yes	Not OK, Test parameters are not mentioned in the calibration certificate.
	R100X	RAD ALERT	X01943	01.06.2020	01.06.2021	Yes	14.09.2017	Yes	Yes	Not OK, Test parameters are not mentioned in the calibration certificate.
	R100X	RAD ALERT	X02047	13.03.2020	13.03.2021	Yes	16.01.2018	Yes	Yes	Not OK, Test parameters are not mentioned in the calibration certificate.
24	Silver Dragon Resources Singapore Pte Ltd. Mirion Technologies (Rados)	RDS-30	360115	10.03.2020	10.03.2021	Yes	13.04.2016	Yes	Yes	Ok
	Radecomm Radiation Detection Systems, Canada	RC2PLUS	2P00639A	09.04.2020	09.04.2021	Yes	19.04.2018	Yes	Yes	Not OK, test parameters are not mentioned in the Calibration certificate
	Radecomm Radiation Detection Systems, Canada	RC2PLUS	2P00279A	09.04.2020	09.04.2021	Yes	02.06.2015	Yes	Yes	Not OK, test parameters are not mentioned in the Calibration certificate
	Polimaster, Republic of Belarus	PM1701M	120245	03.03.2020	03.03.2021	Yes	02.07.2012	Yes	Yes	Ok
	Polimaster, Republic of Belarus	PM1405	191107	19.02.2020		Yes	03.03.2020	Yes	Yes	Ok
	Polimaster, Republic of Belarus	PM1405	191098	27.03.2020		Yes	29.06.2020	Yes	Yes	Ok



		Spectrometer	MSpec	200192	25.02.2020	24.02.2021	Yes	08.06.2015	Yes	Yes	Ok
		Spectrometer	MSpec	200193	25.02.2020	24.02.2021	Yes	08.06.2015	Yes	Yes	Ok
		Morphix	TraceX	510100-05	NR	NR	NR	26.07.2015	Yes	Yes	Ok
27	Metal Services	Hillsborough General	Rad Alert100X	X01223	24.09.2015	NA	Yes	NA	NA	Yes	Not OK, the SI.No. of the instruments is not mentioned in the invoice
		Hillsborough General	Rad Alert100X	X01224	24.09.2015	NA	Yes	NA	NA	Yes	
		Hillsborough General	Rad Alert100X	X01226	24.09.2015	NA	Yes	NA	NA	Yes	
		Hillsborough General	Rad Alert100X	X01227	10.04.2017	NA	Yes	NA	NA	Yes	
		Hillsborough General	Rad Alert100X	X01848	04.04.2017	NA	Yes	NA	NA	Yes	
		Hillsborough General	Rad Alert100X	X01849	04.04.2017	NA	Yes	NA	NA	Yes	
		Hillsborough General	Rad Alert100X	X01850	04.04.2017	NA	Yes	NA	NA	Yes	
		Radcomm	Mspec	200294	18.08.2017	18.08.2018	Yes	17.08.2017	Yes	Yes	
28	NI-Met Metals Inc	Minerale, LLC	Rad Alert100X	X02038	14.12.2017	NA	Yes	02.02.2018	Yes	Yes	Not OK, No details of explosive detector is submitted by the firm
		Minerale, LLC	Rad Alert100X	X02057	20.12.2017	NA	Yes	02.02.2018	Yes	Yes	
		Minerale, LLC	Rad Alert100X	X02058	20.12.2017	NA	Yes	02.02.2018	Yes	Yes	
		Minerale, LLC	Rad Alert100X	X02063	11.01.2018	NA	Yes	02.02.2018	Yes	Yes	

