

GOVERNMENT OF INDIA

MINISTRY OF COMMERCE & INDUSTRY

DEPARTMENT OF COMMERCE

PUBLIC NOTICE NO. 03 (RE- 03)/ 2002-2007

NEW DELHI : DATED : 31/03/2003.

Attention is invited to Paragraph 2.4 of the Export and Import Policy 2002-2007, as amended and Paragraphs 4.9 and 4.10 of the Handbook of Procedures, Vol.1, 2002-2007, as amended and also to the Handbook of Procedures, Vol.2, 2002-2007, as amended from time to time.

2. In exercise of the powers conferred under Paragraph 2.4 of the Export and Import Policy 2002-2007, as amended, the Director General of Foreign Trade hereby makes the following amendments/deletions/corrections and additions in the Handbook of Procedures, Vol.2, 2002-2007, as amended.

3. In the statement of Standard Input Output Norms as contained in the Handbook of Procedures, Vol.2, 2002-2007, as amended, amendments/ corrections/ deletion at appropriate places as mentioned in Annexure "A" to this Public Notice shall be made.

4. In the statement of Standard Input Output Norms, following additions shall be made at appropriate places as mentioned below:-

CHEMICALS AND ALLIED PRODUCTS

After the existing entry at Sl.No.A-3149, new entries at Sl. No. A-3150 to A-3173 shall be added as per Annexure "B" to this Public Notice.

ENGINEERING PRODUCTS

After the existing entry at Sl.No.C-1872, new entries at Sl.No.C-1873 to C-1886 shall be added as per Annexure "C" to this Public Notice.

FOOD PRODUCTS

After the existing entry at Sl.No.E-110, new entry at Sl. No. E-111 shall be added as per Annexure "D" to this Public Notice.

PLASTIC PRODUCTS

After the existing entry at Sl.No.H-527, new entries at Sl. No. H-528 to H-531 shall be added as per Annexure "E" to this Public Notice.

MISCELLANEOUS PRODUCTS

After the existing entry at Sl.No. K-155 , new entries at Sl. No. K-156 to K-159 shall be added as per Annexure "F" to this Public Notice.

5. This issues in public interest.

(L. MANSINGH)

DIRECTOR GENERAL OF FOREIGN TRADE

(F. No. 01/87/44/00001/AM-03/DES-VIII)

Annexure "A" to the Public Notice No. 03

Dated: 31/03/2003

AMENDMENTS/CORRECTIONS

Sl. No.	Page No.	Reference	Amendments/Corrections
1	2	3	4
1	10	Sl. No. 10 of Annex 1	Sl. No. 10 of Annex 1 shall be corrected as per Annexure A

1.	12 – 13	<u>Chemicals & Allied Products</u> Sl.No.A35	The description of import item at SL. No. 2, with quantity shall be amended to read as under:- "2. Peracetic Acid - 1.50 kg OR 2(i) Acetic Acid - 1.50 kg (ii) Hydrogen Peroxide - 0.634 kg"
----	---------	---	--

2.	49	<u>Chemicals & Allied Products</u> Sl.No.A251	The description of export item shall be amended to read as under:- "Guaifenesin BP/USP/EP"
----	----	--	---

3.	49	<u>Chemicals & Allied Products</u> Sl.No.A252	The description of export item shall be amended to read as under:- "Guaifenesin BP/USP/EP"
----	----	--	---

4.	108	<u>Chemicals & Allied Products</u> Sl.No.A764	The norm covered by this entry shall be substituted by the following:-
----	-----	--	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A764	Ortho Anisidine	1 kg	1. Ortho Nitro Chloro Benzene	1.45 kg

			OR	0.813 kg
			Benzene	

5.	108	<u>Chemicals & Allied Products</u>	The quantity of import item at Sl. No. 1, shall be amended to read as under:-
		Sl.No.A765	"1.32 kg instead of 1.45 kg"

-:4:-

6.	109	<u>Chemicals & Allied Products</u>	The norm covered by this entry shall be substituted by the following:-
		Sl.No.A771	

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A771	Para Amino 4-Sulphonic Acid	1 kg	1. Aniline Oil	1.180 kg
			OR	0.580 kg
			(a) Aniline Oil	0.600 kg
			(b) Sulphanilic Acid	0.310 kg
			2. Caustic Soda Flakes	0.387 kg
			3. Sodium Nitrite	

--	--	--	--	--

7.	110	<u>Chemicals & Allied Products</u> Sl.No.A797	The description of import item at Sl. No. 4, (with quantity) shall be amended to read as under:- "Dichloro Toluene DCT - 0.195 kg"
----	-----	--	---

8.	113	<u>Chemicals & Allied Products</u> Sl.No.A818	The description of import item at Sl. No. 1(c) (without any change in quantity) shall be corrected to read as under:- "Dichlone"
----	-----	--	---

9.	143	<u>Chemicals & Allied Products</u> Sl.No.A1037	The description of export item shall be amended to read as under:- "Glass Fibre reinforced Plastic product containing 70% relevant Synthetic Resin and 30% Glass Fibre by weight (Tanks, Vessels, Gratings, Scrubbers, Pipes and ducting & their fittings etc.)"
----	-----	---	---

10.	174	<u>Chemicals & Allied Products</u> Sl.No.A1441	The norm covered by this entry shall be substituted by the following:-
-----	-----	---	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A1441	Ortho Phenylene Diamine	1 kg	1. Ortho Nitro Chloro Benzene 2. Caustic Soda Flakes	1.6 kg 1.53 kg

			3. Sulphur Lumps	1.10 kg
--	--	--	------------------	---------

-:5:-

11.	184	<u>Chemicals & Allied Products</u> Sl.No.A1540	The description of export item shall be amended to read as under:- "Printing Ink Black containing 25.4% Pigment and 28.3% Solid Resin"
-----	-----	---	---

12.	184	<u>Chemicals & Allied Products</u> Sl.No.A1541	The description of export item shall be amended to read as under:- "Printing Ink Cyan containing 15.6% Pigment and 37.8% Solid Resin"
-----	-----	---	--

13.	184	<u>Chemicals & Allied Products</u> Sl.No.A1542	The description of export item shall be amended to read as under:- "Printing Ink Magenta containing 15.6% Pigment and 39.7% Solid Resin"
-----	-----	---	---

14.	184	<u>Chemicals & Allied Products</u> Sl.No.A1543	The description of export item shall be amended to read as under:- "Printing Ink Yellow containing 12.76% Pigment and 38.7% Solid Resin"
-----	-----	---	---

15.	199	<u>Chemicals & Allied Products</u>	The norm covered by this entry shall be substituted by the following:-
-----	-----	--	--

	Sl.No.A1659	
--	-------------	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A1659	Trizophos Technical (70%)	1 kg	1. Phenyl Hydrazine free base OR Phenyl Hydrazine Sulphate	0.370 kg 0.490 kg
			• O,O Diethyl Thiophosphoric Chloride • Formic Acid • Orthoxylene OR Solvent Naphtha	0.480 kg 0.200 kg 0.500 kg 0.28 kg

-:6:-

16.	204	<u>Chemicals & Allied Products</u> Sl.No.A1677	The norm covered by this entry shall be substituted by the following:-
-----	-----	---	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A1677	Conveyor and Elevator Textile Belting (General purpose) of relevant natural / Synthetic Ruber	1 kg	1. Synthetic Yarn- Polyester / Nylon Yarn-840 Denier and above OR Synthetic Fabric/ fabric Polyester/ Nylon fabric 840 Denier and above 2. Natural Rubber / PBR/ Relevant Grade of SBR 3. Carbon Black / Precipitated Silica (in case of Non-Block Belts, Precipitated Silica may be allowed instead of Carbon Black) 4. Rubber Chemicals i.e. Antioxidant, Accelerators, Retarders, Peptizer	1.10 kg/kg content in the export product 1.05 kg/kg content in the export product 1.05 kg/kg content in the export product 0.2 kg 0.02 kg

			Miscellaneous Chemicals i.e. Microcrystalline Wax, Softners, Stearic Acid, Process Aids, Bonding / Coupling Agents, Tackifiers, Synthetic resins, Activators, Plasticisers and dip Chemicals (excluding resorcinol)	0.03 kg
--	--	--	---	---------

17.	211	<u>Chemicals & Allied Products</u> Sl.No.A1720	The norm covered by this entry shall be substituted by the following:-
-----	-----	---	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A1720	Synthetic Rubber Cots with / without	100 kg	1. Aluminium Tubes	1.02 kg/kg content in the

	Aluminium Core		2. Synthetic Nitrile Rubber/ Acrylonitrile Butadiene Rubber 3. Filler (Silica/ Gelatine/ Carbon Black) 4. Zinc Oxide	export product 73 kg/100 kg content of Rubber compound in the export product 23 kg/100 kg content of the Rubber compound in the export product 6 kg/100 kg. content of the Rubber compound in the export product
			• Sulphur • Titanium Dioxide	-do- 3 kg/ 100 kg content of Rubber compound in the export product 4 kg/ 100kg content of

			- Rubber Chemicals Like Lubricant, Accelerator, Antioxidant and Antistatic Agent (Antioxidant shall not exceed 50% of the Rubber Chemicals) - Plasticizer/ Relevant Resin	Rubber compound in the export product 19 kg / 100 kg content of Rubber compound in the export product
--	--	--	--	---

18.	238	<u>Chemicals & Allied Products</u> Sl.No.A1853	The norm covered by this entry shall be substituted by the following:-
-----	-----	---	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A1853	Rayon Tyre Cord/ Fabric dipped	1 kg	1. Wood Pulp Rayon Grade 2. Caustic Soda 3. Olboplast Yarn 4. Zinc Electrolyte (99.95% purity) 5. Dimethyl Amine 6. Ethoxylated Phenol	1.153 kg 1.029 kg 0.006 kg 0.027 kg 26.648 gm 11.157 gm 15.707 gm

			7. Polyethylene Glycol	1.516 gm
			8. Filter Papre V-II	

-:9:-

			- Filter Paper F-2, F-7 - Spin Finish Oil - Sulphur - Formaldehyde - Resorcinol - Latex VP107	0.600 gm 7.041 gm 0.920 kg 0.008 kg 0.006 kg 0.045 kg
--	--	--	--	--

19.	238	<u>Chemicals & Allied Products</u> Sl.No.A1854	The norm covered by this entry shall be substituted by the following:-
-----	-----	---	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A1854	Rayon Tyre Cord/ Fabric or Rayon Tyre Cord Fabric	1 kg	1. Wood Pulp Rayon Grade 2. Caustic Soda 3. Olboplast Yarn	1.131 kg 1.009 kg 0.006 kg 0.026 kg

			4. Zinc Electrolyte 99.95% purity)	26.125 gm
			5. Dimethyl Amine	
			- Ethoxylated Phenol - Polyethylene Glycol - Filter Papre V-II - Filter Paper F-2, F-7 - Spin Finish Oil - Sulphur	10.939 gm 15.399 gm 1.487 gm 0.600 gm 6.903 gm 0.902 kg

20.	238	<u>Chemicals & Allied Products</u> Sl.No.A1856	The norm covered by this entry shall be substituted by the following:-
-----	-----	---	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A1856	Rayon Tyre Yarn	1 kg	1. Wood Pulp Rayon Grade 2. Caustic Soda 3. Zinc Electrolyte 99.95% purity) 4. Dimethyl Amine	1.070 kg 0.950 kg 0.020 kg 24.600 gm

-:10:-

			- Ethoxylated Phenol - Polyethylene Glycol - Filter Papre V-II - Filter Paper F-2, F-7 - Spin Finish Oil - Sulphur	10.300 gm 14.350 gm 0.700 gm 0.420 gm 4.123 gm 0.628 kg
--	--	--	---	--

21.	246	<u>Chemicals & Allied Products</u> Sl.No.A1919	The norm covered by this entry shall be substituted by the following:-
-----	-----	---	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A1919	2 Amino 6 Picoline	1 kg	1. Sodium Metal 2. Alpha Picoline OR 2a) Denatured Ethyl Alcohol	0.453 kg 1.200 kg 5.103 kg 0.060 kg

			2b) Alumina Silica Catalyst	
--	--	--	--------------------------------	--

22.	304	<u>Chemicals & Allied Products</u> Sl.No.A2365	The norm covered by this entry shall be substituted by the following:-
-----	-----	---	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A2365	Acid Black 194 (Dye content 100%)	1 kg	1. 6-nitro 1 Diazo 2-Naphthol 4-Sulfonic Acid OR 1. a) Beta Naphthol b) Sodium Nitrite 2. Beta Naphthol 3. Salicylic Acid	0.641 kg 0.448 kg 0.410 kg 0.313 kg 0.150 kg

23.	315	<u>Chemicals & Allied Products</u> Sl.No.A2454	The description of import items at Sl. No. 2 & 6, (without any change in quantity) shall be corrected to read as under:- "2. Meta Bromo Aniline OR N-Bromo Anisole 6. 1,4-Dioxane"
24.	320	<u>Chemicals & Allied Products</u> Sl.No.A2500	The description of import item at Sl. No. 1, (with quantity) shall be amended to read as under:- "1. Plain Polyester Film - 0.24 kg (24 micron) OR Plain Polyester Film - 0.12 kg (12 micron)"
25.	325	<u>Chemicals & Allied Products</u> Sl.No.A2528	The description of import item at Sl. No. 1 & 2 (without any change in quantity) shall be amended to read as under:- "1. Refined Linseed Oil"

			"2. Isophthalic Acid"
--	--	--	-----------------------

26.	340	<u>Chemicals & Allied Products</u> Sl.No.A2688	The description of export item shall be corrected to read as under:- "Light Ends (LE) viz., Naphtha, Motor Spirit, Gasoline, solvents, Reformate, Hexane, TAME, excluding C3,C4 Hydrocarbons and mixtures thereof"
-----	-----	---	---

27.	341	<u>Chemicals & Allied Products</u> Sl.No.A2689	The description of export item shall be corrected to read as under:- "Middle Dietliates (MD) viz., ATF, SKO, HSD, Gas Oil, MTO, LABFS, AROMEX, JBO, LDO, VGO, Solvents"
-----	-----	---	--

-:12:-

28.	341	<u>Chemicals & Allied Products</u> Sl.No.A2690	The description of export item shall be corrected to read as under:- "Heavy Ends (HE) viz., FO, Furnace Oil, Fuel Oil, LSHS, HPS, Puch, Asphalt, Petroleum Bitumen, Raw Petroleum Coke & Calcined
-----	-----	---	--

			Petroleum Coke, Slack Wax Paraffin Wax, Microcrystallin Wax, CBFS, RPO, Sulphur"
--	--	--	--

29.	4	<u>Chemicals & Allied Products</u> Sl.No.A2691 (Notified vide Public Notice No. 61 Dated:03/02/2003)	The note below the SION at A-2691 shall be deleted.
-----	---	---	---

30.	4	<u>Chemicals & Allied Products</u> Sl.No.A2692 (Notified vide Public Notice No. 61 Dated:03/02/2003)	The note below the SION at A-2692 shall be deleted.
-----	---	---	---

31.	5	<u>Chemicals & Allied Products</u> Sl.No.A2693 (Notified vide Public Notice No. 61 Dated:03/02/2003)	The note below the SION at A-2693 shall be deleted.
-----	---	---	---

32.	342	<u>Chemicals & Allied Products</u> Sl.No.A2704	1. The description of import item at Sl. No. 2 (without any change in quantity) shall be amended to read as under:-
-----	-----	---	---

			"Soya Bean Oil" 2. The description of import item at Sl. Nos. 3 & 5 (without any change in quantities) shall be amended to read as under:- "3. Texanol Isobutyrate" "5. Phenol Modified Rosin Ester"
--	--	--	--

-:13:-

33.	347	<u>Chemicals & Allied Products</u> Sl.No.A2740	The description of import item at Sl. No. 6 (without any change in quantity) shall be corrected to read as under:- "Para Octyl Phenol"
-----	-----	---	--

34.	348	<u>Chemicals & Allied Products</u> Sl.No.A2749	The description of import item at Sl. No. 3 (without any change in quantity) shall be amended to read as under:- "Para Tertiary Butyl Phenol"
-----	-----	---	---

35.	350	<u>Chemicals & Allied Products</u> Sl.No.A2762	The description of import item at Sl. No. 6 (without any change in quantity) shall be amended to read as under:- "Bis Phenol-A"
-----	-----	---	---

36.			
-----	--	--	--

		<u>Chemicals & Allied Products</u> Sl.No.A2797	The description of import item at Sl. No. 7 with quantity shall be amended to read as under:- "N-Butyl Lithium - 3.00 kg (15% in Hexane)"
--	--	---	---

37.	356	<u>Chemicals & Allied Products</u> Sl.No.A2812	The description of export product shall be amended to read as under:- "Absorbed Tetanus Vaccine BP/Tetanus Oxoid Vaccine absorbed 0.5 ml – single dose"
-----	-----	---	--

38.	360	<u>Chemicals & Allied Products</u> Sl.No.A2844	The description of export item shall be amended to read as under:- "Printing Ink Vehicle Gel Solid content 64-68%"
-----	-----	---	---

39.	362	<u>Chemicals & Allied Products</u> Sl.No.A2868	The description of import item at Sl. No. 2 (without any change in quantity) shall be amended to read as under:- "Isophthalic Acid"
-----	-----	---	--

40.		<u>Chemicals & Allied Products</u> Sl.No.A2931	Quantity of import item at Sl. No. 6 shall be amended to read as under:- "2.03 kg/kg"
-----	--	---	--

41.	15	<u>Chemicals & Allied Products</u> Sl.No.A2981 (notified vide Public Notice No. 15 Dated:04.06.2002)	The description of import item at Sl. No. 5 with quantity shall be amended to read as under:- "5. N-Butyl Lithium - 3.40 kg. (15% in Hexane)"
-----	----	--	---

42.	40	<u>Chemicals & Allied Products</u> Sl.No.A3064 (notified vide Public Notice No.44 Dated:18.10.2002)	The description of export item shall be amended to read as under:- "Chocolate Brown HT (Food Brown 3) (C.I. No. 20285) (Dye content 85%)"
-----	----	---	--

43.	21	<u>Chemicals & Allied Products</u> Sl.No.A3094 (notified vide Public Notice No. 46 Dated:06/11/2002)	The quantity of import items at Sl. No. 3 & 4 shall be amended to read as under:- "0.62 kg instead of 0.50 kg" "1.50 kg instead of 1.10 kg"
-----	----	--	---

44.	23	<u>Chemicals & Allied Products</u>	The description of export item shall be amended to read as under:-
-----	----	--	--

		Sl.No.A3103 (notified vide Public Notice No.46 Dated:06.11.2002)	"Nickel Catalyst containing Ni - 23.0 +/-1%, Hydrogenated vegetable Oil -60 +/- 2%"
--	--	---	--

45.	482	<u>Engineering Product</u> Sl.No.C27	The description of export item shall be amended to read as under:- "Pressure Die Cast Articles including parts/ Components of Aluminium."
-----	-----	---	--

-:15:-

46.	546	<u>Engineering Product</u> Sl.No.C324	The description of import item at Sl. No. 1, (without any change in quantity) shall be amended to read as under:- "CRGO Steel Sheets/Coil"
-----	-----	--	---

47.	547	<u>Engineering Product</u> Sl.No.C325	The description of import item at Sl. No. 1, (without any change in quantity) shall be amended to read as under:- "CRGO Steel Sheets/Coil"
-----	-----	--	---

48.	547	<u>Engineering Product</u> Sl.No.C326	The description of import item at Sl. No. 1, (without any change in quantity) shall be amended to read as under:-
-----	-----	--	---

			"CRGO Steel Sheets/Coil"
--	--	--	--------------------------

49.	547	<u>Engineering Product</u> Sl.No.C327	The description of import item at Sl. No. 1, (without any change in quantity) shall be amended to read as under:- "CRGO Steel Sheets/Coil"
-----	-----	--	---

50.	548	<u>Engineering Product</u> Sl.No.C328	The description of import item at Sl. No. 1, (without any change in quantity) shall be amended to read as under:- "CRGO Steel Sheets/Coil"
-----	-----	--	---

51.	548	<u>Engineering Product</u> Sl.No.C329	The description of import item at Sl. No. 1, (without any change in quantity) shall be amended to read as under:- "CRGO Steel Sheets/Coil"
-----	-----	--	---

52.	548	<u>Engineering Product</u> Sl.No.C330	The description of import item at Sl. No. 1, (without any change in quantity) shall be amended to read as under:- "CRGO Steel Sheets/Coil"
-----	-----	--	---

-:16:-

53.	549	<u>Engineering Product</u> Sl.No.C331	The description of import item at Sl. No. 1, (without any change in quantity) shall be amended to read as under:- "CRGO Steel Sheets/Coil"
-----	-----	--	---

54.	549	<u>Engineering Product</u> Sl.No.C332	The description of import item at Sl. No. 1, (without any change in quantity) shall be amended to read as under:- "CRGO Steel Sheets/Coil"
-----	-----	--	---

55.	549	<u>Engineering Product</u> Sl.No.C333	The description of import item at Sl. No. 1, (without any change in quantity) shall be amended to read as under:- "CRGO Steel Sheets/Coil"
-----	-----	--	---

56.	550	<u>Engineering Product</u> Sl.No.C334	The description of import item at Sl. No. 1, (without any change in quantity) shall be amended to read as under:- "CRGO Steel Sheets/Coil"
-----	-----	--	---

57.	550	<u>Engineering Product</u>	
-----	-----	----------------------------	--

		Sl.No.C335	The description of import item at Sl. No. 1, (without any change in quantity) shall be amended to read as under:- "CRGO Steel Sheets/Coil"
--	--	------------	--

58.	8	<u>Engineering Product</u> Sl.No.C474 (corrected vide Public Notice No. 46 Dated: 06/11/2002)	The description of import item at Sl. No. 1, with quantity shall be corrected to read as under:- "1. Mild Steel Cold Rolled - 1.006 kg Wide Coil (Black Plate in Coil)"
-----	---	---	---

59.	587 - 589	<u>Engineering Product</u> Sl.No.C482	1. After the description of import item at Sl. No. xviii, the following items with quantity shall be added:- "3(ii) (xix). Refractory Bricks/ - 9 kg Shapes and/or Dead Burnt / Sea Water / Fused Magnesia for captive use for manufacture of Bricks/ Shapes
-----	-----------	---	--

-:17:-

			3(ii) (xx). Monolithic refractory - 5 kg
--	--	--	--

viz.Castables, Gunning
Mass & Ramming Mass
and/or Dead Burnt/Sea
Water/Fused magnesia
for captive use for
manufacture of
Monolithic refractory
3(ii) (xxi). Specialty - 1 kg
Refractories namely
Continuous Cast refractories
(such as Shrouds, Mono
Block Stoppers and
Sub-Entry Nozzles),
Slide gate refractories,
Porous Plug, Zircon/
Zirconia Nozzles and
Tundish Nozzles"

2. The import item at Sl. No. 3(iii),
(with Quantity) shall be deleted.

60.	603 - 605	<u>Engineering Product</u> Sl.No.C512	1. After the description of import item at Sl. No. 3(ii)S, the following items with quantity shall be added:- "3(ii)t. Refractory Bricks/ - 9 kg Shapes and/or Dead Burnt / Sea Water / Fused Magnesia for Captive use for manufacture of Bricks / Shapes 3(ii)u. Monolithic Refractory - 5 kg viz. castables, Gumming Mass & Ramming Mass and /or Dead Burnt/Sea Water/ Fused Magnesia for captive use for manufacture of monolithic refractory
-----	--------------	--	---

3(ii)v. Specialty Refractories - 1 kg

namely, Continuous Cast

refractories (such as

Shrouds, Mono Block

Stoppers and Sub-entry

Nozzles), Slide Gate

refractories, Porous plug

Zircon/ Zirconia Nozzles

and Tundish Nozzles"

- The Note No. 3 below this entry shall be substituted by the following:-

"Note 3. item of import at Sl.No. 1(ii) 3(ii)(b)(i) (l)(p)(q)(s) and continuous cast refractories and Tundish Nozzles at (v) shall not allowed in case of export of Steel ingots"

The Note No. 4 below this entry shall be corrected to read as under :-

"Note 4. Item
of Import at
Sl. No. 1(ii),
3(ii), (c), (m)
& 3(iii) (a),
(b), shall not
be allowed in
case of rolled
blooms/
billets/ slabs.
However,
against export
of rolled
billets made
through
continuous
cast blooms,
continuous
cast
refractories &
Tundish
Nozzles
under 3(ii)(v)
shall be
allowed".

The
import
item at
Sl. No.
3(iii),
with
Quantity

			shall be deleted.
--	--	--	----------------------

-:19:-

61.	626	<u>Engineering Product</u> Sl.No.C594	The norm covered by this entry shall be substituted by the following:-
-----	-----	--	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
C594	Carbon/ Alloy Steel Seamless Tubes (Cold Finished)	1 MT	1. Carbon/ Alloy Steel Round/ Bars/ Billet OR Carbon Steel Seamless mother	1.44 MT 1.20 MT

			pipes (Hot Finish)	
--	--	--	--------------------	--

62.	641	<u>Engineering Product</u> Sl.No.C704	The norm covered by this entry shall be substituted by the following:-
-----	-----	--	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
C704	LPG Cylinders with / or without valves	1 No.	1. Valves OR 1. Brass-Scrap 2. HRMS Sheet/ Plates OR HRMS Cells 3. M.S. Round Bars	Net to net 1.12 kg/kg content in the export product 1.35 kg/kg content in the export product 1.35 kg/kg content in the export product 1 kg/kg content in the export product 0.17 kg per Cylinder

			4. Zinc Ingot	
--	--	--	---------------	--

-:20:-

			5. Misc. Items : Copper Coated Steel Wire of dia 3.15 mm and 0.8 mm, welding flux/ rod, L.D.O., primer Point, Shot / grits, D.D. Compound	3% of the FOB value
--	--	--	--	------------------------

Note :1.Item No. 1 will be allowed if Cylinder is exported with valves.

Note:2. Zinc Ingot will be allowed if the Cylinders are exported with Zinc coating.

Note:3. Packing material may be allowed as per packing policy.

63.	641	<u>Engineering Product</u> Sl.No.C706	After the description of import item at Sl. No. 3, the following items with quantity shall be added:- "4. Grey / pulp board - 1.05 kg/kg (furniture grade) content in the export product
-----	-----	--	---

5. Powder paint - 1.05 kg/kg

(solid based) content in the
export product

6. Relevant PVC - 1.02 kg/kg

Fabrics content in the
export product

7. Relevant PU Foam - 1.02 kg/kg

content in the
export product

8. Relevant Synthetic - 1.02 kg/kg

Fabric (Polyester content in the
Based) export product"

Note: Import of powder paint (Solid Based) will be allowed @ 1.05 kg/kg
content for furniture having powder paint coating only.

64.	653	<u>Engineering Product</u> Sl.No.C797	The norm covered by this entry shall be substituted by the following:-
-----	-----	--	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
C797	Seamless Steel Pipes and Tubes (Other than Stainless Steel) Hot Finished	1.0 kg content of import item	1. Alloy / Non-Alloy Steel Billets/ Rounds / Bars	1.20 kg

65.	657	<u>Engineering Product</u> Sl.No.C828	The description of export item shall be amended to read as under:- "Stainless Steel Pressure Cooker with Copper Bottom/ Capsuled Bottom (Sandwich Bottom) of different sizes"
-----	-----	--	--

66.	692	<u>Engineering Product</u> Sl.No.C978	The description of import item at Sl. No. 3, (without any change in quantity) shall be amended to read as under:- "Other items namely Aluminium Powder, Brass Chips, Brass Powder, Acrylonitrile Butadiene Rubber/Nitrile Butile Rubber, Copper Powder, Bonding Adhesive "
-----	-----	--	---

67.	692	<u>Engineering Product</u> Sl.No.C980	The description of import item at Sl. No. 3, (without any change in quantity) shall be amended to read as under:- "Other items namely Aluminium Powder, Brass Chips, Brass Powder, Acrylonitrile Butadiene Rubber/Nitrile Butile Rubber, Copper Powder, Bonding Adhesive "
-----	-----	--	--

-:22:-

68.	692	<u>Engineering Product</u> Sl.No.C981	The norm covered by this entry shall be substituted by the following:-
-----	-----	--	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
C981	Asbestos Moulded Non-Metallic Brake Lining	1 kg	1. Phenol Formaldehyde Resin	0.25 kg 0.70 kg

			2. Asbestos raw in different grades/ Asbestos Yarn 3. Other items namely Aluminium Powder, Brass Chips, Brass Powder, Nitrile Butile Rubber/ Copper Powder, Bonding Adhesive 4. Misc. Items : Grinding Wheels (Diamond/ Abrasive), Electrometallic Slitting Saws, Carbide Tips, Mould Releasing Solution, Endless Emery Belts.	Not exceeding 5% of the FOB value of export Upto 3% of the FOB value of export
--	--	--	---	---

69.	693	<u>Engineering Product</u> Sl.No.C982	The norm covered by this entry shall be substituted by the following:-
-----	-----	--	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
C982	Asbestos Moulded Non-Metallic Clutch Facing	1 kg	1. Phenol Formaldehyde Resin	0.24 kg 0.70 kg

			2. Asbestos raw in different grades/ Asbestos Yarn	
--	--	--	---	--

-:23:-

			- Other items namely Aluminium Powder, Brass Chips, Brass Powder, Nitrile Butile Rubber/ Copper Powder, Bonding Adhesive - Misc. Items : Grinding Wheels (Diamond/ Abrasive), Electrometallic Slitting Saws, Carbide Tips, Mould Releasing Solution, Endless Emery Belts.	Upto 2% of the FOB value of export Upto 3% of the FOB value of export
--	--	--	--	---

70.	12	<u>Engineering Products</u>	The descriptions of import items at Sl. Nos. 1 & 2 shall be corrected with quantity to read as
-----	----	-----------------------------	--

Sl.No.C1058 (notified
vide Public Notice
No. 67
Dated:01.02.2002)

under:-

1. a) Pure Lead - 1.02 kg/kg

content in the

export

product

b) Antimony - 1.02 kg/kg

content in the

export

product

			c) Lead Calcium Alloy - 1.04 kg/kg content in the export OR product 1 a) Pure Lead - 1.02 kg/kg content in the export product b) Antimonial Lead - 1.02 kg/kg Alloy content in the export product 2. Battery Separators - Net to net OR 1. Rolls of Battery - 1.05 Sq.Mtr./ Separators Sq.Mtr content in
--	--	--	---

the export

product

OR

2(a) Synthetic Pulp Porous - 1.05 kg/kg

Paper Sheet content in

the export

OR product

(a) Polyethylene Sheet - 1.03 kg/kg

content in

the export

product

(b) Acid Resistant Glass - 1.05 kg/kg

content in

the export

product

(c) Nitrile Rubber Based - 1.05 kg/kg

Glue content in

the export

			product
--	--	--	---------

-:25:-

71.	741	<u>Engineering Product</u> Sl.No.C1176	The norm covered by this entry shall be substituted by the following:-
-----	-----	---	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
C1176	Copper & Copper Alloy (including Brasses, Bronzes, Cupro Nickel, Nickel Silver) Extruded and Drawn Hollow Sections such as Pipes & Tubes	1 kg	1. Copper Scrap OR Copper Cathode/ Copper Wire Bars OR Copper Billets 2. Alloying Elements viz. Zinc, Lead, Tin, Nickel, Aluminium etc.	1.09 kg/kg content in the export product 1.06 kg/kg content in the export product 1.02 kg/kg content in the export product 1.05 kg/kg content in the export product

72.	746	<u>Engineering Product</u> Sl.No.C1215	The description of import item at Sl. No. 3, (without any change in quantity) shall be amended to read as under:- "Acrylonitrile Butadiene Rubber/ Nitrile Butile Rubber"
-----	-----	---	---

73.	781	<u>Engineering Product</u> Sl.No.C1385	1. The description of import item at Sl. No. 2 (without any change in quantity) shall be amended to read as under:- "Antimonial Lead Alloy of relevant grade" 2. After import item at Sl. No. 4, the following import items (with quantity) shall be added:- "5. Tubular Bags - Net to net 6. Cork Powder - Net to net"
-----	-----	---	--

-:26:-

74.	832	<u>Engineering Product</u> Sl.No.C1594	1. After the description of import items at Sl. No. 6, the following additional import items (with quantity) shall be added:- "7. Lock Pin - 2 No. 8. Guide lock Plate - 2 No.
-----	-----	---	---

			9. Lock Plates - 18 No. (net to net) 10.Key - 2 No. 11.Cap - 2 No. 12.Key Tag - 1 No. 13.Gasket - 2 No." 2. A Foot Note below this entry shall be added as under:- "Note: The Components shall be allowed on net to net basis which the firm shall account for in the export product"
--	--	--	---

75.	835	<u>Engineering Product</u> Sl.No.C1613	The description of import items at Sl. No. 1 & 2 (with quantity) shall be substituted by the following :- "1. Tungsten Carbide - 1.05 kg/kg mixed powder content in the export product OR 1(a) Tungsten Carbide - 1.05 kg/kg
-----	-----	---	--

			Powder99.5% min. content in the purity export product (b) Tantalum Carbide - 1.05 kg/kg content in the export product (c) Tantalum Niobium - 1.05 kg/kg Carbide 70/30% content in the export product
--	--	--	---

-:27:-

			(d) Cobalt Metal 98.8% - 1.05 kg/kg Min. content in the export product (e) Tungsten Titanium - 1.05 kg/kg Carbide 50/50% content in the
--	--	--	---

			export product
			2. Packing material - As per packing policy"

76.		<u>Engineering Product</u> Sl.No.C1650	1. After the description of import item at Sl. No. 7, the following additional import items (with quantity) shall be added:- "8. Steel Ball - 2 No. 9. Lock Pin - 1 No. 10.Cap - 2 No. 11.Latch - 1 No. 12.Lock Plates - 10 No. or 13 No. (net to net) 13.key Moulded - 1 No. or 2 No. (Net to net) 14.Tag key - 1 No. 15.Cap Stator - 1 No.
-----	--	---	--

			16.Stator - 1 No.
--	--	--	-------------------

			17.Cam - 1 No.
--	--	--	----------------

			18.Terminal - 5 No.
--	--	--	---------------------

			19.Housing - 1 No.
--	--	--	--------------------

			20.Plate Spring - 1 No.
--	--	--	-------------------------

			21.Slide - 1 No.
--	--	--	------------------

-:28:-

			22.Cap Outer - 1 No.
--	--	--	----------------------

			23.Spring Dowel - 1 No.
--	--	--	-------------------------

			Large
--	--	--	-------

			24.Spring Dowel - 1 No.
--	--	--	-------------------------

Small"

- A Foot Note below this entry shall be added as under:-

Note: The Components shall be allowed on net to net basis which the firm shall account for in the export product .

77.	869	<u>Engineering Product</u> Sl.No.C1737	The description of export item shall be amended to read as under:- "20/22 mm Compact regulator in CKD condition consisting of regulator body 165 kgs, Cover 100 kgs, Hooks 6.2 kgs. all made of Zinc Die casting Alloy and other components"
-----	-----	---	---

78.	869	<u>Engineering Product</u> Sl.No.C1738	The description of export item shall be amended to read as under:- "20/22 mm Coupling Vertical / Horizontal consisting of coupling 137.8 kgs. Hooks 6.784 kgs. all made of Zinc Die casting Alloy and other components"
-----	-----	---	--

79.	19	<u>Engineering Product</u> Sl.No.C1832 (notified vide Public Notice No. 52 Dated:05/12/2002)	1. The description of export item shall be amended to read as under:- "Chrome / Nickel Plated Wire Wheel for all types of cars"
-----	----	--	--

			2. The description of import item at Sl.No. 1 (without any change in quantity) shall be corrected to read as under:-
--	--	--	---

			"1. HR Sheet/wide coil for RIM"
--	--	--	--

-:29:-

			The quantity of import item at Sl. No. 5 & 6 shall be corrected to read as under:- "0.30 kg/ per No. of the export product" "0.30 kg / per No. of the export product"
--	--	--	---

80.	24	<u>Engineering Product</u> Sl.No.C1868 (notified Vide Public Notice No. 66 Dated: 04/03/2003)	The norm covered by this entry shall be substituted by the following:-
-----	----	---	---

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
C1868	Electric Storage Water Heater	1 No.	1. Polypropylene for outer body	1 kg/kg content in the

			2. Heating Element	export product 1 No.
			• Polyol Resin • Isocyanate Hardner • Thermostate • Safety Valve • S.S. Sheet/ M. S. Sheet Wide Coil/ Strips of relevant grade	0.408 kg/kg of PU Foam contained in the export product 0.612 kg/kg of PU Foam contained in the export product 1 No. 1 No. 1.05 kg/kg content in the export product

-:30:-

			- Nut & bolt - Copper Sheet	Net to net 1.02 kg/kg content in the export product
Note: Components other than those mentioned above may be allowed as per General Note: 4 of Engineering Group notified vide P.N. No. 46(RE-02)/2002-2007 dated 6.11.2002.				

81.	11	<u>Food Products</u> Sl.No.E32 (Notified vide Public Notice No. 46 Dated: 06.11.2002)	The export item namely "Nutmeg Oleoresin" from this entry shall be deleted and a new entry for the said product shall be added at Sl. No. E-111.
-----	----	--	--

82.	963	<u>Plastic Products</u> Sl.No.H-15	The norm covered by this entry shall be substituted by the following:-
-----	-----	---	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
H15	Additive Master Batches	1 kg	1. Relevant Polymers such as Polyethylene,	1.04 kg/kg content in

			Polypropylene, Polystrene, Polyester (PET/PBT), EVA product 2. Relevant Additive up to 20% by weight of export: a. UV Stabilizer Anti Block Agent	the export product
--	--	--	---	-----------------------

			• Antistatic Agent • Slip Agent • Antioxidant	
Note: The additives indicated at import item 2 will not be more than 20% (by weight) of export and only relevant additives as required/ used in the export product should be allowed for import.				

83.	968	<u>Plastic Products</u> Sl.No.H-54	The norm covered by this entry shall be substituted by the following:-
-----	-----	---	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
H-54	Colour Master	1 kg		1.04 kg/kg

TEST	COLOR Batches	MASTIC	1 kg	1. Relevant Polymers such as Polyethylene, Polypropylene, Polystyrene, Polyester (PET/ PBT) EVA	1.04 kg/kg content in the export product
				• Titanium Dioxide • Relevant Colour Pigment / Dyes • Optional Brightener • Relevant PP/ PE/ Montan Wax	1.04 kg/kg content in the export product 1.04 kg/kg content in the export product 1.04 kg/kg content in the export product 1.04 kg/kg content in the export product

-:32:-

84.	981	<u>Plastic Products</u> Sl.No.H-120	The description of export item shall be amended to read as under:- "Relevant Medical Kraft Paper (Coated or Uncoated) of relevant GSM"
85.	14	GENERAL NOTE FOR FUEL	After Sl. No. 16 of the General Note for Fuel, the following shall be added:- "17. Leather Footwears - 3% and its Leather components"
86.	1-3 (Vol-2 Part-I) & 1-3 (Vol-2 Part-II)	GENERAL NOTES FOR ALL EXPORT PRODUCTS GROUPS	After Sl. No. 11 of the General Notes for All Export Products groups, the following shall be added:- "12. For distinguishing tile from slab in the SIONs for export products of Marble/ Granite / Serpentine, wherever applicable, the following parameters for classifying the product as "Tile" or "Slab" may be adopted :- Product in regular Thickness

			Geometrical shape ----- i) Tile - Upto 12 mm ii) Slab - More than 12 mm"
--	--	--	--

Annexure "B" to the Public Notice No. 03

Dated: 31/03/2003

CHEMICALS AND ALLIED PRODUCTS

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
--------	-------------	------	-------------	--------------

A3150	3,5 Dichloro Aniline	1 kg	1. 2,6 Dichloro Paranitro Aniline 2. Sodium Nitrite 3. Formic Acid	1.578 kg 0.526 kg 0.100 kg
A3151	Di-Isononyl Phthalate (DINP)	1 kg		0.372 kg 0.726 kg
A3152	Alpha Methyl Styrene Dimer	1 MT	1. Alpha Methyl Styrene	1.05 MT
A3153	Para Nitro Aniline	1 kg	1. Benzene	0.696 kg
A3154	3,5 Dichloro Aniline	1 kg	1. 2, 6 Dichloro Paranitro Aniline 2. Sodium Nitrite 3. Formic Acid	1.578 kg 0.526 kg 0.100 kg
A3155	4 Cyano Pyridine	1 kg	1. Ethyl Alcohol (Denatured 95%) 2. Alumina Silica Catalyst 3. Ammonia	5.950 kg 0.072 kg 3.000 kg

-:34:-

A3156	2, 6 Lutidine	1kg	1. Acetone	7.50 kg
			2. Ammonia	5.50 kg
			3. Aluimina Silica Catalyst	0.075 kg
			4. Methanol	2.70 kg
			5. Hydrogen Peroxide (50%)	0.09 kg

A3157	2,4,6 Collidine	1 kg	1. Acetone 2. Ammonia 3. Alumina Silica Catalyst 4. Hydrogen Peroxide (50%)	9.17 kg 2.75 kg 0.09 kg 0.08 kg
A3158	3, 4 Lutidine	1 kg	1. Crotonaldehyde 2. Propionaldehyde 3. Alumina Silica Catalyst 4. Ammonia	5.41 kg 3.90 kg 0.175 kg 3.80 kg
A3159	Sildenafil Citrate	1 kg	1. 2 Pentanone 2. Sodium Methoxide Powder 3. Hydrazine Hydrate 4. Thionyl Chloride 5. Methylene Di Chloride 6. Ethoxy benzoic Acid	1.86 kg 1.34 kg 2.35 kg 5.20 kg 13.46 kg 1.64 kg 1.09 kg

			7. N-Methyl Piperazine	
--	--	--	---------------------------	--

-:35:-

A3160	Offset printing Ink- Cyan having minimum pigment content 17% (Flush Route)	1 kg	1. Flush Cyan (Pigment content 42%) 2. Printing Inks Vehicle Gel (63% Solid)	0.4170 kg 0.2575 kg 0.2575 kg 0.0310 kg 0.0020 kg
-------	--	------	---	---

			3. Printing Ink Vehicle plain (62% Solid) 4. Polyethylene Wax Compound 5. PTFE Wax Compound 6. Cobalt magnesium combined Drier (Metal content 12+/-0.2%) 7. Petroleum Hydrocarbon Distillate (Distillation Range 240-320 degree cent.)	0.0103 kg 0.0412 kg
A3161	Perfumed Candles in Terracotta Pot of different shapes & sizes	100 Nos.	1. Wicks – Woven or knitted pre-waxed and fitted with metal sustainer at bottom of relevant sizes	101 Nos.
A3162	Gliclazide BP	1 kg	1. N-Amino-3- azabicyclo (3, 3.0) Octane HCL 2. Methyl Chloroformate	0.70 kg 0.45 kg

A3163	2-Oxa-1, 4- Butanediol Diacetate	1 kg	1. 1,3-Dioxolane 2. Dimethyl Sulphoxide	1.00 kg 0.66 kg
A3164	2,6 Dichloro Diphenylamide	1 kg	1. 2,6 Dichloro Phenol 2. Aniline	0.913 kg 0.521 kg
A3165	8-Chloro Theophylline	1 kg	1. Theophylline Anhydrous	1.025 kg

-:36:-

A3166	Pantoprazole / Pantoprazole Sodium Pantoprazole Sodium / Pantoprazole Sodium' sesquihydrate	1 kg	1. 2,5 – Difluoro-1, 3- Dihydroxy Benzimidazole OR 2, 5-Difluoro Methoxy- 2 Mercapto-14-	0.80 kg
-------	--	------	--	---------

			Benzimidezole 2. 2-Chloromethyl-2, 4-Dimethoxy Pyridine Hcl 3. Methylene Chloride / Methanol 4. Acetone / Tetrahydrofuran 5. Activated Carbon	0.80 kg 7.00 kg 2.00 kg 0.100 kg
A3167	Carisoprodol USP	1 kg	1. 2-Methyl –2- N-Propyl Propandiol 1,3 2. Diethyl Carbonate	0.768 kg 1.00 kg
A3168	Modified Saturated Polyester Resin Solution (Solid content 50+/-2%)	1 kg	1. Di-Ethylene Glycol 2. Phthalic Anhydride 3. Neopentyl Glycol 4. Pure Terephthalic Acid	0.0500 kg 0.1863 kg 0.0620 kg 0.0203 kg
A3169	Hygienic Conveyor Belting of Relevant Natural / Synthetic Rubber	1 kg	1. Synthetic Yarn-Polyester / Nylon Yarn-840 Denier and above OR Synthetic Fabric/ Fabric Polyester/	1.10 kg/kg content in the export product 1.05 kg/kg content in the export product 1.05 kg/kg content in the export product

			Miscellaneous Chemicals i.e. Microcrystalline Wax, Softeners, Stearic Acid, Process Aids, Bonding / Coupling Agents, Tackifiers, Synthetic Resins, Activators, Plasticisers and dip Chemicals (excluding resorcinol)	0.03 kg
A3170	Conveyor and Elevator Textile Belting (Heat and Fire Resistant) of Relevant Synthetic Rubber	1 kg	1. Synthetic Yarn-Polyester / Nylon Yarn-840 Denier and above OR Synthetic Fabric/ Fabric Polyester/ Nylon Fabric 840 Denier and above	1.10 kg/kg content in the export product 1.05 kg/kg content in the export product

			• EPDM/ Chloroprene Rubber	1.05 kg/kg content in the export product
			• Carbon Black / Precipitated Silica (in case of Non-Block Belts, Precipitated Silica may be allowed instead of Carbon Black)	0.2 kg
			• Rubber Chemicals i.e. Antioxidant, Accelerators, Retarders, Peptizer	0.02 kg
			• Miscellaneous Chemicals i.e. Microcrystalline Wax, Softners, Stearic Acid, Process Aids, Bonding /	0.03 kg

			Coupling Agents, Tackifiers, Synthetic Resins, Activators, Plasticisers and dip Chemicals (excluding resorcinol)	
--	--	--	---	--

-:39:-

A3171	Oil Resistant NBR Conveyor Belting	1 kg	1. Synthetic Yarn- Polyester / Nylon	1.10 kg/kg content in the
-------	---------------------------------------	------	---	------------------------------

			Yarn-840 Denier and above	export product
			OR	1.05 kg/kg
			Synthetic Fabric/ Fabric Polyester/ Nylon Fabric 840 Denier and above	content in the export product content in the export product
			2. NBR Rubber	0.2 kg
			3. Carbon Black / Precipitated Silica (in case of Non- Block Belts, Precipitated Silica may be allowed instead of Carbon Black)	0.02 kg
			4. Rubber Chemicals i.e. Antioxidant, Accelerators, Retarders, Peptizer	
				0.03 kgs

			Miscellaneous Chemicals i.e. Microcrystalline Wax, Softners, Stearic Acid, Process Aids, Bonding / Coupling Agents, Tackifiers, Synthetic Resins, Activators, Plasticisers and dip Chemicals (excluding resorcinol)	
--	--	--	---	--

-:40:-

A3172	Toluene	1 MT	1. Naphtha	0.933 MT
A3173	Mixed Xylene	1 MT	1. Naphtha	1.220 MT

-:41:-

Annexure "C" to the

Public Notice No. 03

Dated: 31/03/2003

ENGINEERING PRODUCTS

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
C1873	Portable Electro Mechanical Power Tools	1 No.	<u>Raw Materials</u> 1. CRNGO Steel Sheet/ Strip/Wide Coil	1.90 kg/kg content in the export product 1 kg/kg content in the

2. Copper Wire Rods

export
product

1 kg/kg
content in the
export
product

3. Nylon

1% of FOB
value of
export

4. Araldite

1 No.

1 No.

Components

1 No.

1. Commutator

Net to net

2. Switch

1 No.

3. Gear & Pinion

1 No.

4. Bearings

2 No.

5. Cable

2 No.

6. Chuck & Key

1 No.

7. Brush Holder

1 No.

8. Brush Spring

1 No.

9. Fixed Ratchet

1 No.

			10. Moving Ratchet	
			11. Inner Clamp Washer	
			12. Outer Clamp Washer	
Note: Components are to be accounted for in the export product.				

-:42:-

C1874	Diesel Fork Lift 1.5 Ton to 10 Ton	1 No.	1. Relevant Engine – 3to 6 Cylinder	Net to net
				Net to net
			2. Forks 800 mm to 2500 mm (relevant)	Net to net
			3. Torque Converter	Net to net
			4. Hydraulic valve 2/3/4 Spool Valve	Net to net
			5. Relevant I Beam 4" to 6" (2300 mm to 2800 mm)	Net to net
			6. C Channel 4" to 6" (2300 mm to 2800 mm)	Net to net
				Net to net
			7. Selector disc (Inner+ Outer)	Net to net
				Net to net

8. Bumper Bar/ Carriage Section	Net to net
9. Brake Assembly	Net to net
10. Lift Cylinders	Net to net
11. Tilt Cylinders	Net to net
12. Steering Cylinder	Net to net
13. Steering Unit	Net to net
14. Tyres – 6*10 to 9*20	Net to net
15. Wheel Rims 6*10 to 9*20	Net to net
16. Seat	Net to net
17. Bearing (Roller / Taper)	1.05 kg/kg content in the export product
18. Battery 12 V BOAH to 12V 120 AH	
19. Drive Axle	
20. Transmission Pump	
21. Hydraulic Pump	
22. M.S. Sheets/Wide Coils/ Plates	

C1875	Cast Article made of Zinc Alloy	1 kg	1. Relevant Zinc Alloy Ingot	1.06 kg/kg
C1876	Roto Glydring made of Glass filled PTFE Tube	1 Foot	1. Cluster of PTFE with glass filled tube	1.6 Feet
C1877	Vacuum Cleaner	1 No.	1. ABS 2. Polypropylene 3. Polycarbonate 4. Motor 5. Switches 6. PP Spun Bag 7. Main Cord	1.05 kg/kg content in the export product 1.05 kg/kg content in the export product 1.05 kg/kg content in the export product Net to net Net to net Net to net Net to net Net to net

			8. Filter Motor protect 9. Capacitor 10. Packing material	Net to net As per packing policy
C1878	Automotive Steel Wheel Rims 12"-13" (Excluding Wire Wheels)	1 No.	1. HR Sheet / Coil	1.18 kg/kg content in the export product

-:44:-

C1879	Automotive Steel Wheel Rims 14"-16" (Excluding Wire Wheels)	1 No.	1. HR Sheet / Coil	1.22 kg/kg content in the export product
C1880	Welding accessories, such as, Electrode	1 No.	1. Brass Scrap	1.075 kg/kg content in the

	holder, chipping hammer, cable connector, earth clamp, ground clamp, cable ring, splicer hammer		2. Synthetic Rubber	export product 1.10 kg/kg content in the export product
			3. Non Alloy Steel wide Coils/ Sheets	1.10 kg/kg content in the export product
			4. Polypropylene – Plastic Resin	1.05 kg/kg content in the export product
Note: Description of the specific welding accessory shall be indicated by the exporter in the application.				
C1881	1 Inkjet Cartridges	1 No.	1. Relevant Ink	1.17 ML per ML Ink content in the export product
			2. Cleaning Solution	60 ML Net to net
			3. Unused Empty inject Electronic Cartridge	1 Unit 114 mm

			4. Lid	
			5. Blue Tape	

-:45:-

C1882	Asbestos Metallic Lining	Moulded Brake	1 kg	1. Phenol Formaldehyde Resin 2. Asbestos raw in different grades/ Asbestos Yarn OR Asbestos Yarn with Metallic Insertion 3. Other items namely Aluminium Powder, Brass Chips, Brass Powder, Nitrile Butile Rubber,	0.25 kg 0.60 kg 0.70 kg Not exceeding 5% of the FOB value of export
-------	--------------------------------	------------------	------	--	--

				Copper Powder, Bonding Adhesive 4. Misc. items : Grinding Wheels (Diamond/ Abrasive), Electrometallic Slitting Saws, Carbide Tips, Mould Releasing Solution, Endless Emery Belts	Upto 3% of the FOB value of export
C1883	Asbestos Metallic Facing	Moulded Clutch	1 kg	1. Phenol Formaldehyde Resin 2. Asbestos raw in different grades/ Asbestos Yarn OR Asbestos Yarn with Metallic Insertion	0.24 kg 0.60 kg 0.70 kg

-:46:-

			- Other items namely Aluminium Powder, Brass Chips, Brass Powder, Nitrile Butile Rubber, Copper Powder, Bonding Adhesive - Misc. items : Grinding Wheels (Diamond/ Abrasive), Electrometallic Slitting Saws, Carbide Tips, Mould Releasing Solution, Endless Emery Belts	Upto 2% of the FOB value of export Upto 3% of the FOB value of export
C1884	Stainless Steel Casing & Tubing	1 kg	1. Non Alloy Steel Billets/ Rounds 2. Thread Protectors 3. Thread Inserts/ cut-off blades	1.25 kg Net to net Upto 2% of FOB
C1885	Water Cooler	1 No. (Export	1. Stainless Steel Sheet/ Wide Coil of	1.05 kg/kg content in the

		weight to be indicated)	relevant grade	export product
			2. Galvanised Plain Steel Sheet/ Wide Coil	1.05 kg/kg content in the export product
			3. Copper Tube of relevant demension	1.01 kg/kg content in the export product

-:47:-

			Aluminium Sheet	1.02 kg/kg content in the export product
			Isocyanate	0.525 kg/kg content in the export product

			• Polyol • Hermetically Sealed Compressor	0.525 kg/kg content in the export product Net to net
C1886	Zinc Concentrates	1 MT	1. Special Gelatine Based Water Resistant Slurry Explosive 2. Amonium Nitrate Based Water Resistant Slurry explosive 3. Other Explosive 4. Water Resistant Detonating Fuse and Cord Relays 5. Electric Detonators 6. Non-Electric Detonators	0.0905 kg 4.5255 kg 1.9395 kg 1.3964 Mtr. 1.1637 No. 0.181 No.

			7. Drill Rods	0.0776 No.
			8. Drill Accessories	0.0336 No.
			9. Assortment of Consumables	1 Lot

-:48:-

			• Copper Sulphate • Zinc Sulphate • Sodium Cyanide • Xanthates • MIBC • High Chrome Grinding Media • Hydrated Lime (Chemical Grade)	3.879 kg 3.879 kg 0.4008 kg 0.4526 kg 0.931 kg 6.9176 kg 1.384 kg
--	--	--	---	---

-:49:-

Annexure "D" to the

Public Notice No. 03

Dated: 31/03/2003

FOOD PRODUCTS

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
E111	Nutmeg Oleoresin	1 kg	1. Nutmeg whole with shell	7 kg

-:50:-

Annexure "E" to the

Public Notice No. 03

Dated: 31/03/2003

PLASTIC PRODUCTS

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
H528	Plastic Domes i.e. Polyurethane capped Printed Self Adhesive Labels (other than	1 kg	1. Relevant Metallized/ Non-Metallized Polyester / PVC self adhesive label stock	1.40 kg/kg content in the export product

	Square & Rectangular)		2. (i) Polyurethane Pre-polymer (ii) Polyether Polyol hardener 3. Screen printing Ink	0.55 kg 0.55 kg 0.030 kg (CIF value restricted to 3% of FOB value of exports)
Note: The item No. 2(i) & (ii) is allowed for 1 kg of Polyurethane Resin content in the export product.				
H529	Polycarbonate Printed Self Adhesive Labels for Appliances / Instruments (Slotted/circular)	1 kg	1. Relevant Polycarbonate film/ Sheet 2. Double sided Adhesive tape with release paper 3. Screen Printing Ink	1.35 kg/kg content in the export product 1.35 kg/kg content in the export product 0.03 kg (CIF value restricted to 3% of FOB value of exports)

H530	PVC / Polyester Printed Self Adhesive Labels – Square / Rectangular Shapes (warning/ cautions/ specifications)	1 kg	1. Relevant PVC / Polyester Self Adhesive Label Stock with Release Paper 2. Screen Printing Inks	1.20 kg/kg content in the export product 0.03 kg (CIF value restricted to 3% of FOB value of exports)
H531	Plastic Domes i.e. Polyurethane capped Printed Self Adhesive Labels (Square & Rectangular)	1 kg	1. Relevant Metallized/ Non-Mettallized Polyester / PVC self adhesive label stock 2. (i) Polyurethane Pre polymer (ii) Polyether Polyol hardener	1.25 kg/kg content in the export product 0.55 kg 0.55 kg
			3. Screen printing Ink	0.030 kg (CIF value restricted to 3% of FOB value of exports)

Note: The item No. 2(i) & (ii) is allowed for 1 kg of Polyurethane Resin content in the export product.

-:52:-

Annexure "F" to the

Public Notice No. 03

Dated: 31/03/2003

MISCELLANEOUS PRODUCTS

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
K156	Unpolished / polished Serpentine Slab	1 MT	1. Steel saw blades/ Diamond Segment / Circular saw blades or blanks 2. Industrial Diamond Beads / Pearls 3. Diamond Abrasives / Synthetic Abrasives (for Polished Serpentine Slabs only) 4. Epoxy Resin (for resin coated/ filled	Upto 4% of FOB Value of export Upto 2% of FOB Value of export Upto 3% of FOB Value of export Upto 2% of FOB Value of

			serpentine slabs only)	export
K157	Unpolished / Polished Serpentine Tiles	1 MT	1. Diamond Segment / Diamond Circular Saw blades/ Circular Saw Blades or blanks 2. Industrial Diamond Beads / Pearls 3. Diamond Abrasives/ Synthetic Abrasives (for polished serpentine tiles only) 4. Epoxy Resin (for Resin coated / filled serpentine tiles only)	Upto 6% of FOB Value of export Upto 2% of FOB Value of export Upto 3% of FOB Value of export Upto 2% of FOB Value of export

-:53:-

K158	Cut & Dressed serpentine Blocks	1 CBM	1. Industrial Diamond Beads/ Pearls	Upto 5% of FOB Value of export
K159	Scented Candles assorted sizes,	1 kg	1. Paraffin Wax / Microcrystalline	0.970 kg

	shapes and colours		Wax (Microcrystalline Wax if used should not be allowed more than 2.5% of the requirement of Wax)	
			2. Fragrances	
				0.03 kg (Subject to 20% of FOB value of export)
			3. Wicks/Wicking	
			4. Colours / Dyes	0.002 kg
			5. Ultraviolet Stabiliser (UV sorb.)	0.005 kg
				0.006 kg
			6. Vybar Chemicals (Vybar 103)	0.011 kg