

TO BE PUBLISHED IN THE GAZETTE OF INDIA EXTRAORDINARY

(PART-I, SECTION-1)

GOVERNMENT OF INDIA

MINISTRY OF COMMERCE

PUBLIC NOTICE No. 10 (RE-98)/ 1997-2002

NEW DELHI: the 1st May, 1998

Subject: DEPB Scheme

In exercise of powers conferred under paragraph 4.11 of the Export and Import Policy, 1997-2002, as notified in the Gazette of India Extraordinary, Part-II- Section 3 – Sub- section (ii) vide S.O No. 283(E) dated 31.3.97, the Director General of Foreign Trade hereby notifies the credit rates under DEPB scheme in respect of items as given in the Annexure A to this Public Notice. The rates notified under Annexure A shall cover the shipments made from 1.4.97 to 14.4.98.

The rates notified in Annexure B to this Public Notice will form part of Appendix 28A and shall cover the exports made from 15.4.98.

The corrigendum to the Public Notice No. 4 (RE-98)/1997-2002 and Public Notice No. 6(RE-98)1997-2002 dated 15.4.98 shall be effective from 15.4.98.

This issues in public interest.

Sd/-

(N.L.Lakhanpal)

Director General of Foreign Trade

(Issued from file No. PRU/AS/97098/DEPB)

Annexure A to Public Notice No. 10(RE-98)/1997-2002 DATED 1.5.98

PRODUCT GROUP: Fish & Fish products

- | | |
|---|----|
| 1 Frozen marine product/frozen meat packed in packing material made out of LDPE/ HDPE/ PP granules, Kraft paper and Card Board other than Ivory Board | 2% |
| 2 Processed preserved and frozen Fish & Fish products and shrimps. | 4% |
| 3 Frozen headon/headless shrimps of species Black Tiger (Penaeus monodon) and white shrimps (Penaeus Indicus) | 7% |

Product group: Plastic

134 Articles made of HDPE/PP Twine rope	17%.
---	------

Product group: Textile

73 Dyed finished flax blended fabrics (containing polyester, viscose cotton and flax)	10%
74 Silk garments	12%

Product group: Miscellaneous

23 Black iron oxide pigment	12%
-----------------------------	-----

ANNEXURE B TO PUBLIC NOTICE NO. 10(RE-98)/1997-2002 DATED 1.5.98**Product Group: Chemicals**

S.No. of Export Product export product	DEPB rates	Value cap for calculating DEPB entitlement
773 1-(2,6-Dichlorophenyl) 2-Indolinone	13%	
774 Upgraded beneficiated illmenite (synthetic rutile)	11%	
775 2-Methylimidazole	9%	
776 4,4 Diamino Diphenyl Sulphone (4,4 D.D.S.) Dapsone BP	16%	Rs.450/- per kgs.
777 Pottassium pencillin G first crystal	20%	Rs.600/-BOU
778 Cetrimide BP 88	14%	
779 High Voltage Porcelain Insulators for Transmission Lines application- Pin type Insulators`	9%	
780 D(-) Alpha Phenyl Glycine Ethyl Aceto Acetate Potassium Salt (Dane Salt)	20%	Rs. 325/kg
781 D(-)Alpha Phenyl Glycine Based (From Benzaldehyde)	20%	Rs.400/kg.

782 Danazol	20%	Rs.26000/kg.
783 Dimetridazole BP Vet	7%	
784 Glycine	11%	
785 Metronidazole BP/USP	13%	
786 Metronidazole Benzonate	12%	
787 Rifampicin BP	20%	Rs.4200/ kgs..
788 Roxythromycin	16%	Rs.15000/kgs
789 Tinidazole	17%	Rs.400/-kg
790 1,8 Dichloro Anthraquinone	13%	
791 1-Amino Anthraquinone	4%	
792 Deleted		
793 4-Benzoylamino 5-Napthol 2:7 Disulphonic Acid	14%	
794 Acid Blue 45 (100% Dye Content)	9%	
795 Anthraquinone 2:6 Disulfonate/ Anthraquinone 2:7 Disulfonate	4%	
796 High Alumina Ceramic Wear Resistant Tiles containing 90% Aluminium Oxide	11%	
797 Direct Brown ABR (Duranol Brown ABR)	9%	
798 Direct Red 81 (Assay 70%)	9%	
799 Disperse Dark Red 2B, CI Disperse Red 167:1 (Assay 36.8%)	9%	
800 Deleted		
801 J Acid Urea	11%	
802 Methanil Yellow R (Dye Content: Methanil Yellow 49.8% Acid Orange 7-30.2%)	9%	
803 Methyl Violet Basic Violet 1 (C.I.No.42535)	14%	
804 Napthalene Sulphonate Formaldehyde Condensates (91% Min)	5%	
805 Navy Blue HER 1 (50%) C.I Reactive Blue 171)	7%	
806 Optical Brightener Bluton P 167 (ASSAY 82%)	9%	
807 Para Anisaldehyde/ Para Anisic Aldehyde/Anisic Aldehyde	14%	

(Purity 99%)		
808 Reactive Golden Yellow MERL/Reactive Yellow 3X (C.I.No. Yellow 145A)	9%	
809 Reactive Navy Blue ME6BL (C.I.No. Blue 194A)	9%	
810 Reactive Orange 78% (87.3 Dye Content)	8%	
811 Reactive Orange HER (Reactive Orange 84) 80% Assay)	8%	
812 Reactive Orange ME2RL (C.I.No.Orange 122)	8%	
813 Reactive Red Me4bl/ Reactive Red ME4BL Crude/Red 3BX (CI No. Red 195A)	7%	
814 Reactive Supra Golden Yellow (CI No. Reactive Orange 107)	9%	
815 Reactive Supra Golden Yellow HRNL (C.I.No.Orange 107)	7%	
816 Reactive Yellow HE6G/HE6G(N)	9%	
817 Reactive Yellow ME4GL (C.I.No.Yellow 186)	9%	
818 Reactofix Golden Yellow MERL/ Reactive Yellow 3X (CI No. Yellow 145A)	7%	
819 Reactive Red ME6BL (C.I No. Red 250)	9%	
820 Reactofix supra navy Blue H2GL (C.I.No.blue 203)	7%	
821 Solvent Blue 2B/Solvent Blue 36 (C.I No. 611551(100% Assay)	7%	
822 Vat Blue 20, Vat Dark Blue BO (100% Assay)	5%	
823 Vat Grey 3 B CI Vat Black 16 (100% Dye Content)	8%	
824 Vat Jade Green FFB UD/MD, CI Vat, Green 1-UD/MD (50% Assay)	5%	
825 1-Hydroxyethylidene 1:1 Di-Phosphonic Acid 60%	9%	
826 Calcium Carbonate	7%	
827 Phosphorus Oxychloride	13%	
828 Tri Methyl Phosphite 98%	16%	Rs.75/kgs
829 Coumarin	11%	
830 Di-Ethylene Glycol (DEG)	7%	
831 Diethyl Amine (Minimum Purity 99%)	6%	

831 Diethyl Amine (Minimum Purity 98%)	0%
832 Di-ketone (2,4-Dichloro Phenyl Methyl Ketone)	17%
833 Mono-Ethylene Glycol	6%
834 Para Cresidine	12%
835 PTA	6%
836 Silicone Fluid	11%
837 Special Textile Lubricating Oil (STLO)	11%
838 File Folders/File Folders with Zips and Clips	9%
839 Postal Stationeries such as various type and size of Plain/Printed Envelopes, Window/ Airmail Envelopes, Canvas Coated Products	9%
840 S.S. Maplitho Wood Free Printing Paper.	4%
841 2,4 Di-Chloro Phenoxy Acetic Acid (2,4 D.Acid) On 100%Basis	13%
842 Acephate Technical 97%	14%
843 Captan Technical	8%
844 Dimethoate 40% E.C	8%
845 Endosulfan (Technical)	15%
846 Endosulfan 35% W/W	12%
847 Fenvalerate 20% EC	14%
848 Phosphamidon tech (82%)	9%
849 Quinalphos 25% EC Formulation	6%
850 Rubberised Cork Sheets – Grade RCA Natural, RCA Black, RCA Super Cork Sheet and Rubberised Cork Frames and RCA Black and RCA Natural.	8%
851 DV Acid Chloride/ Cypermethrin Acidic Chloride	6%
852 Labetalol Hydrochloride BP	9%
853 Trichloro Ethylene	11%
854 Phosphorus Trichloride	13%
855 Phosphorus Pentoxide	13%
856 Acetamino Sulphonic (Also Known As Acetamino Sulphone Acetyl Amino Phenyl-4-(Hydroxy Ethyl) Sulphone	14%
857 Reactive Navy Blue ME2GL (CI No.Blue-194A)	7%
858 AZO Black DIX/Acid Black MRL (100% Dye Content)	9%
859 1,(4-Hydroxy 3-Hydroxy Methyl Phenyl) 2-(N-Terbutyl-N-	12%

Benzyl Amino) Ethanol (Drug Intermediate Of Salbutamol Sulphate)

860 Dextropropoxy Phene Hydrochloride	14%
861 Perfumed Glycerine Soap	6%
862 Linear Alkyl Benzene	12%
863 4-(2-Chloro Acetyl) Methane Sulfomanilide (4-CAMS	11%
864 Ethyl Acetate with Minimum 90% Purity	3%
865 Reactive Supra Navy Blue HRGBL (C.I.No. Reactive Blue 250 (Containing 20% Dispersing Agent Lignine Sulphonate)	7%
866 Vat Blue BC/Vat Blue BC/CDP/Vat Blue BC/P.C /Vat Blue 6 C.I.No. 69825 Dye Content 100%)	6%
867 Vat Yellow 3RT U/D Vat Orange 11 (C.I.No.70805) Dye Content 40%	5%
868 Vat Navy Blue TRR U/D Vat Blue 22 (C.I.No. 59820) (Dye Content 50%)	6%
869 Golden Yellow 200%(C.I.Disperse Yellow 56) Containing 67.5% Dispersing Agent	7%
870 Vat Navy Blue BRU/D Vat Blue 18 (C.I.No.59815) 50% Dye Content	6%
871 Basic Chromium Sulphate	5%
872 Automobile Tubeless Tyres reinforced with Nylon Tyre Cord Warp Sheet or Rayon Tyre Cord Warp Sheet	12%
873 Azithromycin Dihydrate	11%
874 Glass refills silver coated for vacuum flask	12%
875 Quinalphos (70% Tech)	6%
876 Phenyl Acetone	15%
877 Ortho Nitro Aniline	14%
878 6-Acetyl Amino 2-Amino Phenol 4-Sulphonic Acid	9%
879 Processed Bentonite	6%
880 3,3 Dichloro Benzedine Hydro Chloride	9%
881 Resist Salt	5%
882 Carbendazim 50%	14%
883 Phenyl Ethyl Alcohol	7%
884 Metranidazole Benzoate	12%

885 vat Olive RU/D vat Black 27 (C.I.No. 69005) Dye Content 46%	5%	
886 Violet RR CDP/Violet RC/vat violet 1(C.I.No.60010) 100% assay	5%	
887 Mepacrine Hydrochloride	8%	
888 Chlorhexidine Hydrochloride	12%	
889 Chlorhexidine Acetate	12%	
890 Naproxen Sodium	19%	2600/kg
891 Naproxen	19%	2650/kg
892 4,4-Diamino Stilbene 2,2 Disulfonic Acid (DASDA)	11%	
893 R.Salt	6%	
894 Vinyl Sulphone 2:5 Dimethoxy Aniline Oil Base	7%	
895 Pamoic Acid	17%	Rs.400/kgs
896 Sodium Formaldehyde Sulphoxylate	11%	
897 Vulkacit F/C	7%	
898 Zinc Formaldehyde Sulphoxylate	11%	
899 Amino Trimethylene Phosphoric Acid	9%	
900 Glyphosate IPA Salt	14%	
901 Polyester Jacketed Synthetic Rubber Lined Fire Hoses (PVC coated)	13%	
902 4-(4-Chlorophenyl)-4-Hydroxy Piperidine	15%	
903 6-Amino-1,3-Dimethyl Uracil	17%	Rs.325/kgs
904 Para Chloro Ortho Cresol	17%	Rs.125/kgs
905 N-Methyl 4 Chloro Piperidone	9%	
906 N-Methyl 4-Piperidone	11%	

Product group: Engineering

472 Chains (110 Links) Weight: 34 Gms for Item 1, 81 Gms for Item No. 2)	9%	
473 Manganese Steel Castings (Rough)	17%	Rs. 55/- kgs.
474 Non Alloy Steel Rough Castings	13%	
475 Spheroidal Graphite/Malleable/Ductile Iron Castings (Rough)	13%	

475 Spherical Grey/ Malleable/ Ductile Iron Castings (Rough)	15%	
476 Copper Bonded Grounding Rods	16%	
477 Bearing Races	7%	
478 Carbon/ Non alloy Steel Seamless pipes/Tube (Cold Finish or otherwise)	13%	
479 Alloy Steel Seamless pipes/ Tube (Cold Finish or otherwise)	20%	Rs.55/kg.
480 Fabricated Steel Hardware/ Structure Made out of MS HR Sheets/ Coils/Strips	9%	
481 Industrial Roller Chain (Above 1¼ " Pitch Size) including Spares	9%	
482 Industrial Roller Chain (Above ¾" Pitch And Upto 1 ¼" Pitch) including Spares	9%	
483 Industrial Roller Chain (Upto ¾" Pitch Size) including Spares	9%	
484 Industrial Valves Viz. Gate Valve/ Globe Valve/ Check Valve/ ball valve & Accessories	9%	
485 MS Bucket Handles duly Nickel Plated	16%	
486 Nuts/ Bolts/ Screws made out of Stainless Steel of any variety	14%	
487 Perforated Construction Stakes (Round/ Flat/ Square)	9%	
488 Printed Lug Cap With Internal Coating Lined With PVC Compound	9%	
489 Deleted		
490 Deleted		
491 Steel Hinges – Bar Type	14%	
492 Zinc Plated (Galvanised) Steel Lock Nuts (Blanked/Punched) from H.R.Coil/ Sheet	15%	
493 Automotive Timing Chains for Four Wheeler application	9%	
494 Automotive Water Pump	5%	
495 Clutch Cover Assembly	8%	
496 Clutch Plate/Disc Assembly/Driven plate	8%	
497 Spline Hubs for clutch plate	9%	
498 Top Link Assembly for Tractors (Consisting of Tommy Bar, Replacement Ball, Replacement end, Centre Tube and	12%	

Locking Collar) Galvanised		
499 Tractor Parts – Ratchet Jack Assembly	13%	
500 Brass Wire	17%	
501 Stainless steel rough castings	14%	
502 Aluminium Foil Commercial Grade Embossed Cut of Shape, Performed Coated Printed for other Reinforcing Material	12%	
503 Aluminium Foil Paper backed	15%	
504 Aluminium Foil Plastic Coated/ Laminated	12%	
505 Aluminium Foil – Synthetic Resin/ Lacquer Coated Printed	12%	
506 Aluminium Foil – Synthetic Resin/ Lacquer Coated	12%	
507 9 KV 5 KVA Conventional Surge Arrester Distribution Type With Mounting Breenet And Insulators	14%	
508 Non-Alloy Ground/ Earthing Rods (Galvanised)	14%	
509 Stainless Steel Cable Ties made of SS.316 Grade	3%	
510 Alloy Steel Castings (Rough)	9%	
511 Galvanised Steel Wire Strand	15%	
512 Anchor Bolt With Nut	9%	
513 Ferro Vanadium	16%	Rs. 450/kgs
514 Magnesium Ferro Silicon	16%	Rs.50/kgs
515 Cable Ties made of Stainless Steel	2%	
516 Pilfer Proof Caps/ Seals –Printed with EP Liner	12%	
517 Pole Line Hardware fittings and Accessories (Galvanised)	14%	
518 Carbon steel submerged arc welded pipes as per API grade or ASIM grade or equivalent	14%	
519 Cold rolled/formed ring for bearing races, CV cages	15%	
520 CRCA butt hinges	7%	
521 CRCA hinges electric brass plated	7%	
522 CRCA hinges self colour	7%	
523 CRCA hinges zinc plated	7%	
524 Deleted		
525 TEE Hinges (painted/ zinc plated	7%	
526 Transformer (copper wound) above 100% KVA upto and including 400 KVA 3 phased, oil cooled.	16%	

527 Transformer (copper wound) above 400 KVA upto and including 1600 KVA 3 phased, oil cooled.	16%
528 Transformer (copper wound) upto and including 100 KVA 3 phased, oil cooled.	16%
529 Carbon steel submerged Arc welded pipes with 3 layer polyethylene coating of 2 mm thickness and having coating weight of 2.75 kgs +/- 5% per Sq.Mtr.	14%
530 Carbon steel submerged Arc welded pipes with 3 layer polyethylene coating of 2.5 mm thickness and having coating weight of 3.15 kgs +/- 5% per Sq.Mtr.	14%
531 Carbon steel submerged Arc welded pipes with 3 layer polyethylene coating of 3 mm thickness and having coating weight of 3.60 kgs +/- 5% per Sq.Mtr.	14%
532 Carbon steel submerged Arc welded pipes with 3 layer polyethylene coating of 3.5 mm thickness and having coating weight of 4.2 kgs +/- 5% per Sq.Mtr.	14%
533 Electrical measuring instrument type: moving iron moving coil dynamo meter by metallic reed type, namely volt meter, ammeter, frequency meter, watt meter, multimeters, insulation testers, maximum demand indicator power, factor meter	16%
534 Electric door bell	13%
535 Steel tapes/rules (1 meter to 50 meters)	8%
536 Ceramic coated steel pipes with or without coupling	13%
537 Insulated cryogenic tanks for storage and transport of compressed and liquidified gases	7%
538 Stainless steel welded and cold drawn tubes/pipes Dia below 450 mm NB	14%
539 Hi-chrome casting composition: chromium 30-32%, molybdenum 2.5-3.5%, silicon 1.5-2.5%, carbon 1.5-2.5% balanced iron	5%
540 Deleted	
541 Thinwalled Engine Bearing Bushing and Thrust Washers in Steel backed Lead based white Metal Alloy GL-14/SAE-14	5%
542 Thinwalled Engine Bearing Bushing and Thrust Washers in Steel backed Aluminium Tin Alloy GA-17G/A-17X	5%
543	5%

Thinwalled Engine Bearing Bushing and Thrust Washers in
Steel backed Copper based Alloy GS-30/KS-30/F-
14/SAE/48/SL

544 Thinwalled Engine Bearing Bushing and Thrust Washers in 5%
Steel backed Lead based white Metal Alloy GL-15/F-23/L-
200/G-24/SAE-15

545 Thinwalled Engine Bearing Bushing and Thrust Washers in 5%
Steel backed Copper based Alloy GS-10/Lok Sabha-10/g-
46/sae/797/SYF-100/F-59

546 Thinwalled Engine Bearing Bushing and Thrust Washers in 5%
Steel backed Copper Lead Alloy of GS-23/L.S-23/G-
48/SAE-799/SX/F-250/F-7

547 Thinwalled Engine Bearing Bushing and Thrust Washers in 5%
Steel backed Copper based Tin Alloy GS-25/KS-25/SAE-
49/SP

548 Thinwalled Engine Bearing Bushing and Thrust Washers in 5%
Steel backed Copper based Alloy F-770/SL/KS30/GS30/F-
14

549 Thinwalled Engine Bearing Bushing and Thrust Washers in 5%
Steel backed Copper based Alloy F-770/SL/KS30/GS30/F-
14

550 Thinwalled Engine Bearing Bushing and Thrust Washers in 5%
Steel backed Copper based Alloy F-770/SL/KS30/GS30/F-
14

551 Thinwalled Engine Bearing Bushing and Thrust Washers in 5%
Steel backed Copper based Alloy F-770/SL/KS30/GS30/F-
14

552 Thinwalled Engine Bearing Bushing and Thrust Washers in 5%
Steel backed Aluminium based F-820/F-157/TR-20/GA
20/A 20/G 74/SAE 783/AS 15/GA 17G/A 17X/A6/GA
6/A300/G73/SAE 770-780

553 Thinwalled Engine Bearing Bushing and Thrust Washers in 5%
Steel backed Aluminium Tin Based Alloy GA 6/A6/G 73a
300/sae 770/AS11

554 Thinwalled Engine Bearing Bushing and Thrust Washers in 5%
Steel backed High Tin Alloy F-780/SP/H24/GS25/KS25/G-
41/SAE-49

555 5%

Thinwalled Engine Bearing Bushing and Thrust Washers in Steel backed Copper based Alloy F100/SY/HF2/LS10/Gs10/Glyco-46/SAE/797	
556 Thinwalled Engine Bearing Bushing and Thrust Washers in Steel backed Copper based Alloy F-250/SX/HF 16 Glyco-48/SAE-799	5%
557 Thinwalled Engine Bearing Bushing and Thrust Washers in Steel backed Aluminium based Alloy AS-15/F-820/F-157/GA-20/A-20/G-74/TR-20/SAE-783	5%
558 Thinwalled Engine Bearing Bushing and Thrust Washers in Steel backed Aluminium based Alloy AS-11/GA-6/A-6/G-73/A-300/SAE-770	5%
559 Thinwalled Engine Bearing Bushing and Thrust Washers in Steel backed Tin based white metal Alloy L-2/GL-12/W-90/G-32/B-100/SAE-12	5%
560 Thinwalled Engine Bearing Bushing and Thrust Washers in Steel backed Lead Based White Metal Alloy GM-155/GL-13/L-100/F-99/SAE-13	5%
561 Thinwalled Engine Bearing Bushing and Thrust Washers in Steel backed Aluminium Tin Alloy F-820 or F-157/TR-20/GA-20/A-20/G-74/SAE-783/AS-15/GA-17G/A-17X	5%
562 Thinwalled Engine Bearing Bushing and Thrust Washers in Steel backed Aluminium Tin Alloy AL-6	5%
563 Thinwalled Engine Bearing Bushing and Thrust Washers in Steel backed Aluminium Lead Alloy F-66/AL-6M	5%
564 Thinwalled Engine Bearing Bushing and Thrust Washers in Steel backed Tin based Babbit Alloy to F-1/GL-12/W-90/G-38/B-100/SAE-12/L-2	5%
565 Thinwalled Engine Bearing Bushing and Thrust Washers in Steel backed Lead based Babbit Alloy to F-23/L-200/GL-13/L-100/F-99/SAE-13/GM-155	5%
566 Thinwalled Engine Bearing Bushing and Thrust Washers in Steel backed Cast Copper based Alloy to F-112/F-77/F-770/G-41	5%
567 Metallurgical coke	3%

Product Group: Plastic

111 Synthetic Ketonic Resin	14%	
112 Laser Printer Film (Polyester Based) Thickness 100 Micron)	14%	
113 Fire Hoses – 100% Polyester Filament Yarn Jacketted Synthetic Rubber Lined	13%	
114 Polyester Jacketted Synthetic Rubber Lined Fire Hoses	13%	
115 Laquer Coated Aluminium Metalized Polyester Film In different colours (Yarn Grade)	20%	Rs.250/kgs
116 BOPP Film	17%	Rs. 80/kgs
117 Metallic Yarn Made From Lacquer Coated Aluminium Metallised Polyester Film	9%	
118 Poly Isocyanate Solution 50% Resin/Total Solid Content In Ethyl Actate Solvent	13%	
119 Polyester Resin Solution (80% Resin Content)	13%	
120 Poly Propylene Multi Filament Yarn	14%	
121 Polyurethene Resin Solution containing 66% Resin In Ethyl Acetate Solution	13%	
122 Polyurethene Resin Solution containing 60% Resin/total solid content In Ethyl Acetate Solution	13%	
123 PVC Resin	8%	
124 Sun Control Polyester Film (Reflective/ Non Reflective Single/ Two Ply with Liner	17%	Rs. 5/ Sq. feet
125 Poly Jute Bag	2%	
126 Acrylonitrile monomer 99.9% minimum	13%	
127 PVC fabricated bags	9%	
128 Rigid PVC Casing pipe	17%	
129 Deleted		
130 Deleted		
131 Deleted		
132 Safety halmet	15%	
133 Spectacle frame	17%	
134 Articles made of HDPE/PP twine rope	20%	

Product group: Food Products

12 Deleted	
13 Deleted	
14 Biscuits	5%

Product Code: Miscellaneous products

20 Cast Coated Paper/ Paper Board	9%
21 Water based correction fluid (minimum 50% Titanium Dioxide and 10% Acrylic Resin) in Plastic bottle with brush	9%
22 Export products, covered under Standard Input Output Norms and for which no specific DEPB rates have been notified, packed in the following packaging material:	
a) Plastic packaging material	2%
b) Other than plastic packaging material.	1%
c) Any combination of (a) and (b) above	1%
23 Black iron oxide pigment	12%

Product code: Textiles

70 Deleted	
71 Viscose Rayon Filament Yarn	8%
72 All Processed cotton madeups including quilted cotton madeups other than grey and not covered under S.No. 69,	12%
73 Dyed finished flax blended fabrics (containing polyester, viscose , cotton and flax)	12%
74 Silk garments	14%

Product group: Electronics

92 Gamma Ferric Oxide (Audio Grade)	17%	Rs.100/kgs.
93 Dish antenna	15%	

Product group: Handicraft

7 Artistic & decorative crafted stone products (handicrafts) made out of granite.	7%
---	----

Product group: Leather

10 Fine/Fancy leather gloves	12%
------------------------------	-----

Product group: Fish & Fish Product

1 Frozen marine product/frozen meat packed in packing material made out of LDPE/HDPE/PP granules, Kraft paper and Card Board other than Ivory Board	2%
2 Processed preserved and frozen Fish & Fish products and shrimps.	5%
3 Frozen headon/headless shrimps of species Black Tiger (Penaeus monodon) and white shrimps (Penaeus Indicus)	8%

Corrigendum to Public Notice No. 4(RE-98)/1997-2002 dated 15.4.98

1. The paragraph 1 of Public Notice No. 4 (RE-98)/1997-2002 dated 15.5.98 may be corrected to read as follows:

`The rates as given in annexure to the Public Notice No. 4 (RE-98)/1997-2002 dated 15.4.98 shall cover the shipments made from 1.4.97 to 14.4.98'.

2. For calculation of the DEPB rate, the FOB value of the export product at S.No. 777 under the product group Chemicals, in the Annexure to Public Notice No. 4 (RE-98) 1997-2002 dated 15.4.98 may be corrected to read as Rs. 600/ BOU.
3. The entries at S.No. 792 and 800, under the product group Chemicals, in the annexure to Public Notice No. 4 (RE-98) 1997-2002 dated 15.4.98 are deleted.
4. The entries at S.No. 524 and 540, under the product group Engineering, in the annexure to Public Notice No. 4 (RE-98) 1997-2002 dated 15.4.98 are deleted.
5. The entries at S.No. 129, 130 and 131 under the product group Plastic, in the annexure to Public Notice No. 4 (RE-98) 1997-2002 dated 15.4.98 are deleted.
6. The DEPB rate for the export product at S.No. 501 under the product group Engineering, in the Annexure to Public Notice No.4(RE-98) 1997-2002 dated 15.4.98 may be corrected to read as 16% with a value cap for calculating DEPB entitlement @ Rs.180/kgs.
7. The description of the export product at S.No. 113 under the product group Plastic, in the annexure to Public Notice No. 4 (RE-98) 1997-2002 dated 15.4.98, may be corrected to read `Fire Hoses – 100% Polyester Filament Yarn Jacketted Synthetic Rubber Lined`
8. The description of the export product at S.No. 22 under the product group Miscellaneous, in the annexure to Public Notice No. 4 (RE-98) 1997-2002 dated 15.4.98, may be corrected to read as

22.	Export products, covered under Standard Input Output Norms and for which no specific DEPB rates have been notified, packed in the following packaging material:		
	a. Plastic packaging material		
	b. Other than plastic packaging material.		
	c. Any combination of (a) and (b) above	2%	
		1%	
		1%	

1. The entries at S.No. 70 under the product group Textiles, in the annexure to Public Notice No. 4 (RE-98) 1997-2002 dated 15.4.98 is deleted.

Corrigendum to Public Notice No. 6(RE-98/1997-2002 dated 15.4.98

1. The description of the export product at S.No. 37 under the product group Chemicals, in the Annexure to Public Notice No. 6 (RE-98) 1997-2002 dated 15.4.98, may be corrected to read as follows:

37 A) Injections/Intravenous infusions of bulk drugs for which specific DEPB rate have been notified.

B. Syrup/Oral suspension of bulk drugs for which specific DEPB rate have been notified.

C. Tables/Capsules of bulk drugs for which specific DEPB rate have been notified.

Note: A) This rate is applicable only for those formulations i.e injections/ syrups/ oral suspension/ tablets/ capsules for which no specific DEPB rates have been notified.

A. For the above formulations of two or more bulk drugs, the DEPB rate admissible will be 75% of the mean average of the DEPB rates of the constituent bulk drugs.

1. The description of the export product at S.No. 569 under the product group Chemicals, in the Annexure to Public Notice No. 6 (RE-98) 1997-2002 dated 15.4.98 may be corrected to read as 'Toilet Soap 80% TFM'
2. The DEPB rate for the export product at S.No. 66 under the product group Electronics, in the Annexure to Public Notice No.6(RE-98) 1997-2002 dated 15.4.98 may be corrected to read as 19%.
3. The following entries shall be added under the product group Electronics, in the Annexure to Public Notice No.6(RE-98) 1997-2002 dated 15.4.98.

	Refill Pack Computer Ribbons	20.00	
	Pre-calcined Ferrite Powder (Spray Dried/ Non-Spray Dried)	15.00	
	Electron Guns	9.00	
	Loud Speakers/Microphones	14.00	
	T.V.Tunner	11.00	

1. The entry at S.No. 66 under the product group Engineering, in the Annexure to Public Notice No. 6(RE-98)1997-2002 dated 15.4.98 is deleted.

2. For calculation of DEPB rate, the FOB value of the export product at S.No. 115 under the product group Engineering, in the Annexure to Public Notice No. 6(RE-98) 1997-2002 dated 15.4.98 shall not exceed Rs.25/kgs.

3. The description of the export product at S.No. 326 under the product group Engineering, in the annexure to Public Notice No. 6(RE-98)1997-2002 dated 15.4.98 may be corrected to read as 'Sleeve shaft and/or Ball Joint'.

4. The description of the export product at S.No. 381 under the product group Engineering, in the Annexure to Public Notice No. 6(RE-98) 1997-2002 dated 15.4.98 may be corrected to read as

'Non-alloy Steel Bars & Rods (including Rounds, Flats, Hexagons, Octagons, Wire rods, Cold twisted deformed bars, thermo mechanically treated reinforcing Bars) Angles, Shapes and Sections (including Beams, Joists, Channels, Special Profiles), Plates Sheets/Strips/Wide Coils, Slabs, Pipes and Tubes'.

5. The description of the export product at S.No. 424 under the product group Engineering, in the Annexure to Public Notice No. 6(RE-98) 1997-2002 dated 15.4.98 may be corrected to read as

'Alloy Steel (other than stainless steel) Bars and Rods (including Rounds, Flats, Hexagon, Octagon, Wire rods etc). Angles, Shapes & Sections (including special profiles) Plates/ Slabs/Ingots.

6. The word 'wires' appearing in S.No. 433 under the product group Engineering, in the Annexure to Public Notice No. 6(RE-98) 1997-2002 dated 15.4.98 may be deleted.

-

7. The DEPB rate for the export product at S.No. 464 under the product group Engineering, in the Annexure to Public Notice No. 6 (RE-98) 1997-2002 dated 15.4.98 may be corrected to read as 15%.

8. The description of the export product at S.No. 30 under the product group Textiles, in the Annexure to Public Notice No. 6(RE-98) 1997-2002 dated 15.4.98 may be corrected to read as 'Dyed/Undyed fabrics made of 100% wool'.
9. The DEPB rate for the export product at S.No. 35 under the product group Textiles, in the annexure to Public Notice No. 6(RE-98) 1997-2002 dated 15.4.98 may be corrected to read as 14%.
10. The first line of the description of the export product at S.No. 43 under the product group Textiles, in the annexure to Public Notice No. 6(RE-98) 1997-2002 dated 15.4.98 may be corrected to read as 'Dyed and/or printed'.
11. The description and the DEPB rate for the export product at S.No. 44 under the product group Textiles, in the annexure to Public Notice No. 6(RE-98) 1997-2002 dated 15.4.98 may be corrected to read as follows:

44	a. Dyed and/or Printed Polyester- Cotton blended fabric (Polyester content not less than 50% by weight).	14.00	
	b. Dyed and/or Printed Polyester- Cotton blended fabric (Polyester content less than 50% by weight)	12.00	

1. The DEPB rate for the export product at S.No. 46 under the product group Textiles, in the annexure to Public Notice No. 6(RE-98) 1997-2002 dated 15.4.98 may be corrected to read as 18%.
2. The DEPB rate for the export product at S.No. 51 under the product group Textiles, in the annexure to Public Notice No. 6(RE-98) 1997-2002 dated 15.4.98 may be corrected to read as 20%.

3. The description of the export product at S.No. 52 under the product group Textiles, in the annexure to Public Notice No. 6(RE-98) 1997-2002 dated 15.4.98 may be corrected to read as 'Polyester/ Cotton blended yarn'
4. The description and the DEPB rate for the export product at S.No. 53 under the product group Textiles, in the annexure to Public Notice No. 6(RE-98) 1997-2002 dated 15.4.98 may be corrected to read as follows:

53	a. Polyester- Cotton blended grey fabric (Polyester content more than 50% by weight).	9.00	
	b. Polyester- Cotton blended grey fabric (Polyester content 50% or less than 50% by weight)	8.00	

1. The description and the DEPB rate for the export product at S.No. 55 under the product group Textiles, in the annexure to Public Notice No. 6(RE-98) 1997-2002 dated 15.4.98 may be corrected to read as follows:

55	a. Viscose –Cotton blended yarn (Viscose content more than 55% by weight).	13.00	
	b. Viscose –Cotton blended yarn (Viscose content 55% or less than 55% by weight).	11.00	

1. The description and the DEPB rate for the export product at S.No. 57 under the product group Textiles, in the annexure to Public Notice No. 6(RE-98) 1997-2002 dated 15.4.98 may be corrected to read as follows:

57	a. Polyester- Woollen yarn (Polyester content more than 55% by weight).	19.00	
	b. Polyester-Woollen yarn (Polyester content 55% or less than 55% by weight).	17.00	

1. The description and the DEPB rate for the export product at S.No. 68 under the product group Textiles, in the annexure to Public Notice No. 6(RE-98) 1997-2002 dated 15.4.98 may be corrected to read as follows:

68	a. Articles of hosiery/ knitwears made of woollen blended yarn (synthetic content in the blended yarn not less than 65% by weight)	16.00	
	b. Articles of hosiery/ knitwears made of woollen blended yarn (synthetic content in the blended yarn 65% or less than 65% by weight)	13.00	

1. The description of the export product at S.No. 2 under the product group Plastic, in the annexure to Public Notice No. 6(RE-98) 1997-2002 dated 15.4.98 may be corrected to read as 'ABS briefcase/ suitcase/beautycase with or without aluminium frame, of any size.

2. The description of the export product at S.No. 37 under the product group Plastic, in the annexure to Public Notice No. 6(RE-98) 1997-2002 dated 15.4.98 may be corrected to read as `HDPE/PP briefcase/ suitcase/beautycase with or without aluminium frame, of any size.

3. The description of the export product at S.No.91 under the product group Engineering, in the annexure to Public Notice No. 6(RE-98) 1997-2002 dated 15.4.98 may be corrected to read as `Cold rolled galvanised, colour coated sheets/Strips/Wide coils of colour coated steel sheets/ CRGP/Green channel sheets/strips/wide coils.