

ADVANCE COPY

(TO BE PUBLISHED IN THE GAZETTE OF INDIA EXTRAORDINARY
PART-I-SECTION-1)

**GOVERNMENT OF INDIA
MINISTRY OF COMMERCE**

**PUBLIC NOTICE NO.18(RE-98)/1997-2002
NEW DELHI : DATED 22ND JUNE, 1998**

Subject: Fixation/Modification of Standard Input Output Norms

Attention is invited to Paras 7.8, 7.9 and 7.10 of Handbook of Procedures, Vol.1, 1997-2002, published under the Ministry of Commerce Public Notice No.1/1997-2002 dated 31.3.1997 and Handbook of Procedure, Vol.2, 1997-2002 published under the Ministry of Commerce Public Notice No.2/1997-2002 dated 31.3.1997.

2. In the statement of Standard Input-Output Norms as contained in the Handbook of Procedure, Vol.2, amendments/ corrections at appropriate places as mentioned in Annexure "A" to this Public Notice shall be made.

3. In the statement of Standard Input-Output Norms, following additions shall be made at appropriate places as mentioned below:-

CHEMICALS AND ALLIED PRODUCTS

After Entry No.A-2062, the new entries from Sl.No.A-2063 to A-2079 shall be added as per Annexure "B" to this Public Notice.

ELECTRONICS PRODUCTS

After Entry No.B-221, the new entries from Sl.No.B-222 to B-223 shall be added as per Annexure "C" to this Public Notice.

ENGINEERING PRODUCTS

After Entry No.C-1344, the new entries from Sl.No.C-1345 to C-1358 shall be added as per Annexure "D" to this Public Notice.

PLASTIC PRODUCTS

After Entry No.H-382, the new entries from Sl.No.H-383 to H-386 shall be added as per Annexure "E" to this Public Notice.

MISCELLANEOUS PRODUCTS

After Entry No.K-111, the new entry as Sl.No.K-112 shall be added as per Annexure "F" to this Public Notice.

This issues in public interest.

Sd/

(N.L.LAKHANPAL)

DIRECTOR GENERAL OF FOREIGN TRADE

Issued from File No.01/86/40/117/AM98/DES-I

Annexure "A" to Public Notice No. 18 Dated: 22.6.98

AMENDMENTS/CORRECTIONS

Sl. No.	Page No.	Reference	Amendments/Corrections
(1)	(2)	(3)	(4)
1.	17	Chemicals & Allied Products ----- Sl.No.A67	The description of the alternative import item 1.a) alongwith quantity shall be amended to read as under:- "1.a) Potassium Penc- 1.495 Kg or illin G First 2.36 BOU Crystal".
2.	23	Chemicals & Allied Products ----- Sl.No.A108	The quantity of import item 1 shall be amended to read as "1.93 kg or 3.05 BOU".
3.	76	Chemicals & Allied Products ----- Sl.No.A509	The description of the export product shall be corrected to read as "Pigment Violet 23"
4.	76	Chemicals & Allied Products ----- Sl.No.A510	The description of the export product shall be corrected to read as "Pigment Red 146".
5.	76	Chemicals & Allied Products ----- Sl.No.A511	The description of the export product shall be corrected to read as "Pigment Yellow 83".

6.	100	Chemicals & Allied Products ----- Sl.No.A690	The description of the export product shall be amended to read as under:- "K. Acid (2 Napthylamine 3,6,8 Tri-sulphonic Acid)".
7.	110	Chemicals & Allied Products ----- Sl.No.A797	In import item 4, following alternative item with quantity shall be added:- "OR Alkyl Benzene - 0.195 kg".
8.	111	Chemicals & Allied Products ----- Sl.No.A802	The description of the export product shall be corrected to read as "Pigment Orange 5".
9.	111	Chemicals & Allied Products ----- Sl.No.A807	The description of the export product shall be corrected to read as "Pigment Red 57:1".
10.	111	Chemicals & Allied Products ----- Sl.No.A808	The description of the export product shall be corrected to read as "Pigment Red 8".
11.	134	Chemicals & Allied Products ----- Sl.No.A976	The norm covered by this entry shall be deleted.
12.	147,148 149	Chemical & Allied Products ----- Sl.Nos.A1050, 1053 & 1055	1. The description of the export product covered under S.No.A1050 shall be substituted by the following:- "Ordinary Portland Cement/ Portland Cement Pozzolona/ Portland Slag Cement". 2. Norms covered by S.Nos.A1053 & A1055 shall be deleted. 3. After Note 1, in Sl.No.A1050, the following Note shall be added:- "2. In case of Portland Slag Cement, the quantity of Coal allowed is per MT of Ordinary Portland Cement contained in the export product."

13.	151	Chemicals & Allied Products ----- Sl.No.A1082	The description of the export product shall be amended to read as under:- "Calcium Hypochlorite (Stable Bleaching Powder)".
14.	234 & 235	Chemicals & Allied Products ----- Sl.No.A1757	1. After import item 4, the following additional items with quantity shall be added:- "5. Enzyme like - 0.006 kg Savinase/ with net Lipolase/GCI content in Clazinase export product. 6. Distyryl - 0.002 kg Diphenyl with net content in export product." 2. Below this entry, the following note shall be added:- "Note: Items 5 & 6 will be allowed only when these are reflected in the description of the export product."
15.	242 & 243	Chemicals & Allied Products ----- Sl.No.A1802	At the end of the description of the export prdoduct, following shall be added:- "d)Tongue & Clevis Type Disc Insulator".
16.	255	Chemicals & Allied Products ----- Sl.No.A1889 (Introduced vide Public Notice No.13 dated 5.6.1997)	After import item 1, the following alternative item with quantity shall be added:- "OR Alumino Silicate - 0.019 kg Catalyst".
17.	255	Chemicals & Allied Products ----- Sl.No.A1900 (Introduced vide Public Notice No.13 dated 5.6.1997)	The description of the export product shall be corrected to read as "Pigment Red 23".
18.	255	Chemicals & Allied	At the end of the description of

Products

Sl.No.A2062
(Introduced vide
Public Notice No.5
(RE-98) dt.15.4.98)

import item 3, the following shall
be added:-
",Bonding/Coupling Agent".

19. 308

Electronics Products

Sl.No.B111

1. The description of import items
8, 9, 10, 13, 21 and 22 shall be
amended to read as under:-
"8. Batteries/Rechargeable -
Lithium Batteries
9. Incandescent Lamp/Lead Lamp/
Microfilament Lamp
10. LCD/LCD Module/LCD Assembly
13. Integrated Circuits/DC-DC
Converter/Voltage Detector
21. Crystal Oscillator/Quartz
Oscillator
22. Adhesive/Non-Adhesive Paper
Labels Adhesive/Non-Adhesive
Plastic Labels".
The quantities of these item will
remain unchanged.

2. After import item 26, following

- additional items with quantity
shall be added:-
"27. Antenae - Net+2%
28. Ceramic Discrimi- - Net+2%
minator
29. Diodes - Net+2%
30. Zener Diodes - Net+2%
31. Filters - Net+2%
32. Ceramic Filters - Net+2%
33. Crystal Filters - Net+2%
34. Saw Filter - Net+2%
35. Motor (Coreless - Net+2%
DC Motor)
36. Resonators - Net+2%
37. Ceramic - Net+2%
Resonators
38. Crystal - Net+2%
Resonators
39. Switches - Net+2%
40. Transducer - Net+2%
41. Transducer - Net+2%
Buzzer
42. Tape Anti Peel - Net to

Strip net.
 43. Tape LCD - Net to
 Protictive net.
 44. Packing - Net to
 Material net.
 45. Slotted Inserts - Net to
 net.
 46. Outer Boxes - Net to
 net."

- | | | | |
|-----|--------------|---|--|
| 20. | 344 | <u>Engineering Products</u>

Sl.No.C25 | 1. The description of the export product shall be amended to read as "Cable Needle (Aluminium)".
2. Import item 2 with quantity shall be deleted. |
| 21. | 344 | Engineering Products

Sl.No.C26 | 1. The description of the export product shall be amended to read as "Cable Hook (Aluminium)".
2. Import Item No.2 alongwith quantity shall be deleted. |
| 22. | 345 | Engineering Products

Sl.No.C30 | 1. The description of the export product shall be amended to read as "Stitch Holder (Aluminium)".
2. Import item No.2 alongwith quantity shall be deleted. |
| 23. | 436 &
437 | Engineering Products

Sl.No.C434 | 1. The description of the export product shall be amended to read as "Circular Knitting Pins (Aluminium)".
2. Import item 2 shall be amended to read as under:-
"2. Nylon Monofilament Yarn of relevant denier (Relevant Nylon Grade in export i.e. 6 or 66 to be allowed)". |
| 24. | 457 | Engineering Products

Sl.No.C481 | The quantity of import item shall be amended to read as "1610 kgs". |
| 25. | 466 &
467 | Engineering Products

Sl.No.C502 | The description of the export product shall be corrected to read as under:-
"Magnesite Chrome/ Magnesita
Co-clinker Bricks and Shapes and/or
Ramming Mass, Castables and Mortars" |

26. 489 to Engineering Products After import item 3 against these
491 ----- entries, following additional item
Sl.Nos.C535, C538, with quantity shall be added:-
C542 and C543 "4. Resistant Laquer - 1.42 kg/kg
content in
the export
product."
27. 509 Engineering Products In the description of import item 1,
----- affter the alternative item `M.S.
Sl.No.C676 Billets/Bloms' following alternative
item with quantity shall be added:-
" OR
Non-Alloy Steel - 1.07 kg".
Wire Rods
28. 511 & Engineering Products The description of the export
512 ----- product shall be amended to read as
Sl.No.C688 under:-
"Industrial Roller/Motor Cycle/
Automotive Timing Chain including
spares (Upto 3/4" Pitch Size)".
29. 534 Engineering Products The norms covered by this entry
Products shall be substituted by the
----- following:-
Sl.No.C837

Sl. No.	Export Item Name	Qty.	Import Item Name	Qty.
(1)	(2)	(3)	(4)	(5)
C837	a)Stainless Steel Welded and Cold Drawn Tubes and Pipes	1 MT	1. Stainless Steel Coils/Strips	1.20 MT
	b)Stainless Steel Welded Corrugated Hose Pipes	1 MT	1. Stainless Steel Coils/Strips	1.25 MT

30. 534 Engineering Products The norms covered by this entry
Products shall be substituted by the
----- following:-
Sl.No.C838

Sl. No.	Export Item Name	Qty.	Import Item Name	Qty.
------------	---------------------	------	---------------------	------

(1)	(2)	(3)	(4)	(5)
C838	a)Stainless Steel Wire Mesh/Netting	1 MT	1. Stainless Steel Wire of relevant Grade & Diameter	1.08 MT/MT content in the export product.
	b)Stainless Steel Wire Woven Tube Hose Pipes	1 MT	1. Stainless Steel Wire of relevant Grade & Diameter	1.10 kg/kg content in the export product.
31.	583	Engineering Products ----- Sl.No.C1046	After import item 1, following alternative item with quantity shall be added:- "OR Spring Steel Wire - 1.01 kg".	
32.	658	General Note for Leather & Leather Products ----- Note 6	At the end of this Note, the following sentence shall be added:- "In addition to quantity limit fixed, the CIF value of Dyes shall not exceed 2% of FOB value of exports."	
33.	659 to 717	Leather & Leather Products ----- Sl.Nos.G1,G2,G11, G19,G20,G21,G27, G36,G38,G41 & G42	Note 1 below these entries shall be deleted.	
34.	659 to 717	Leather & Leather Products ----- Sl.Nos.G3,G8,G9, G10,G12,G13,G14, G15,G22,G23,G24, G25,G26,G28,G29, G35,G37 & G40	Note 2 below these entries shall be deleted.	
35.	704 & 705	Leather & Leather Products ----- Sl.No.G33	Note 1 to 7 below this entry shall be deleted.	
36.	710 & 712	Leather & Leather Products -----	Note 1 to 6 below this entry shall be deleted.	

Sl.No.G39

37. 761 Plastic Products

Sl.No.H199
1. The description of the export product shall be amended to read as under:-
"Polyurethane Foam Products".
 2. The quantity of import item Nos.1 & 2 shall be amended to read as "0.673 kg" and "0.471 kg" respectively.

38. 858 Miscellaneous Products

Sl.No.K20
1. The description of the export product shall be amended to read as under:-
"Colour Roll Film Type 135/36 exposure-100/200/400 (1 Roll in a Pack)".
 2. The description of the import item 1 shall be amended to read as under:-
"Jumbo Rolls of Amateur Color Roll Films of 100/200/400 relevant ASA".

39. 867 Miscellaneous Products

Sl.No.K60
1. The word "Dyed" shall be added in the beginning of the export product.
 2. After import item 3, following alternative item with quantity shall be added:-
"OR
Polyester Flat Yarn - 0.255 kg"
 3. After adding above item, following additional item with quantity shall be added:-
"4. Dyes - 0.424 kg".
(100% Strength)

Annexure "B" to Public Notice No. 18 Dated: 22.6.98

CHEMICALS AND ALLIED PRODUCTS

Export Item			Import Item	
Sl. No.	Name	Qty.	Name	Qty.
(1)	(2)	(3)	(4)	(5)
A2063	Pigment Yellow-13	1 kg	1. Ortho Nitro Chloro	0.482 kg

(CI No.21100)			Benzene	
			2. Methanol	0.072 kg
			3. Sodium Nitrite	0.165 kg
			4. 2,4-Aceto Acet-oxylidide	0.494 kg
A2064	Pigment Red-3 (CI No.12120)	1 kg	1. Meta Nitro Para Toluidine	0.522 kg
			2. Beta Naphthol	0.494 kg
			3. Sodium Nitrite	0.247 kg
A2065	Pigment Red 31 (CI No.12360)	1 kg	1. Naphthol AS-BS	0.584 kg
			2. Sodium Nitrite	0.152 kg
A2066	Pigment Red 48:1 (CI No.15865:1) (Pigment content Minimum 92%)	1 kg	1. 6-Amino-4-Chloro-M-Toluene Sulphonic Acid (2B Acid)	0.460 kg
			2. Sodium Nitrite	0.132 kg
			3. 3-Hydroxy-2-Naphthoic Acid (BON Acid)	0.380 kg
			4. Gum Rosin	0.080 kg
A2067	Pigment Orange-13 (CI No.21110)	1 kg	1. Ortho Nitro Chloro Benzene	0.597 kg
			2. Methanol	0.078 kg
			3. Sodium Nitrite	0.236 kg
			4. 1-Phenyl,3-Methyl, 5-Pyrazolone	0.569 kg
			5. Caustic Soda Flakes	0.147 kg
A2068	Pigment Orange-34 (CI No.21115)	1 kg	1. Ortho Nitro Chloro Benzene	0.572 kg
			2. Methanol	0.075 kg
			3. Para-Tolyl 3-Methyl 5-Pyrazolone	0.638 kg
			4. Sodium Nitrite	0.226 kg
A2069	Iopamidol Tech.	1 kg	1. 2,4,6 Tri-Iodo-5-Amino Isophthalyl-chloride (Atipa-chloride)	1.67 kg
			OR	
			1. a) Iso Phthalic Acid	0.67 kg
			b) Iodine	1.29 kg
			c) Isopropyl	0.17 kg

- Alcohol
2. 2-Amino-1-3-Pro-pandiol (Serinol) 0.18 kg
- OR
2. a) Nitro Methane 0.20 kg
- b) Para Formaldehyde 0.19 kg
- c) Iso Propyl Alcohol 0.36 kg
- d) Methanol 0.51 kg
3. S-(-)2-Acetoxy Propionyl Chloride 0.42 kg

A2070 Pigment Red-170 1 kg

1. P.Amino Benzamide/ 4-Amino Benzamide/ 4-Benzamide Aniline 0.333 kg
2. Sodium Nitrite 0.169 kg
3. Naphthol ASPH (3-Hydroxy 2-Naphtho Phenetidine) 0.748 kg

A2071 Pigment Red 4 1 kg

1. Caustic Soda 0.162 kg
2. Beta Naphthol 0.463 kg
3. Ortho Chloro Para Nitro Aniline 0.554 kg
4. Sodium Nitrite 0.241 kg

A2072 Tartaric Acid 1 kg

1. Maleic Anhydride 0.78 kg
2. Hydrogen Peroxide 50% W/W 0.54 kg
3. Sodium Tungstate Catalyst 0.17 kg
4. Thio Urea 0.025 kg
5. Activated Carbon 0.010 kg

A2073 Phenyl-Glyoxalic-Acid-Hydrazide-Acetyl-Hydrazone 1 kg

1. Hydrazine-Hydrate (80%) 0.81 kg

A2074 Tetra Propyl Ammonium Bromide 1 kg

1. N-Propanol 0.326 kg
2. Triphenyl Amine 0.664 kg
3. Methyl Ethyl Ketone 0.500 kg

A2075 Hand Made Glass Beads 100 kgs

1. Soda Ash 10.0 kgs
2. Potassium Carbonate 13.9 kgs
3. Borax 17.4 kgs
4. Antimony 0.7 kg

		Trioxide	
		5. Lithium Carbonate	6.95 kgs
		6. Arsenic Trioxide	0.33 kg
		7. Venetian Glass Chip	2.0 kgs
		8. Venetian Glass Rod	1.25 kg
		9. Aventurine Block Glass	16.0 kgs
		10. Glass Enamel	0.75 kg
		11. Colouring Oxide: (Any of the following one or a combination of the Oxides limited to a maximum of 4 kgs)	4.00 kgs
		a)Selenium Metal Powder	
		b)Cadmium Sulphide	
		c)Cobalt Oxide	
		d)Copper Oxide	
A2076	Gemfibrozil	1 kg	
		1. 2,5 Xylenol	1.18 kg
		2. 1-Bromo 3-Chloro Propane	1.51 kg
		3. Potassium Carbonate	1.32 kg
		4. Iso Butyronitrile	0.63 kg
		5. Tetra Hydrofuran	2.25 kgs
A2077	Zinc Picolinate	1 kg	
		1. Alpha Picoline	1.1 kg
		2. Potassium Permagnate	5.5 kgs
		3. Zinc Sulfate	1.01 kg
A2078	Benzalkonium Chloride 50% Active matter	1 kg	
		1. Dimethyl Lauryl Amine	0.325 kg
		2. Benzyl Chloride	0.184 kg
A2089	Chloroquine Phosphate	1 kg	
		1. Ethoxy Methylene Malonic Acid Ester (EMME)	0.797 kg
		2. Novaldiamine	0.411 kg

Annexure "C" to Public Notice No. 18 Dated: 22.6.98

ELECTRONIC PRODUCTS

Sl. No.	Export Item Name	Qty.	Import Item Name	Qty.
(1)	(2)	(3)	(4)	(5)
B222	Electronic Fan Regulators and Light Dimmers	1 No.	1. a)Polycarbonate b)CRCA Sheet c)Super Enamelled Copper Wire 35/45 SWG 2. a)Integrated Circuits (ICs) b)TRIAC c)DIAC d)Resistor e)Cermic Fuse	0.015 kg 0.200 kg 0.97 kg Net to net.

Note: CRCA Sheet and Super Enamelled Copper Wire to be allowed only for heavy duty type of Light Dimmers above 1 KVA power rating.

B223	Electronic Door Bells	1 No.	1. High Impact Polysterene 2. a)Integrated Circuits (ICs) b)Speaker c)Transistor d)Diodes e)Capacitors	62 gms Net to net.
------	-----------------------	-------	---	---------------------------

Annexure "D" to Public Notice No. 18 Dated: 22.6.98

ENGINEERING PRODUCTS

Sl. No.	Export Item Name	Qty.	Import Item Name	Qty.
(1)	(2)	(3)	(4)	(5)
C1345	Stabilizers 110/220 V	1 No.	1. Transistor 148 2. Transistor 187 3. Diode - 4007 4. Capacitors 100/25V 5. Light Emitting	 Net to net.

- | | | |
|----|---|---------|
| | Diode 6mm | |
| 6. | BWG 22x8 inch X
4 inch 13A Ceramic
Fuse | |
| 7. | Super Enamelled
Copper Wire 30/33/
38 SWG | 110 gms |
| 8. | Cold Rolled Cold
Anealled (Mild
Steel) | 425 gms |

C1346	Zinc Builders Hardware - Pressure Die cast	1 kg	1. Zn-Al Alloy (94%, 4% by wt. resp.) Ingot or Scrap	1.10 kg/kg content in the export product.
			2. Clad Concentrate/ Solvent Repleni- sher/Emulsion etc.	Upto 2% of FOB value export.
C1347	Mica Strips (100% Mica)	1 kg	1. Mica Sheet (100% Mica)	1.10 kg
C1348	Auto Parts Double Brake Chamber Type 24 L/S	1 No.	1. CRCA Sheets/Coils	1.34 kg/kg content in the export product.
			2. Diaphragms	Net to net.
C1349	Auto Parts Brake Chamber Type 16 L/S	1 No.	1. CRCA Sheets/Coils	1.40 kg/kg content in the export product.
			2. Diaphragms	Net to net.
C1350	Auto Parts Brake Chamber Type 20 L/S	1 No.	1. CRCA Sheets/Coils	1.40 kg/kg content in the export product.
			2. Diaphragms	Net to net.
C1351	Auto Parts Brake Chamber Type 24 L/S	1 No.	1. CRCA Sheets/Coils	1.39 kg/kg content in the export product.
			2. Diaphragms	Net to net.
C1352	Auto Parts Brake Chamber Type 30 L/S	1 No.	1. CRCA Sheets/Coils	1.37 kg/kg content in the export

		2. Diaphragms	product. Net to net.
C1353	Auto Parts Brake Chamber Type 30 S/S	1 No.	1. CRCA Sheets/Coils 1.40 kg/kg content in the export product. Net to net.
		2. Diaphragms	
C1354	Surgical Suture Needles (Eye Type, French Spring Eye Type & Atraumatic Needles) (35mm & smaller)	1 kg	1. Stainless Steel Wire (AIS-420 Series) 1.20 kg
C1355	Auto Cables of various size	1 kg	1. Copper 1.01 kg/kg content in the export product. 2. PVC Compound 1.03 kg/kg PVC Compound content in the export product.
C1356	4 Stroke Portable Generating Sets run on Petrol/ Kerosene (0.5 KVA)	1 No.	1. Gasket Case Cover 1 No. 2. Ring Piston Top 1 No. 3. Ring Piston 2nd 1 No. 4. Ring Piston Oil 1 No. 5. Conrod Assembly 1 No. 6. Shaft Complete 1 No. Comp 7. Oil Level Switch 1 No. Assembly 8. Carburettor Assy. 1 No. 9. Insulater Carbure- 1 No. tter 10. Magnet 1 No. 11. Bolt Flange 6 Nos. 5 * 12 CT 12. Bolt Flange 3 Nos. 5 * 14 CT 13. Bolt Flange 11 Nos. 6 * 12 CT 14. Bolt Flange 2 Nos. 6 * 16 CT 6 * 116 CT
15.	Bolt Stud	2 Nos.	

16. Bolt Stud 6 * 28 CT	2 Nos.
17. Bolt Flange 6 * 25 CT	9 Nos.
18. Oil Seal 17 * 30 * 6	2 Nos.
19. Pin Lock 8 MM	1 No.
20. Spark Plug (BMR-4A)	1 No.
21. Magnet S	1 No.
22. Magnet N	1 No.
23. Diode (27A-12KV)	2 Nos.
24. Diode Complete DC	1 No.
25. Condenser	1 No.
26. Panel Comp Contol	1 No.
27. Plug Assembly	1 No.
28. Consent (520V-10A)	1 No.
29. Circuit Protector	1 No.
30. Protector Circuit	1 No.
31. Cover Comp L Side	1 No.
32. Bolt Flange 5*10 CT	7 Nos.
33. Screw Tapping 4 * 6	1 No.
34. Bearing Ball Radial 6002	1 No.
35. Connector 170174-1	1 No.
36. Connector 41899	7 Nos.
37. Terminal Couplar	7 Nos.
38. Socket Assembly Lamp	1 No.
39. Piston	1 No.
40. One Side Zinc coated steel sheet	1.70 kg
41. Hot Dipped Alu- uminium Coated steel sheet	0.49 kg
42. CRNGO Silicon Electrical Steel Sheet	5.93 kg
43. Aluminium Alloy Ingots	2.20 kgs
44. Electrolytic continuous cast copper rod	1.67 kg
45. Slider Governer	1 No.
46. Valve Inlet	1 No.
47. Valve Exhaust	1 No.

		48. Barrel Cylinder	1 No.
		49. Cover Crank Case	1 No.
		50. Glass Wool A	1 No.
		51. Glass Wool B	1 No.
		52. Glass Wool C	1 No.
C1357 Portable I.C.	1 No.	1. Cover Crank Case	1 No.
Engine of 5.5 HP		2. Head Cylinder	1 No.
and 7 HP run on		3. Piston	1 No.
Petrol/Kerosene		4. Pin Piston	1 No.
		5. Ring Piston Top	1 No.
		6. Ring Piston 2nd	1 No.
		7. Ring Piston Oil	1 No.
		8. Conrod Assembly	1 No.
		9. Cam Shaft Assembly	1 No.
		10. Timing Gear	1 No.
		11. Valve Inlet	1 No.
		12. Valve Exhaust	1 No.
		13. Carburetter Assy.	1 No.
		14. Insulater Carbure-	1 No.
		tter	
		15. Packing Insulater	1 No.
		16. Slider Governor	1 No.
		17. Tube Fuel Tank G	1 No.
		Assembly	
		18. Tube Fuel Tank K	1 No.
		Assembly	
		19. Element Air	1 No.
		Cleaner	
		20. Grid Comp Air	1 No.
		Cleaner	
		21. Case Comp Air	1 No.
		Cleaner	
		22. Cover Comp Air	1 No.
		Cleaner	
		23. Muffler Comp	1 No.
		24. Stay Muffler	1 No.
		25. Protector F	1 No.
		Muffler	
		26. Protector R	1 No.
		Muffler	
		27. Protector L	1 No.
		Muffler	
		28. Cover Comp Fan	1 No.
		29. Boss Reel	1 No.
		30. Bush Ratchet	1 No.
		31. Coil Ign Assembly	1 No.
		32. Terminal Assembly	1 No.
		Ht	
		33. Magnet	1 No.

		34. SW Assembly	1 No.	
		Engine Stop		
		35. Bolt Flange	3 Nos.	
		6 * 16 CT		
		36. Bolt Flange	8 Nos.	
		6 * 12 CT		
		37. Bolt Flange	2 Nos.	
		6 * 14 CT		
		38. Bolt Flange	2 Nos.	
		6 * 32 CT		
39. Bolt Flange	2 Nos.			
		5 * 10 CT		
		40. Bolt Stud	2 Nos.	
		8 * 35 CT		
		41. Screw Washer	1 No.	
		5 * 12		
		42. Screw Tapping	7 Nos.	
		4 * 8		
		43. Wassher Lock 7 MM	2 Nos.	
		44. Pin Lock 10 MM	1 No.	
		45. Clip Piston 16 MM	2 Nos.	
		46. Bearing Ball	1 No.	
		Radial		
		47. Spark Plug	1 No.	
		48. Barrel Comp	1 No.	
		Cylinder		
		49. Zinc Coated Steel	1.28 kg	
		Sheets		
C1358 Split Aircondi- tioner 12000 BTU consisting of 1 Condenser 1 Evaporator	1 No.	1. Compressor Herma- tically Sealed compressors/Reci- procating Type/ Rotary Type/Scroll Type Suitable for Electrical supply of 110V or 120V or supply of 200V or 240V +/- 10% Toleraance limit & of 50 or 60 cycles capacity range: 12000 BTU +/- 10% Tolerance limit		
		2. Bearing Assembly		
		3. Air Filter		
		4. Propeller (Fan) Condenser Fan		
		5. Capacitors(36 MFD.		
				Net to net.

- 440V) |
6. Copper Tube Plain or Grooved 7.0mm O.D. to 9.52mm O.D. 1.02 kg/kg content in the export product.
7. Steel Sheets (GP and CRCA) 1.10 kg/kg content in the export product.
Steel Sheet - GP-CRCA (0.6mm to 2.0mm +/- 8% thickness variation)

Annexure "E" to Public Notice No. 18 Dated: 22.6.98

PLASTIC PRODUCTS

Sl. No.	Export Item Name	Qty.	Import Item Name	Qty.
(1)	(2)	(3)	(4)	(5)
H383	Multi Layer (3 layer) Co-extruded plastic packaging material for liquid (Printed/Unprinted)	1 kg	1. LDPE Granules (Film Grade) 2. LLDPE Granules (Film Grade) 3. Polybatch (Slip/Anti block) 4. Colour Master Batch	1.05 kg/kg content in the export product. 1.05 kg/kg content in the export product. 0.01 kg 0.01 kg

Note: In case of export of clear transparent multi-layer co-extruded plastic film, the colour master batch at item No.4 is not allowed for import.

H384	Gents Insole	1 No.	1. Cellulose Insole Sheet 2. Shank Board	0.05 Sq.Mtr. 0.029 Sq.Mtr.
H385	Ladies Insole	1 No.	1. Cellulose Insole Sheet 2. Shank Board	0.04 Sq.Mtr. 0.023 Sq.Mtr.
H386	Children Insole	1 No.	1. Cellulose Insole	0.03 Sq.Mtr.

Sheet
2. Shank Board 0.017 Sq.Mtr.

Annexure "F" to Public Notice No. 18 Dated: 22.6.98

MISCELLANEOUS PRODUCTS

Export Item		Import Item	
Sl. No.	Name	Name	Qty.
(1)	(2)	(4)	(5)
K112	Hinge Lid Packets/ 1 kg Coated Board Outer	1. Relevant Paper Board 2. Printing Ink and Varnishes	1.10 kg Upto 3% of FOB value of export.

*****END*****