

(TO BE PUBLISHED IN THE GAZETTE OF INDIA EXTRAORDINARY PART-1-SECTION-1)

**GOVERNMENT OF INDIA
MINISTRY OF COMMERCE & INDUSTRY
DEPARTMENT OF COMMERCE**

PUBLIC NOTICE NO. 31 (RE- 03)/ 2002-2007
NEW DELHI : DATED : 05/11/2003.

Attention is invited to Paragraph 2.4 of the Export and Import Policy 2002-2007, as amended and Paragraphs 4.9 and 4.10 of the Handbook of Procedures, Vol.1, 2002-2007, as amended and also to the Handbook of Procedures, Vol.2, 2002-2007, as amended from time to time.

2. In exercise of the powers conferred under Paragraph 2.4 of the Export and Import Policy 2002-2007, as amended, the Director General of Foreign Trade hereby makes the following amendments/deletions/corrections and additions in the Handbook of Procedures, Vol.2, 2002-2007, as amended.

3. In the statement of Standard Input Output Norms as contained in the Handbook of Procedures, Vol.2, 2002-2007, as amended, amendments/ corrections/ deletion at appropriate places as mentioned in Annexure "A" to this Public Notice shall be made.

4. In the statement of Standard Input Output Norms, following additions shall be made at appropriate places as mentioned below:-

CHEMICALS AND ALLIED PRODUCTS

After the existing entry at Sl. No.A-3256, new entries at Sl. No. A-3257 to A-3265 shall be added as per Annexure "B" to this Public Notice.

-:2:-

ENGINEERING PRODUCTS

After the existing entry at Sl.No.C-1927, new entries at Sl.No.C-1928 to C-1929 shall be added as per Annexure “C” to this Public Notice.

MISCELLANEOUS PRODUCTS

After the existing entry at Sl. No. K-159, new entry at Sl. No. K-160 shall be added as per Annexure “D” to this Public Notice.

5. This issues in public interest.

(L. MANSINGH)
DIRECTOR GENERAL OF FOREIGN TRADE

-:3:-

Annexure “A” to the
Public Notice No. 31

Dated: 05/11/2003

AMENDMENTS/CORRECTIONS

Sl. No.	Page No.	Reference	Amendments/Corrections
1	2	3	4
1.	13	<u>Chemicals & Allied Products</u> Sl.No.A36	The norm covered by this entry shall be substituted by the following:-

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A36	7-Chloro-6-Fluoro-1-Cyclopropyl-1,4-Dihydro-4-Oxoquinoline-3-Carboxylic Acid (Drug Intermediate for Ciprofloxacin)	1 kg	1. 2,4-Dichloro-5-Fluoro Acetophenon 2. Sodium Hydride 3. Dimethyl Carbonate 4. Cyclopropylamine 5. Dimethyl Formamide	1.01Kg 0.34 Kg 1.14 Kg 0.23 Kg 1.14 Kg

2.	14	<u>Chemicals & Allied Products</u> Sl.No.A47	The norm covered by this entry shall be substituted by the following:-
----	----	---	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A47	Amino Acrylate (2,4- dichloro-5-Fluoro Cyclopropyl amino acrylate)	1 kg	1. 2,4-Dichloro-5-Fluoro Acetophenon 2. Sodium Hydride 3. Dimethyl Carbonate 4. Cyclopropylamine	0.77 kg 0.26 kg 0.80 kg 0.180 kg

-:4:-

3.	31	<u>Chemicals & Allied Products</u> Sl.No.A139	The norm covered by this entry shall be substituted by the following:-
----	----	--	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A139	Ciprofloxacin Hcl / Base	1 kg	1. 2,4-Dichloro-5-Fluoro Acetophenone OR 3-Chloro-4-Fluoro Aniline OR 2,4-Dichloro-5-Fluoro Benzene	1.15 Kg 1.30 Kg 1.30 Kg
			2. Dimethyl Carbonate	1.30 Kg
			3. Sodium Hydride	0.39 Kg
			4. Pyridine	0.71 Kg
			5. Piperazine Anhydrous	1.14 Kg
			6. Triethyl/Trimethyl Orthoformate OR	1.00 Kg
			6 a)Dimethyl Formamide	1.30 Kg
			b)Potassium Carbonate	0.85 Kg
			7. Cyclopropylamine OR	0.23 Kg
			7 a)Gamma Butyrolactone	0.80 Kg
			b) Sod. Methoxide	0.39 Kg
			c) Thionyl Chloride	1.07 Kg

4.	201 - 202	<u>Chemicals & Allied Products</u> Sl.No.A1667	After the foot note at Sl. No.1, the existing foot note shall be amended to read as under :- “Note : 2. The above norm is also applicable for Tubless Tyres with Natural Rubber Inner Liner”
----	-----------	---	---

-:5:-

5.	226	<u>Chemicals & Allied Products</u> Sl.No.A1764	The norm covered by this entry shall be substituted by the following:-
----	-----	---	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A1764	Acrylic Staple Fibre/ Acrylic Tow	1 kg	1. Acrylonitrile 2. Methyl Acrylate OR Vinyl Acetate Monomer (VAM) 3. Sodium Methyl Sulphonate OR Sodium Styrene Sulphonate (SSS) 4. Dimethyl Formamide (DMF) 5. Finish Oil T1 & T2 6. Finish Oil T3	0.959 kg 0.086 kg 0.082 kg 0.005 kg 0.0041 kg 0.044 kg 0.002 kg 0.002 kg

6.	289 -	<u>Chemicals & Allied</u>	The description of import item at Sl. No.
----	-------	-------------------------------	---

	290	<u>Products</u> Sl.No.A2263	3 (without any change in quantity) shall be corrected to read as under:- “Methanol”
--	-----	--------------------------------	--

7.	298	<u>Chemicals & Allied Products</u> Sl.No.A2312	The norm covered by this entry shall be substituted by the following:-
----	-----	---	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A2312	Zirconium Octoate 18% (Zirconium content 18%)	1 kg	1. 2-Ethyl Hexanoic Acid/ Dimethyl Hexanoic Acid Octoic Acid 2. Cobalt Metal	0.396 kg 0.123 kg

-:6:-

8.	298	<u>Chemicals & Allied Products</u> Sl.No.A2313	The norm covered by this entry shall be substituted by the following:-
----	-----	---	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A2313	Zirconium Octoate 12% (Zirconium content 12%)	1 kg	1. 2-Ethyl Hexanoic Acid/ Dimethyl Hexanoic Acid Octoic Acid	0.264 kg

9.	308	<u>Chemicals & Allied Products</u> Sl.No.A2403	The norm covered by this entry shall be deleted.
----	-----	---	--

10.	316	<u>Chemicals & Allied Products</u> Sl.No.A2462	The description of import item at Sl. No. 3, (without any change in quantity) shall be corrected to read as under:- “Triphenyl Phosphine”
-----	-----	---	--

11.	17	<u>Chemicals & Allied Products</u> Sl.No.A3009 (amended vide Public Notice No.27 Dated:01/08/2002)	The norm covered by this entry shall be substituted by the following:-
-----	----	---	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A3009	2,4 Dichloro 5 Fluoro Acetophenone	1 kg	1. 2,4-Dichloro-5-Fluoro Benzene 2. Acetyl Chloride 3. Aluminum Chloride Or Aluminium Metal 4. Toluene	1.11 Kg 0.60 Kg 1.02 Kg 0.27 Kg 0.76 Kg

-:7:-

12.	746	<u>Engineering Product</u> Sl.No.C1212	In the description of import item at Sl. No. 1, amended as follows:- “1. Tin Dross - 1.15 kgs OR Tin Scrap - 1.06 kgs”
-----	-----	---	---

13.	777	<u>Engineering Product</u> Sl.No.C1375	The norm covered by this entry shall be substituted by the following:-
-----	-----	---	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
C1375	Machined cast bushings for automotive & non automotive application, Machined cast components of pumps and valves including casing, impellers, discs, plugs, yoke sleeves, yoke bushes, seals, spacers and bearing, Hexagonal nuts, earthing clamps, spindle, stems, wedges, seat rings etc. manufactured out of Gun Metal or Red Brass with copper and alloying elements tin, lead and zinc varying from 2 to 10% each, confirming to BS 1400-LB2, LG2, LG4/DIN 1705-RG5, RG7/ASTM B 584 or ASTM B 763-C84400,	1 kg	1. Gun Metal/ Red Brass ingot OR Copper Cathode with alloying elements Tin, Lead and Zinc	1.20 kg/kg content in export product

	C93200/ C93700/SAE 660			
--	---------------------------	--	--	--

-:8:-

14.	778	<u>Engineering Product</u> Sl.No.C1376	The norm covered by this entry shall be substituted by the following:-
-----	-----	---	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
C1376	Machined cast components for valves internals including casing, impellers, discs, plugs, yoke sleeves, yoke bushes, seals, spacers and bearing, Hexagonal nuts, earthing clamps, spindle, stems, wedges, seat rings etc. manufactured out of Silicon brass/Silicon bronze/high tensile brass or with copper and alloying	1 kg	1. Brass ingots OR Copper Cathode with alloying elements like Zinc, Aluminium, Lead, Manganese and Silicon	1.20 Kg/Kg content in export product

elements, like Zinc varying from 10-35% and other elements like Aluminium, Manganese, Silicon, Iron, Lead each not exceeding 5% conforming to ASTM B584-C87500, C87600, C87610/ASTM B371			
--	--	--	--

-:9:-

15.	779	<u>Engineering Product</u> Sl.No.C1377	The norm covered by this entry shall be substituted by the following:-
-----	-----	---	---

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
C1377	Machined cast components for valves internals including casing, impellers, discs, plugs, yoke sleeves, yoke bushes, seals, spacers and bearing, Hexagonal nuts, earthing clamps, spindle, stems, wedges, seat rings etc. manufactured out of Aluminium	1 kg	1. Aluminium Bronze ingots OR Copper Cathode with alloying element Aluminium	1.20 Kg/Kg content in export product

	bronze or with copper and alloying elements like Aluminium 8 to 11% and Iron 1.5 to 3.5% conforming to BS 1400-AB1/ASTM B 148-C-95200, C95300/DIN 1714 GQUAL 10 FE			
--	--	--	--	--

16.	786	<u>Engineering Product</u> Sl.No.C1402	The description of export item shall be amended to read as under:- “Industrial Heat Exchanger (Shell and Tube / Plate/ Spiral Type)”
-----	-----	---	---

-:10:-

17.	877	<u>Engineering Product</u> Sl.No.C1764	The norm covered by this entry shall be substituted by the following:-
-----	-----	---	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
C1764	Polyamide–Imide Enamel Overcoated Enamelled Copper wire	100 kgs	1. Copper Wire Rod/ Cathodes 2. Polyamide - Imide Enamel containing Solid content of 35% to 40%.	97.9 Kgs. 11 kgs.

18.	18	<u>Engineering Product</u>	The norm covered by this entry shall be substituted by the
-----	----	----------------------------	--

	Sl.No.C1774 (amended vide Public Notice No.15 Dated:04.06.2002)	following:-
--	--	-------------

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
C1774	Disc Holder/ Guide made of copper, nickel and tin alloy (ASTM C-97800)	1 kg	1. Copper Cathode and alloying elements nickel and tin	1.20 Kg/Kg content in export product

19.	938	<u>Leather Products</u> Sl.No. G-18	The description of import item at Sl. No. 1, (without any change in quantity) shall be amended to read as under:- “Relevant Synthetic Leather and OR relevant liner / lining material”
-----	-----	--	---

-:11:-

20.	978	<u>Plastics Products</u> Sl.No. H-103	The norm covered by this entry shall be substituted by the following:-
-----	-----	--	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
H-103	Hair Brush with/ without Comb with /without Mirror/ Comb with Mirror	1 No.	1. Polypropylene Moulding Powder/ Granules 2. LDPE Moulding Powder/ Granules 3. HDPE Moulding Powder/ Granules	Net + 5% wastage Net + 5% wastage Net + 5% wastage

			4. Relevant Mirror	Net + 10% wastage
--	--	--	--------------------	----------------------

21.	50	<u>Plastics Products</u> Sl.No. H-535 (Introduced vide Public Notice No. 23 Dated:10.09.2003)	The norm covered by this entry shall be substituted by the following:-
-----	----	---	---

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
H-535	Coloured High Impact Polystyrene	1 MT	1. Styrene Monomer 2. Polybutadiene Rubber 3. Mineral Oil 4. Titanium Dioxide/ Pigment/ Relevant Colour Master Batch	0.942 MT 0.087 MT 0.022 MT 0.025 MT

22.	11 - 13	<u>Textile Products</u> Sl.No.J-96 (Notified vide Public Notice No. 10 Dated:30/05/2003)	The norm covered by this entry shall be substituted by the following:-
-----	------------	---	---

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
J-96	Cotton Dyed Denim Cloth with/without over-dyeing/	1 kg	1. Raw Cotton	1.24 kg/kg content in the export product

	printing/coating containing 50% or more by weight of Cotton		OR Cotton yarn	1.04 kg/kg content in the export product
			AND/OR Cotton blended yarn with Manmade yarn (excluding spandex / lycra yarn) Polyester / Viscose / Acrylic / Nylon / Tencel (Lyocell Fibre)	1.05 kg/kg content in the export product
			AND/OR Manmade Yarn (excluding spandex / lycra yarn) Acrylic / Polyester / Nylon / Tencel (Lyocell Fibre)	1.05 kg/kg content in the export product
			2. Vat Indigo Blue Dye	0.05 kg/kg. of cotton content in export product
			OR Vat Indigo Blue solution Dye 40% strength	0.125 kg./kg. of cotton content in the export product
			OR	

			Vat (other than Indigo) / Reactive / Sulphur / Pigment / dyes	0.015 kg./kg of cotton content in export product
			3. Polyvinyl Alcohol	0.03 kg.
			4. Sodium Hydrosulphite	0.02 kg.
			5. Caustic Soda Flakes	

-:13:-

			6. Elaston / Lycra / Spandex Yarn	1.05 kg/kg of materials content in the export product
			OR	1.05 kg/kg of materials content in the export product
			Stretch yarn (mixed yarn containing 90% or more cotton and upto 10% of Elaston / Lycra / Spandex Yarn)	0.016 kg.
			7. Poly Acrylic Synthetic sizing agent / Poly Acryl Amide solution	0.044 kg.
			8. Sulfoesterifiedamide starch / modified starch	

			9.(a) Fuel for power generation for mills having spinning, weaving and processing activities (raw cotton as raw materials)	1.22 kg.
			Naphtha	
			OR	
			SKO	1.22 kg.
			OR	
			Furnace Oil	0.92 litre
			OR	
			HSD	1.10 litre
			OR	
			Coal	2.18 kg.

-:14:-

			OR	
			(b) Fuel for power generation for mills having weaving and processing activities (cotton yarn as raw material)	
			Naphtha	0.73 kgs.

			OR SKO	0.73 kgs.
			OR Furnace Oil	0.65 litre
			OR HSD	0.77 litre
			OR Coal	1.30 kg.

Note: 1. Naphtha, SKO, Furnace Oil and HSD and Coal shall be allowed only under AU condition.

Note: 2 The above norms for fuel are applicable to units having spinning, weaving and processing activities or only weaving and processing activities as the case may be. Also the said units should have facilities for captive power generation using Naphtha / SKO / Furnace Oil / HSD / Coal

Note: 2. Vat Indigo Blue Dye shall be allowed for import only when the export item is indigo blue dyed denim cloth.

23.	1107	<u>Textile Products</u> Sl.No.J-256	After the description of import item at Sl. No. 3, the following additional import item (with quantity) shall be added:- “4. LDO/ Furnace Oil - 0.182 Ltr. /kg. of Polyester Partially Oriented yarn”
-----	------	--	--

-:15:-

24.	1108	<u>Textile Products</u> Sl.No.J-269	After the description of import item at Sl. No. 3, the following additional import item (with quantity) shall be added:-
-----	------	--	--

			“4. LDO/ Furnace Oil - 0.182 Ltr. /kg. of Polyester Partially Oriented yarn”
--	--	--	--

25.	29 - 31	<u>Textile Products</u> Sl.No.J-354 (Notified vide Public Notice No. 10 Dated: 30/05/2003)	The norm covered by this entry shall be deleted.
-----	------------	--	---

-:16:-

Annexure “B” to the
Public Notice No. 31
Dated: 05/11/2003

CHEMICALS AND ALLIED PRODUCTS

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A3257	Bleaching Earth	1 kg	1. Bentonite	1.05 kg
A3258	4 Cyano Pyridine	1 kg	1. Gama Picoline	1.45 kg
A3259	3:5 Lutidine	1 kg	1. Propionaldehyde 2. Silica Alumina Catalyst	8.00 kg 0.175 kg
A3260	Beta Picoline	1 kg	1. Denatured Ethyl Alcohol 2. Methanol	1.252 kg 0.76 kg

			3. Ammonia 4. Alumino Silicate Catalyst	0.82 kg 0.007 kg
A3261	Sodium Bicarbonate	1 kg	1. Soda Ash (Sodium Carbonate) OR 1(a) Coal (b) Coke	0.708 kg 0.312 kg 0.099 kg
A3262	High Alumina Binders/ Cement	1 Tonne	1. Calcined Alumina (Al ₂ O ₃ : 95% min.	1.02 Tonne
A3263	Motor Spirit / TAME	1 MT	1. LSWR/LSFO (Low Sulphur Waxy Residue/ Low Sulphur Fuel Oil)	1.265 MT
A3264	Fibre Glass Stitch Bonded Mats – Chop Strand Mats/ Combination Mat/ Sandwich Mat/ Slit Rolls and Chop Strands	1 kg	1. Fibre Glass – Rovings, Woven Rovings, Tissue 2. Relevant Chopping Blades, Stitching Needles	1.05 kg/kg content in export Upto 5% of the FOB value

-:17:-

A3265	(TPN Base) 3-[(2-Guanidino Thiazole-4 yl) Methyl Thio] Propionitrile	1 kg	1. 1,3 Dichloro Acetone 2. Guanyl Thiourea 3. Thiourea 4. Iso Propyl Alcohol 5. Methanol	0.80 Kg 0.75 Kg 0.40 Kg 1.63 Kg 1.30 Kg
-------	--	------	--	---

-:18:-

Annexure “C” to the
Public Notice No. 31
Dated: 05/11/2003

ENGINEERING PRODUCTS

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
C1928	Distribution Type Fuel Injection Pump for Diesel Engines	1 No.	1. Relevant Components 2. Honing Tools 3. Grinding Wheel 4. Drills/Deep Hole Drills 5. Reamers 6. Inserts 7. Honing Tools 8. Abrasive Brush 9. Steel Shots	As per General Note No. 4 for Engineering Product inserted by Public Notice No. 46 dated 06.11.2002 3% of FOB value

C1929	Hermetically Sealed Compressors for Refrigerators & Commercial Refrigeration Applications using Eco-friendly gases.	1 kg	1. Components 2. CRNGO Steel Sheets 3. Copper Wire 4. Hot Rolled Non-Alloy Steel Sheet/ Wide Coil 5. Polyester Film 6. Polyester Stator Lacing Cord 7. Flapper Valve Steel 8. Copper Tube	Net to net basis 1.34 kg/kg content in export product 1 kg/kg content in export product 1.25 kg/kg content in export product 1.02 kg/kg content in export product 1 Mtr / Mtr content in export product 1 kg/ kg content in export product 1 kg/ kg content in
-------	---	------	---	--

			9. Aluminium Ingot	export product 1 kg/ content kg export in product
--	--	--	--------------------	--

-:20:-

			10.PBT/ Duranex	1 kg/ content kg export in product
			11. Refrigeration Oil	1 Ltr/ content Ltr export in product
C1930	Zinc Ingots	1 MT	1. Zinc Ash and residue containing Zinc in the range of 65-80%	1.065 MT of Zinc metal in Zinc Dross
			2. Metallurgical Coke	750 kg
			3. Furnace Oil (LSHS)/ Light Diesel Oil	175 kg
			4. LPG	74 kg
Note : 1. The above norms will be applicable to primary producer using the Imperial Smelting Technology.				
Note : 2. The applicant will also furnish clearance from the M/o. Environment and Forest for import of Zinc Ash and residues alongwith application for				

Advance License.				
C1931	Copper/Aluminium Conductors screened with semi conducting compound, XLPE Insulated G.I Wire, Armoured PVC Sheathed Cable for above 1.1 KV.	1 km	1. Continuous Cast Copper Rod/ Cathodes/ Wire bars (EC Grade)/ Tape. 2. Aluminium Ingots/ Rods 3. XLPE Compound/ Cross Linkable LDPE Compound	1.01 kg/kg content in the export product 1.01 kg/kg content in the export product 1.05 kg/kg content in the export product

-:21:-

			4. PVC Compound OR 4. a) PVC Resin b) Plasticizer c) Lubricant d) Filler material (Calcium Carbonate/ Alumina/ Kolin	1.05 kg/kg content in the export product 0.57 kg 0.11 kg 0.01 kg 0.31 kg
			5. Semi Conducting Compound	1.05 kg/kg content in the export product

-:22:-

Annexure “D” to the
Public Notice No. 31
Dated: 05/11/2003

MISCELLANEOUS PRODUCTS

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
K160	Pre-Lubricated Jute Rope/Core Rope/ Jute Core Rope Multifold containing minimum of 18% Anti rust Petroleum based Lubricant	1 kg	1. Jute Yarn / Twine 2. Lubricant (Anti rust Petroleum based Lubricant)	0.836 kg 0.191 kg
Note : The above inputs to be allowed only under AU condition.				
