

(TO BE PUBLISHED IN THE GAZETTE OF INDIA EXTRAORDINARY

PART-1-SECTION-1)

GOVERNMENT OF INDIA

MINISTRY OF COMMERCE

PUBLIC NOTICE NO.37(RE-99)/1997-2002

NEW DELHI : DATED 01.11.1999.

Attention is invited to Paragraph 7.8 of the Export and Import Policy 1997-2002, as amended and Paragraphs 7.8 and 7.10 of the Handbook of Procedures, Vol.1, 1997-2002, as amended and also to the Handbook of Procedures, Vol.2, 1997-2002, as amended from time to time.

2. In exercise of the powers conferred under Paragraph 4.11 of the Export and Import Policy 1997-2002, as amended, the Director General of Foreign Trade hereby makes the following amendments/modifications and additions in the Handbook of Procedures, Vol.2, 1997-2002, as amended.

3. In the statement of Standard Input Output Norms as contained in the Handbook of Procedures, Vol.2, 1997-2002, as amended, amendments/corrections at appropriate places as mentioned in Annexure "A" to this Public Notice shall be made.

4. In the statement of Standard Input Output Norms, following additions shall be made at appropriate places as mentioned below:-

CHEMICALS AND ALLIED PRODUCTS

After the existing entry at Sl.No.A-2290, the new entries from Sl.No.A-2291 to A-2319 shall be added as per Annexure "B" to this Public Notice.

ENGINEERING PRODUCTS

After the existing entry at Sl.No.C-1474, the new entries from Sl.No.C-1475 to C-1479 shall be added as per Annexure "C" to this Public Notice.

PLASTIC PRODUCTS

After the existing entry at Sl.No.H-406, a new entry Sl.No.H-414 shall be added as per Annexure "D" to this Public Notice.

This issues in Public interest.

Sd/-

(N.L. LAKHANPAL)

DIRECTOR GENERAL OF FOREIGN TRADE

(ASHUTOSH MISHRA)

Dy.DIRECTOR GENERAL OF FOREIGN TRADE

FOR DIRECTOR GENERAL OF FOREIGN TRADE

(Issued from File No.01/85/44/19/AM99/DES-VI)

Annexure "A" to the

Public Notice No.37

Dated: 01.11.1999

AMENDMENTS/CORRECTIONS

Sl.No.	Page No.	Reference	Amendments/Corrections
(1)	(2)	(3)	(4)

1.	57	Chemicals & Allied <u>Products</u> Sl.No.A332	The description of the export product shall be amended to read as under:- "Oxyclozanide Vet BP 93".
----	----	--	--

2.	58	Chemicals & Allied <u>Products</u> Sl.No.A347	The description of import item 1(b) shall be amended to read as "Acetic Anhydride" without any change in the quantity.
----	----	--	--

3.	94	Chemicals & Allied <u>Products</u> Sl.No.A640	The norm covered by this entry shall be substituted by the following:-
----	----	--	--

Sl.No.	Item of Export	Qty.	Item of Import	Qty. Allowed
A640	Coralen Rubine 2 G Disperse Red 73 (containing 45% Dispersing Agent	1 kg	1. 2 Cyano-4-Nitro Aniline 2. Sodium Ligno	0.280 kg 0.450 kg 0.284 kg

	Sodium Ligno Sulfonate)		Sulfonate 3. N-Cyano Ethyl N-Ethyl Aniline 4. Twitchall Oil (Anti Dusting Agent)	0.010 kg
--	----------------------------	--	---	----------

4.	99	Chemicals & Allied <u>Products</u> Sl.No.A686 (As amended vide P.N. No. 63 dt. 24.12.98	Norm covered by this entry shall be substituted by the following:-
----	----	---	---

Sl.No.	Item of Export	Qty.	Item of Import	Qty. Allowed
A686	Ingrain Blue 5 / Blue IBN. CI No. 74161.2	1 kg	1. Phthalic Anhydride 2. Cobalt Sulphate OR Cobalt Chloride OR Cobalt Metal (Min.	1.04 kg 0.336 kg 0.516 kg 0.15 kg

			99.5%) /Cobalt Metal Broken Cathodes purity Min. 99.6% 3. N, N-Dimethyl Amino Propyl Amine	0.36 kg
--	--	--	--	---------

5.	153	Chemicals & Allied <u>Products</u> Sl.No.A1109	The norm covered by this entry shall be substituted by the following:-
----	-----	--	--

Sl.No.	Item of Export	Qty.	Item of Import	Qty. Allowed
A1109	Hypophosphorous Acid 50%	1 kg	1. White/Yellow Phosphorous	0.90 kg

6.	155	Chemicals & Allied <u>Products</u> Sl.No.A1154	The norm covered by this entry shall be substituted by the following:-
----	-----	--	--

Sl.No.	Item of Export	Qty.	Item of Import	Qty. Allowed
A1154	Potassium	1 kg		0.41 kg

	Potassium Fluoborate	kg	1. Hydrofluoric Acid OR Acid Grade Fluorspar 2. Potassium Carbonate OR Potassium Hydroxide	0.41 kg 1.350 kg 0.490 kg
--	-------------------------	----	---	---

7.	156	Chemicals & Allied <u>Products</u> Sl.No.A1161	The norm covered by this entry shall be substituted by the following:-
----	-----	--	---

Sl.No.	Item of Export	Qty.	Item of Import	Qty. Allowed
A1161	Potassium Titanium Fluoride	kg	1. Hydrofluoride Acid on 100% concentration basis OR Acid Grade Fluorspar	0.56 kg 1.316 kg

			2. Titanium Dioxide	0.370 kg
			3. Potassium Carbonate	0.64 kg
			OR	0.518 kg
			Potassium Hydroxide	

8.	226	Chemicals & Allied <u>Products</u> Sl.No.A1726	The norm covered by this entry shall be substituted by the following:-
----	-----	--	---

Sl.No.	Item of Export	Qty.	Item of Import	Qty. Allowed
A1726	Furniture & Furniture Components in knocked down condition	1 Cubic Mtr.	1. Relevant Wood	1.4 Cubic Mtr.

9.	250	Chemicals & Allied <u>Products</u> Sl.No.A1843	The norm covered by this entry shall be substituted by the following:-
----	-----	--	---

Sl.No.	Item of Export	Qty.	Item of Import	Qty. Allowed
A1843	Polyester Texturised/ POY Dyed/Undyed Filament Yarn	kg	1. Polyester Chips 2. Spin Finish Oil 3. Dowtherm/ Heat Transfer Oil 4. Estofil Dyes (Master Batch) 5. Triethylene Glycol	1.05 kg 0.010 kg 0.0047 kg 0.105 kg 0.009 kg

Note: Item at (4) viz. Estofil dyes (master batch) is allowed in case of dyed yarn only and in that case Polyester chips, i.e. item at S.No. (1) may accordingly be restricted to 1.000 kg. instead of 1.05 Kg. to account for the qty. of Polymer present in the Master Batch. If dye is being imported as pure and not in the form of master batch, then it should be restricted to 30% viz. 0.0315 Kg. only instead of 0.105 Kg.

10.	255	Chemicals & Allied <u>Products</u> Sl.No.A1877	Norm covered by this entry shall be substituted by the following:-
-----	-----	--	--

Sl.No.	Item of Export	Qty.	Item of Import	Qty. Allowed
A1877	Viscose Staple Fibre	1 kg	1. Caustic Soda Lye	0.50 kg 1.05 kg

			2. Wood Pulp	0.002 kg
			3. Spin Finish Oil	0.005 kg
			4. Zinc Sulphate	0.003 kg
			5. Additive (berol)	0.020 kg
			6. Disperse dope dyes	
Note: Disperse Dope Dye shall be allowed for import only if the Viscose Stable Fibre to be exported is in dyed form.				

11.	265	Chemicals & Allied Products Sl.No.A1967	The description of import item No.1 shall be amended to read as "17 Alpha 21-Dihydroxy-16-Beta Methyl-9-Beta-11-Beta-Epoxy Pregna-1, 4-Diene-3, 20-Dione (DBX-1)".
-----	-----	--	--

12.	282	Chemicals & Allied Products Sl.No.A2159 (Introduced vide Public Notice No. 52 Dated : 5/11/98	The description of export product shall be amended to read as under:- "Glass Fibre Reinforced (SMC) Protective Cover/ Polyester Boxes (Fibre Glass content 31+/-1%)"
-----	-----	---	---

13.	286	Chemicals & Allied Products	The description of export product shall be amended to read as under:-
-----	-----	-----------------------------	---

13.	286	<u>Electronics</u> Sl.No.B5	The quantity of import item 8(11) i.e. "Cores/Dummy Cores" shall be amended to read as 1980 Nos..
-----	-----	------------------------------------	---

14	420	<u>Engineering Products</u> Sl.No. C250	Norms covered by this entry shall be substituted by the following:-
----	-----	--	---

Sl.No.	Item of Export	Qty.	Item of Import	Qty. Allowed
--------	----------------	------	----------------	--------------

C250	Outdoor Weather Proof Light Fitting with Glass Shell/Acrylic Cover	1 No.	1. Relevant GlassShell/ Acrylic Cover OR Acrylic Sheet (in place of Acrylic Cover) 2. Relevant Moulding Powder/Granules (for Body) 3. M.S. Wire Rod 3.4 mm 4. Aluminium sheet	1 No. 1.10 Kg/Kg content in Acrylic Cover 1.05 Kg/Kg content in export product 1.05 Kg/Kg content in export product 1.05 Kg/Kg content in export product
------	--	-------	--	--

			5. Relevant Synthetic Rubber	1.05 Kg/Kg content in export product
--	--	--	---------------------------------	--

15.	441	Engineering <u>Products</u> Sl.No. C325	The following note shall be added below this entry:- "Note: If in the export product, the core is of amorphous electrical steel, then import of 2.6 Kg/KVA of "amorphus electrical steel sheet/coils" may be allowed in place of import item No. 1 i.e. CRGO steel laminations/sheets/coil allowed in this norm.	
-----	-----	---	--	--

16	451& 458	Engineering <u>Products</u> Sl.No. C362, C366 and C391	These entries shall be restored as under:-	
----	-------------	---	--	--

Sl.No.	Item of Export	Qty.	Item of Import	Qty. Allowed
C362	Casing Pipes of OD 114 mm to 508mm of Size 2-3/8" OD to 4-1/2" OD	1000Mtrs.	1. Plain end Seamless Pipes 2. Plain end Seamless coupling stock	1055 Mtrs. 28 Mtrs. 30 Sets (on net to net basis)

			3. Finished Thread inserts	
C366	Drill Pipes of OD 60mm to 160mm of Size 2-3/8" OD to 6-5/8" OD equivalent to OD 60.325mm to 168.275mm OD	1000 Mtrs.	1. Plain end Seamless pipes 2. Tool Joint Forgings/ Plain and Hallow Bar Tool Joint Blank 3. Coating material (Optional) 4. Tungsten carbide, (Optional) 5. Tube Metal (Optional)	1055 Mtrs. 121 pairs 115 Gallons (on net to net basis) 0.24 MT (on net to net basis) 32 kgs. (on net to net basis)
C391	Production tubing of OD 60mm to 215mm of Size 2-3/8" OD to 4-1/2" OD	1000 Mtrs.	1. Plain end Seamless Pipes 2. Plain end Seamless coupoling stock 3. Coating material	1055 Mtrs. 23 Mtrs. 115 Gallons (on net to net basis)

			(Optional)	30 Sets (on
			4. Finished thread	net to net
			inserts	basis)

17.	570	Engineering <u>Products</u> Sl.No. C902	1. The description of export product shall be amended to read as under:- "Zinc Plated (Galvanised) Metallic Connectors (regular `C' Type & Insulated) size 1/4" to 4" " 2. The description of import item No.1 alongwith quantity shall be amended to read as under:- "ERW Steel Tube OD - 1.26 MT 21.31mm to 121.2mm OR HR Steel (Non-alloy) - 1.49 MT Coil/Sheet 1.6mm to 5mm"
18	572	Engineering <u>Products</u> Sl.No. C919	The norms covered by this entry shall be deleted.

10	577	Engineering	The norms covered by this entry shall be
----	-----	-------------	--

17.	577	Engineering <u>Products</u>	The norms covered by this entry shall be substituted by the following:-
		Sl.No. C956	

Sl.No.	Item of Export	Qty.	Item of Import	Qty. Allowed
C956	Verified Grinding Wheels: Ball Wheels Grain Bond Ratio 60:40	1 kg	1. Silicon Carbide Grain 2. Synthetic Alumi-nium Oxide Grain	0.448 kg 0.242 kg

20.	672	Engineering <u>Products</u>	The quantity of import item No. 8 shall be amended to read as "1.05 kg/kg content in the export product"
		Sl.No.C1343	

21.	692	Engineering <u>Products</u>	<u>Corrigendum</u> The quantity of import items 2, 3 and 5 shall be corrected to read as "1.10 kg/kg content in the export product, 1.25 kg/kg content in the export product and 1.05 kg/kg content in the export product respectively.
		Sl.No.C1461 (Introduced vide Public Notice No.26 dated 04.08.1999	
22.	692	Engineering ProductsS.No.C1474 (Introduced vide Public	<u>Corrigendum</u>

	Notice No. 26 dated 04.08.1999)	The Norm covered by this entry shall be deleted.
--	------------------------------------	---

23.	752	<u>Leather Products</u> Sl.No.G18	Norms covered by this entry shall be substituted by the following:-
-----	-----	--------------------------------------	--

Sl.No.	Item of Export	Qty.	Item of Import	Qty. Allowed
G18	Leather-Cum-Synthetic Golf Gloves	1 No.	1. P.U. Synthetic Leather for Gloves 2. Elastic Tape 3. Binding tape 4. Velcro 5. Logo 6. Snap Fastners 7. Lycra	0.083 sq.mtr. Net content + 1% wastage. Net content + 1% wastage. Net content + 1% wastage. Net content + 1% wastage. Net content + 1% wastage. 0.02 Sq.mtr.

Note : In case of export product Synthetic Golf Gloves, same norms as above shall be applied. However, import item No. 1 shall be allowed as 1(a) P U Synthetic Leather for Gloves both lakcut to the

extent of 0.077 Sq meter and 1(b) Synthetic lining (Laminated) Fleece Material 100% Polyester to the extent of 0.035 Sq Meter.

24.	772	<u>Leather & Leather Products</u> Sl.No. G33 (As amended vide P.N. No. 23 dated 9.7.99	In this SION, instead of import item at S.No. 3, the import item at S.No. 6 shall be deleted alongwith its quantity. Accordingly against this SION the item No. 3 i.e. Zip Fastner shall be allowed for import as before at the rate of Net content + 1% wastage.
-----	-----	---	---

25.	815	<u>Plastics Products</u> Sl.No.H120	Norm covered by these entries shall be substituted by the following:-
-----	-----	--	---

Sl.No.	Item of Export	Qty.	Item of Import	Qty. Allowed
H120	I.V.Cannula	1 No.	1. ABS for Tube Clam 2. HDPE for Plug 1. PP Granules for Adapter, Butterfly Cannula Holder, Protector Cover, Cap	1.05 kg/kg content in the export product. 1.05 kg/kg content in the export product. 1.05 kg/kg content in the export product.

			with Band, Vent Fitting	
			2. Stainless Steel Cannula of relevant length and dia	105 Nos. /100 Nos. of export product
			3. Silicon Polymer Tube of relevant length and dia	105 Nos. /100 Nos. of export product
			4. Teflon/ Fluoro Polymer Tube of relevant length and dia	110 Nos. /100 Nos. of export product

			a) Tyvek Paper (Coated or uncoated) of relevant GSM	0.00528 Sq.mtr.
			OR	
			b. Medical Kraft Paper (Coated or Uncoated) of 60 GSM	0.00528 Sq.mtr.

Note : In respect of item at Sl.No.7, import of only relevant item i.e. Tyvek Paper at Sl.No.7(a) or Medical Kraft paper at Sl.No.7(b) as declared by the applicant in their application, shall be allowed.

26.	845	<u>Plastics Products</u> Sl.No.H261	Norm covered by this entry shall be substituted by the following:-
-----	-----	--	--

Sl.No.	Item of Export	Qty.	Item of Import	Qty. Allowed
H261	Soft travel goods i.e. Suit cases, Brief cases, luggage, uprights, backs, packs, totes, etc.	1 No.	1. Relevant PVC leather cloth backed with cotton/rayon/nylon /polyester fabric 2. Relevant synthetic fabric coated/uncoated with/without backing 3. PVC film/sheet	1.10 sq.mtr per sq.mtr. content in the export product 1.10 sq.mtr per sq.mtr. content in the export product 1.10 sq.mtr per sq.mtr. content in the export product
			• ZIP Fastners/zipper • Zip slider • Castor wheels/wheel housing	1.02 mtr/mtr. Content in export product Net to Net Net to Net

		• Trolly/Cart	Net to Net
		• Logo Plate/ Name Plate/ Back Plate	102 Nos./100 Nos. content in the export product
		• Fastners like screw/rivets, washers.	102 Nos./100 Nos. content in the export product
		• Relevant piping	1.02 mtr/ mtr. content in the export product
		• Lock/combina- tion lock/turn lock/assembled/ unassembled	Net to Net
		• Metal fitting like snap hooks, fastners, buckles, "D" ring``.	102 Nos./100 Nos. content in the export product
		• P.P. Webbing	1.02 mtr./ mtr. content in the export product
		14. Side Handle	Net to Net
		15. Shoulder pad	Net to Net

27.	846	Sl.No.H264	Norm covered by these entries shall be substituted by the following:-
-----	-----	------------	---

Sl.No.	Item of Export	Qty.	Item of Import	Qty. Allowed
H264	PVC Foam Sponge Sheet (Unsupported) weight - 1000 gms per sq. mtr +/-5%	1 sq.mtr.	1. PVC Resin 2. PVC Plasticizer (phthalic & Non-phthalic) 3. Blowing Agent 4. Titanium Dioxide/ Pigments 5. Processing Aid 6. Release Paper	611.0 gms 396.2 gms 24.4 gms 46.6 gms 16.4 gms 0.50 sq.m/ sq. mtr

Note : In case of variation in coating weight/PVC Foam Sponge Sheet Weight the quantity of inputs at S.Nos. 1 to 5 would be determined as under:-

A x B

1000

where A = Quantity permitted above for 1000 gms coating/export product weight/sq.mtr.

B = Coating wt./wt. of PVC Foam Sponge Sheet (Unsupported)/sq.mtr.

to be exported

28.	874	<u>Sports Goods</u> Sl.No.I10	The quantity of import item 1 shall be amended to read as "1.02 Nos."
-----	-----	----------------------------------	---

29.	958	<u>Miscellaneous Products</u> Sl.No.K112	Norm covered by this entry shall be substituted by the following:-
-----	-----	---	--

Sl.No.	Item of Export	Qty.	Item of Import	Qty. Allowed
K112	Cigarette Packaging materials viz. Hinge Lid packets, Hinge Lid blanks,	1 kg	1. Relevant Paper Board/ Relevant Paper 2. Printing Ink & Varnish	1.10 kg Upto 10% of the FOB Value of exports

	Cigarette box outers, display outers, Flap boxes, Square end			
--	--	--	--	--

parcels, inner frames, Bundle/ Gay wrap, end labels, soft cup labels (in reels and sheets) shells and slides, Oval Plain pack, Coupen inserts, Packet straps and printed sleeves.			
---	--	--	--

Annexure "B" to the

Public Notice No.37

Dated: 01.11.1999

CHEMICALS AND ALLIED PRODUCTS

Sl.No.	Item of Export	Qty.	Item of Import	Qty. Allowed
A2291	Trichloro-acetonitrile	1 kg	1. Methyl Trichloro-acetate 2. Phosphorus	1.82 kg 0.71 kg
A2292	Cobalt Acetate	1 kg	1. Cobalt Metal 2. Acetic Acid	0.273 kg 0.507 kg
A2293		1 kg		0.525 kg

	Alpha Cypermethrin 5% EC		1. Alpha Cyper- methrin Technical 95% Min. 2. Emulsifier (Calcium Alkyl Aryl Sulphonate (Anionic) and Phenol Ethylene Oxide condensate blend (Non-Ionic) 3. Mixed xylene	0.100 kg 0.816 kg
A2294	Disperse Yellow 54 Coralene Yellow 2 G CI No. 47020	1 kg	1. 3 Hydroxy-4- Quinaldine-4- Carboxylic Acid 2. Di Methyl Formamide	0.866 kg 37. Kg
A2295	Paper Cone	1 kg	1. Grey Board/Kraft Paper (180 GSM to 310 GSM)	40. kg

A2296		1 kg		0.203 kg
-------	--	------	--	----------

	Vat Blue 5 (Vat Blue 2BO Dye content 37.5%)		1. Vat Indigo Crude (Vat Blue 1 crude) 2. Bromine	0.303 kg
A2297	Pure Glyceyl Mono stearate with max.glycerine 0.5%	1 kg	1. Impure glyceyl mono stearate with free Glycerine 5%	1.05 kg
A2298	Disvimol (Rosin modified Maleic Resin)	1 kg	1. Rosin 2. Maleic Anhydride 3. Pentaerythritol	0.75 kg 0.83 kg 0.11 kg
A2299	Measles Vaccine Live B.P. (Lyophilised) Measles Vaccine, Live attenuated (Freeze Dried) 10 Doses with Sterile water for injection	1000000 Doses	1. Minimum essential Medium (MEM) Powder with Hanks Salt L-Glutamine and with out Sodium Bicarbonate 2. Tissue Culture Flask with Cap. 3. Foetal calf Serum (Foetal	625 ltr. 967 Nos. 19.35 Ltr

			Bovine Serum) Suitable for Cultivation of Human deployed cell line free of Mycoplasma free of bovine viruses.	
			4. Gelatine Food Grade	1.375 kg.
			5. Sorbitol Extra Pure for microbiology	2.75 kg.
			6. Plastic Roller Bottles	193 Nos.
				115000 Nos
			7. Glass vials	110000 Nos
			8. Rubber Stopper	

			Aluminium Caps/ Seals	110000 Nos
			10.Glass Ampouls	115000 Nos
			11.Cold Chain monitor card	367 Nos
A2300		100000		0.00420 kg

	Adsorbed Diphtheria Tetanus and Pertussis Vaccine BP (Triple Antigen) /Diphtheria Tetanus Pertussis Vaccine adsorbed 0.5ML Single dose.	Doses	1. L-Cystine Mono Hydrochloride 2. Maltose 3. L-Cystine 4. Aluminium Chloride- 6- Hydrate Extra 5. Tri Sodium Ortho- Phosphate 6. Cas Amino Acid 7. Thiomersal 8. N-Z Case TT 9. L- Tyrosine 10. Starch Soluble 11. Sodium Acetate Trihydrate 12. Glass Ampoules 13. Cold Chain Monitor Card	0.42000 kg 0.00525 kg 0.36750 kg 0.57750 kg 0.63000 kg 0.00525 kg 0.34700 kg 0.00938 kg 0.04520 kg 0.07140 kg 115000 Nos. 35 Nos.
--	---	-------	--	--

A2301	Sn Polyvalent Antisnake Venom Serum (Lyophilised) Snake Vrnom Anti-Sera with Sterile water for Injection in 10 ML Vials.	10000 Doses	1. Pepsin 1 : 10000 2. Glycine 3. Glass Vials 4. Rubber Stoppers 5. Aluminium Caps/ Seals 6. Glass Ampoules	1.093 kg 2.378 kg 11500 Nos 11000 Nos 11000 Nos 11500 Nos
-------	--	-------------	--	--

A2302	Adsorbed Tetanus Vaccine BP/ Tetanus Toxoid Vaccine Adsorbed - 5ML 10 Doses	100000 Doses	1. L-Cystine 2. Thiomersal 3. N-Z Case TT 4. L-Tyrosine 5. Aluminium Chloride 6 Hydrate Extra 6. Sodium Acetate Trihydrate 7. Tri Sodium Ortho-Phosphate	0.00469 kg 0.00525 kg 0.34700 kg 0.00938 kg 0.42000 kg 0.07140 kg 0.65625 kg 5750. Nos
-------	---	--------------	--	---

			8. Glass Vials	
			9. Rubber Stopper	5500 Nos
			10. Aluminium	5500 Nos
			Caps/Seals	35 Nos
			11. Shipping	
			Indicators	
A2303	Rubella Vaccine Live BP (Lyophilised) Single Dosse with Sterile water for Injection	1000000 Doses	1. Minimum Essential Medium (MEM) Powder with Hanks Salt. L- Glutamine and without Sodium Bi-carbonate 2. Tissue Culture Flask with Cap 3. Foetal Bovine Serum (Foetal calf serum) Suitable for cultivation of Human deployed cell line free of mycoplasma	1515 Litre 2325 Nos 52.90 Litres

			free of bovine viruses	
--	--	--	---------------------------	--

			• Gelatine food Grade 10. kgs • Sorbitol Extra 28.10 kgs • Pure for Microbiology 570 Nos • Plastic Roller Bottles 1150000 Nos • Glass Vials 1100000 Nos • Rubber Stopper 1150000 Nos • Aluminium Caps/ Seals 1276 Nos • Glass Ampouls • Cold chain monitor card	
A2304			1. L -Cystine	0.00469 kg

	adsorbed for Adults and Adolescents 5 ML - 10 Doses		4. Aluminium Chloride- 6-Hydrate Extra 5. Tri Sodium Ortho-Phosphate 6. Thiomersal 7. N-Z Case TT 8. L-Tyrosine 9. Sodium Acetate Trihydrate 10. Glass Vials 11. Rubber Stopper 12. Aluminium Caps/ Seals 13. Shipping Indicators	0.65625 kg 0.00525 kg 0.34700 kg 0.00938 kg 0.07140 kg 11500 Nos 11000 Nos 11000 Nos 35 Nos
A2306	Adsorbed Diphtheria, Tetanus and Pertussis Vaccine BP (Triple Antigen) /Diphtheria Tetanus-Pertussis	100000 Doses	1. L-Cystine Mono Hydro-chloride 2. Maltose 3. L-Cystine	0.00420 kg 0.42000 kg 0.00525 kg 0.36750 kg

	Vaccine adsorbed 5ML-10 Doses		4. Aluminium Chloride- 6- Hydrate Extra	0.57750 kg
			5. Tri Sodium Ortho- Phosphate	

			- Cas Amino Acid - Thiomersal - N-Z Case TT - L-Tyrosine - Starch Soluble - Sodium Acetate Trihydrate - Glass Vials - Rubber Stoppers - Aluminium Caps/ Seals - Cold Chain Monitor Card	0.63000 kg 0.00525 kg 0.34700 kg 0.00938 kg 0.04520 kg 0.07140 kg 11500 Nos 11000 Nos 11000 Nos 35 Nos
10007	1.1.1	10000		0.004001

A230 /	Adsorbed Diphtheria, Tetanus and Pertussis Vaccine BP (Triple Antigen)/ Diphtheria Tetanus- Pertussis Vaccine adsorbed 10ML-20 Doses	100000 Doses	1. L-Cystine Mono Hydro- chloride 2. Maltose 3. L-Cystine 4. Aluminium Chloride- 6- Hydrate Extra 5. Tri Sodium Ortho- Phosphate 6. Cas Amino Acid 7. Thiomersal 8. N-Z Case TT 9. L-Tyrosine 10. Starch Soluble	0.00420 kg 0.42000 kg 0.00525 kg 0.36750 kg 0.57750 kg 0.63000 kg 0.00525 kg 0.34700 kg 0.00938 kg 0.04520 kg
--------	---	-----------------	---	--

			11.Sodium Acetate Trihydrate 12.Glass Vials 13.Rubber	0.07140 kg 5750 Nos 5500 Nos 5500 Nos
--	--	--	--	--

			Stoppers 14.Aluminium Caps/ Seals 15.Cold Chain Monitor Card	35 Nos
A2308	Measles Vaccine Live B.P. (Lyophilised) Measles Vaccine, Live attenuated (Freeze Dried) Single doses with sterile water for injection	1000000 Doses	1. Minimum essential Medium (MEM) Powder with Hanks Salt, with L- Glutamine and without Sodium Bicarbonate 2. Tissue Culture Flask with Cap 3. Foetal Calf Serum) (Foetal Bovine Serum) Suitable for Cultivation of Human deployed cell line free of	349 Litres 524 Nos 10.68 Litres

			mycoplasma free of bovine viruses 4. Gelatine food Grade	75. kg
--	--	--	--	--------

			1. Sorbitol Extra Pure for microbiology	27.50 kg
			6. Plastic Roller Bottles	106 Nos
				1150000 Nos
			1. Glass Vials	1100000 Nos
			2. Rubber Stopper	1100000 Nos
			1. Aluminium Caps/ Seals	1150000 Nos
			2. Glass Ampouls	1215 Nos
			3. Cold chain monitor Card	

A2309	Measles & Rubella Virus Vaccine Live USP (Lyophilised) 10 Doses with sterile water for injection	1000000 Doses	1. Minimum essential Medium (MEM) Powder with Hanks Salt, L- Glutamine and with out Sodium Bicarbonate 2. Tissue Culture Flask with Cap 3. Foetal Calf Serum) (Foetal Bovine Serum) Suitable for Cultivation of Human deployed cell line free of mycoplasma free of bovine viruses 4. Gelatine food Grade 5. Sorbitol Extra Pure for microbiology	1317 Litres 2152 Nos 46.90 Litres 11.91 Kg 23.82 kg
-------	--	---------------	---	--

			- Plastic Roller Bottles - Glass Vials - Rubber Stopper - Aluminium Caps/ Seals - Glass Ampouls	538 Nos 115000 Nos 110000 Nos 110000 Nos 115000 Nos 385 Nos
			Cold chain monitor Card	

A2310	Measles Mumps & Rubella Vaccine live attenuated (Freeze Dried) 10 doses with Sterile water for injection	1000000 Doses	1. Minimum essential (MEM) Powder with Hanks Salt. L- Glutamine and with with out Sodium Bicarbonate 2. Tissue Culture Flask with cap	2010 Litres 2783 Nos.
				65.98 Litres

			3. Foetal Bovine Serum (foetal Calf Serum) Suitable for Cultivation of Human deployed cell line free of Mycoplasma Free of bovine Virsus	
			1. Gelatine food Grade	18.42 kg. 36.84 kg
			2. Sorbitol Extra pure for Microbiology	647 Nos.
			3. Plastic Roller Bottles	

			• Glass Vials	115000 Nos.
			• Rubber stoppers	110000 Nos.
			• Aluminium Caps/Seals	110000 Nos.
			• Glass ampouls	115000 Nos.
			• Cold chain	385 Nos

			monitor Card	
A2311	Direct Black AA (Containing 85% Dye content)	1 kg	1. Meta Amino Phenol (95%) 2. Sodium Nitrite 3. Fustic Powder (Acid yellow 83)	0.302 kg 0.270 kg 0.150 kg
A2312	Zirconium 18% Octoate	1 kg	1. Octoic Acid	0.430 kg
A2313	Zirconium 12% Octoate	1 kg	1. Octoic Acid	0.287 kg
A2314	Allyl Carbroate	1 kg	1. Allyl Alcohol 2. Caproic Acid	0.413 kg 0.826 kg
A2315	Penta Erythritol Stearate	1 kg	1. Penta Erythritol 2. Stearic Acid	0.125 kg 1.051 kg
A2316	Dihydro Phenyl Glycine	1 kg	1. Sodium Cyanide 2. Activated Carbon (Granules) 3. Hydrogen Peroxide 4. Camphor Sulphonic Acid	0.70 kg 0.10 kg 0.12 kg 0.068 kg 0.015 kg 87. kg

			5. Filter Acid (Dicalite 341)	0.031 kg 0. kg
			6. Toluene	1.86 kg
			7. Citric Acid	0.52 kg
			8. Caustic Soda (100%)	0.52 kg
			9. Ammonium Bicarbonate	0.67 kg 0.42 kg
			10. Soda Ash	
			11. Isopropyl Alcohol	
			12. Sodium Metal	
			13. Lithium Metal	

A2317	Polyamide Resins containing 77.5% of Dimer Acid	1 kg	1. Dimer Acid 2. Ethylene Diamine 3. Diethylene Triamine 4. Triethylene Tetra Amine	0.775 kg 0.090 kg 0.015 kg 0.015 kg
A2318		1 kg	1. Butyl Rubber	0.48 kg

	Butyl Rubber Curing Bag for Tyre retreading		2. Carbon Black	0.32 kg
A2319	Patent Blue V CI No.42051 (Dye Content 85%)	1 kg	1. Meta Hydroxy Benzaldehyde	0.272 kg

Annexure "C" to the

Public Notice No.37

Dated: 01.11.1999

ENGINEERING PRODUCTS

Sl.No.	Item of Export	Qty.	Item of Import	Qty. Allowed
C1475	Compressor Mounting Brackets/Hanger Brackets/ mounting Spring Brackets/ Overload Brackets	1 kg	1. CRCA Sheet/Coil (prime/Defective)	1.20 kg/kg content in the export product
C1476	Locating Cup/Muffler Assembly	1 kg	1. CRCA Sheet/Coil (Prime/Defective)	1.15 kg/kg content in the export product

	(Suction/Discharge/ Shockloop Assy./ Protective Cover Bale Strap/ Discharge Valve retainer			
C1477	Phosphor Copper	1 kg	1. Copper Cathodes / Copper Wire Bars OR Copper Scrap 1. White / Yellow Phosphorous	0.875 kg 0.9026 kg 0.154 kg
C1478	Manganese Copper	1 kg	1. Copper Cathodes / Copper Wire Bars OR Copper Scrap 2. Manganese	0.707 kg 0.735 kg 0.303 kg
C1479	Alloy Aluminium Conductor Steel Reinforced(AACSR)	1 kg	1.Primary Un-alloyed a. Aluminium b. Magnesium c. Silicon	2. kg/kg 10. kg/kg 1.075 kg/kg 1. kg/kg

			OR	
			1. Aluminium Alloy Ingots T-Bars/Sows/Wire Rods	1.05 kg/kg
			2. High Carbon Steel Wire/ Rod	4% of the weight of Steel Content
			3. Zinc	

Annexure "D" to the

Public Notice No.37

Dated: 01.11.1999

PLASTIC PRODUCTS

H414	Flame Retardant HDPE Tarpaulin (with 3% UV Stabilizer Master Batch)	1 kgs.	1. HDPE Granules	0.57 kg
			2. LDPE Granules	0.38 kg
			3. UV Stabilizer Master Batch	0.11 kg
			4. Flame retardant Additive	0.08 kg
