

(TO BE PUBLISHED IN THE GAZETTE OF INDIA EXTRAORDINARY PART-1-SECTION-1)

GOVERNMENT OF INDIA
MINISTRY OF COMMERCE & INDUSTRY
DEPARTMENT OF COMMERCE

PUBLIC NOTICE NO. 44 (RE- 02)/ 2002-2007
NEW DELHI : DATED : 18/10/2002.

Attention is invited to Paragraph 2.4 of the Export and Import Policy 2002-2007, as amended and Paragraphs 4.9 and 4.10 of the Handbook of Procedures, Vol.1, 2002-2007, as amended and also to the Handbook of Procedures, Vol.2, 2002-2007, as amended from time to time.

2. In exercise of the powers conferred under Paragraph 2.4 of the Export and Import Policy 2002-2007, as amended, the Director General of Foreign Trade hereby makes the following amendments/deletions/corrections and additions in the Handbook of Procedures, Vol.2, 2002-2007, as amended.
3. In the statement of Standard Input Output Norms as contained in the Handbook of Procedures, Vol.2, 2002-2007, as amended, amendments/ corrections/ deletion at appropriate places as mentioned in Annexure "A" to this Public Notice shall be made.
4. In the statement of Standard Input Output Norms, following additions shall be made at appropriate places as mentioned below:-

CHEMICALS AND ALLIED PRODUCTS

After the existing entry at Sl.No.A-3034, new entries at Sl.No.A-3035 to A-3064 shall be added as per Annexure "B" to this Public Notice.

-:2:-

ENGINEERING PRODUCTS

After the existing entry at Sl.No.C-1809, new entries at Sl.No.C-1810 to C-1823 shall be added as per Annexure "C" to this Public Notice.

MISCELLANEOUS PRODUCTS

After the existing entry at Sl.No.K-154, a new entry at Sl.No.K-155 shall be added as per Annexure "D" to this Public Notice.

5. This issues in public interest.

(L. MANSINGH)
DIRECTOR GENERAL OF FOREIGN TRADE

(R. C. SAINI)
DY. DIRECTOR GENERAL OF FOREIGN TRADE
FOR DIRECTOR GENERAL OF FOREIGN TRADE

-:3:-

Annexure “A” to the
Public Notice No. 44
Dated: 18/10/2002

AMENDMENTS/CORRECTIONS

Sl. No.	Page No.	Reference	Amendments/Corrections
1	2	3	4
1.	80	<u>Chemicals & Allied Products</u> Sl.No.A504	After import item at Sl. No. 4, the following additional input (with quantity) shall be added:- “5. Soda Ash - 0.288 kg”

2.	81	<u>Chemicals & Allied Products</u> Sl.No.A515	After import item at Sl. No. 4, the following additional input (with quantity) shall be added:- “5. Soda Ash - 0.253 kg”
----	----	--	---

3.	85	<u>Chemicals & Allied Products</u> Sl.No.A556	After import item at Sl. No. 2, the following additional inputs (with quantity) shall be added:- “3. Sodium Nitrite - 0.147 kg 4. Soda Ash - 0.354 kg 5. Caustic Soda - 0.178 kg”
----	----	--	--

4.	98	<u>Chemicals & Allied Products</u> Sl.No.A654	The norm covered by this entry shall be substituted by the following:-
----	----	--	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A654	Erythrosine Powder	1 kg	1. Resorcinol	0.545 kg

(Acid Red 51) (C.I. No. 45430) (Dye content 89%)	2. Phthalic Anhydride 3. Iodine 4. Acetic Acid Glacial 5. Caustic Soda	0.367 kg 1.138 kg 1.156 kg 0.400 kg
--	---	--

-:4:-

5.	99	<u>Chemicals & Allied Products</u> Sl.No.A667	The norm covered by this entry shall be substituted by the following:-
----	----	--	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A667	Fluorescent Pigment Magenta (Amino Sulphonamide Matrix content 95%)	1 kg	1. Ortho-Para Toluene Sulphonamide/ Para-Toluene Sulphonamide (OTPT/PTS Amide) 2. Melamine 3. Para Formaldehyde 4. Optical Brightner 5. Basic Dyes	0.710 kg 0.180 kg 0.220 kg 0.0007 kg 0.052 kg

6.	99	<u>Chemicals & Allied Products</u> Sl.No.A668	The norm covered by this entry shall be substituted by the following:-
----	----	--	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A668	Fluorescent Pigment Orange (Amino Sulphonamide Matrix content 95%)	1 kg	1. Ortho-Para Toluene Sulphonamide/ para-Toluene Sulphonamide (OTPT/PTS Amide) 2. Melamine	0.710 kg

			3. Para Formaldehyde	0.180 kg
			4. Optical Brightner	0.220 kg
			5. Basic Dyes	0.001 kg
			6. Solvent Dyes	0.011 kg
				0.025 kg

-:5:-

7.	99	<u>Chemicals & Allied Products</u> Sl.No.A669	The norm covered by this entry shall be substituted by the following:-
----	----	--	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A669	Fluorescent Pigment (Amino Sulphonamide Matrix content 95%)	1 kg	1. Ortho-Para Toluene Sulphonamide/ Para-Toluene Sulphonamide (OTPT/PTS Amide) 2. Melamine 3. Para Formaldehyde 4. Optical Brightner 5. Basic Dyes	0.710 kg 0.180 kg 0.220 kg 0.001 kg 0.028 kg

8.	99 - 100	<u>Chemicals & Allied Products</u>	The norm covered by this entry shall be substituted by the following:-
----	----------	--	--

	Sl.No.A670	
--	------------	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A670	Fluorescent Pigment Red (Amino Sulphonamide Matrix content 95%)	1 kg	1. Ortho-Para Toluene Sulphonamide/ Para-Toluene Sulphonamide (OTPT/PTS Amide) 2. Melamine 3. Para Formaldehyde 4. Optical Brightner 5. Solvent Dyes 6. Basic Dyes	0.710 kg 0.180 kg 0.220 kg 0.001 kg 0.011 kg 0.030 kg

-:6:-

9.	100	<u>Chemicals & Allied Products</u> Sl.No.A672	The norm covered by this entry shall be substituted by the following:-
----	-----	--	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A672	Fluorescent Pigment Yellow (Amino Sulphonamide Matrix content 95%)	1 kg	1. Ortho-Para Toluene Sulphonamide/ Para-Toluene Sulphonamide (OTPT/PTS Amide) 2. Melamine 3. Para Formaldehyde	0.710 kg 0.180 kg

			4. Optical Brightner	0.220 kg
			5. Solvent Dyes	0.001 kg
				0.025 kg

10.	100	<u>Chemicals & Allied Products</u> Sl.No.A673	The norm covered by this entry shall be substituted by the following:-
-----	-----	--	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A673	Fluorescent Pigment Green (Amino Sulphonamide Matrix content 95%)	1 kg	1. Ortho-Para Toluene Sulphonamide/ Para-Toluene Sulphonamide (OTPT/PTS Amide) 2. Melamine 3. Para Formaldehyde 4. Optical Brightner 5. Solvent Dyes	0.710 kg 0.180 kg 0.220 kg 0.001 kg 0.019 kg

-:7:-

11.	100	<u>Chemicals & Allied Products</u> Sl.No.A680	The norm covered by this entry shall be substituted by the following:-
-----	-----	--	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A680	Indigo Carmine (Food Blue 1) (C.I. No. 73015) (Dye content : 90%)	1 kg	1. Indigo 2. Caustic Soda Flakes 3. Sodium Acetate	0.870 kg 2.700 kg 0.340 kg

12.	102	<u>Chemicals & Allied Products</u> Sl.No.A704	The norm covered by this entry shall be restored by the following:-	
-----	-----	--	---	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A704	Meta Amino Phenol	1 kg	1. Caustic Soda 2. Caustic Potash	0.395 kg 1.500 kg

13.	114	<u>Chemicals & Allied Products</u> Sl.No.A826	The norm covered by this entry shall be substituted by the following:-	
-----	-----	--	--	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A826	Quinoline Yellow W.S. (Acid Yellow 3) (C.I. No. 47005) (Dye content : 85%)	1 kg	1. Quinaldine 2. Phthalic Anhydride 3. Methanol 4. Sodium Acetate 5. Caustic Potash	0.890 kg 0.920 kg 1.290 kg 0.435 kg 4.580 kg

-:8:-

14.	131	<u>Chemicals & Allied Products</u> Sl.No.A957	The norm covered by this entry shall be substituted by the following:-
-----	-----	--	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A957	Sunset Yellow (Food Yellow 3) C.I. No. 15985) (Dye content 85%)	1 kg	1. Aniline 2. Beta Naphthol 3. Sodium Nitrite 4. Methanol 5. Caustic Soda 6. Soda Ash 7. Sodium Acetate	0.375 kg 0.527 kg 0.184 kg 1.507 kg 0.250 kg 0.432 kg 0.100 kg

15.	154	<u>Chemicals & Allied Products</u> Sl.No.A1181	The norm covered by this entry shall be substituted by the following:-
-----	-----	---	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A1181	Sodium Hydride (60%)	1 kg	3. Sodium Metal	0.600 kg

16.	180 - 181	<u>Chemicals & Allied Products</u> Sl.No.A1507	The norm covered by this entry shall be substituted by the following:-
-----	-----------	---	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A1507	Tertiary Butyl Peroxy	1 kg	1. Tertiary Butyl Alcohol	0.349 kg

	Benzoate 75% in Odourless Mineral Spirit		2. Benzoyl Chloride 3. Hydrogen Peroxide 50% 4. Odourless Mineral Spirit	0.586 kg 0.352 kg 0.245 kg
--	--	--	--	----------------------------------

-:9:-

17.	3	<u>Chemicals & Allied Products</u> Sl.No.A1640 (as substituted vide Public Notice No. 37 Dated:03/10/2002)	The description of export item shall be corrected to read as under:- “Monocrotophos 40% WSC (Monocrotophos 40% SL)”
-----	---	--	--

18.	204	<u>Chemicals & Allied Products</u> Sl.No.A1674	The description of import item at Sl. No. 1 (without any change in quantity) shall be amended to read as under:- “Butyl/ Bromobutyl/ Chlorobutyl/ Chloroprene Rubber”
-----	-----	---	--

19.	4	<u>Chemicals & Allied Products</u> Sl.No.A1875 (corrected vide Public Notice No.37 Dated:03/10/2002)	The norm covered by this entry shall be substituted by the following:-
-----	---	--	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A1875	Upgraded Beneficiated (Synthetic Rutile) containing Titanium Dioxide 95%	1 kg	1. Furnace Oil/LSHS 2. Ilmenite Ore containing Titanium Dioxide 54% 3. Coke	1.068 kkg 2.00 kg 0.182 kg

20.	248	<u>Chemicals & Allied Products</u> Sl.No.A1939	The norm covered by this entry shall be substituted by the following:-
-----	-----	---	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A1939	Terpineol (mixture of alpha, beta, gamma isomers)	1 kg	1. Gum Terpine Oil (containing Alpha Pinene 82.5%)	1.75 kg

-:10:-

21.	291	<u>Chemicals & Allied Products</u> Sl.No.A2278	The norm covered by this entry shall be substituted by the following:-
-----	-----	---	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A2278	Terpinyl Acetate (Mixture of alpha, beta, gamma isomers)	1 kg	1. Alpha Pinene OR Gum Terpine Oil containing Alpha Pinene 82.5%	1.361 kg 1.64 kg

22.	299	<u>Chemicals & Allied</u>	The norm covered by this entry shall be
-----	-----	-------------------------------	---

		<u>Products</u> Sl.No.A2319	substituted by the following:-
--	--	--------------------------------	--------------------------------

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A2319	Patent Blue V (C.I. No. 42051) (Dye content 85%)	1 kg	1. Meta Hydroxy Benzaldehyde 2. N,N Diethyl Aniline 3. Soda Ash 4. Lead Peroxide 5. Methanol	0.477 kg 1.200 kg 0.433 kg 0.957 kg 4.897 kg

23.	299	<u>Chemicals & Allied Products</u> Sl.No.A2321	The norm covered by this entry shall be substituted by the following:-
-----	-----	---	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A2321	Allopurinol	1 kg	1. Cyanoacetamide 2. Triethylortho Formate 3. Formamide 4. Morpholine 5. Hydrazine Hydrate	1.00 kg 2.10 kg 1.50 kg 1.30 kg 0.60 kg

-:11:-

24.	312	<u>Chemicals & Allied Products</u> Sl.No.A2432	The description of import item at Sl. No. 1 shall be corrected to read as under:- “1. Dimer Acid”
-----	-----	---	--

25.	312	<u>Chemicals & Allied</u>	The description of import item at Sl. No. 1
-----	-----	-------------------------------	---

		<u>Products</u> Sl.No.A2438	shall be corrected to read as under:- “1. Dimer Acid”
--	--	--------------------------------	--

26.	329	<u>Chemicals & Allied Products</u> Sl.No.A2569	The norm covered by this entry shall be substituted by the following:-
-----	-----	---	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A2569	Articaine Hydrochloride	1 kg	1. Methacrylonitrile 2. Thioglycolic Acid Methyl Ester 3. (+)-2 Bromopropionyl Bromide 4. l-Propyl Amine 5. N-Heptane	0.71 kg 1.14 kg 1.12 kg 0.26 kg 0.44 kg

27.	337	<u>Chemicals & Allied Products</u> Sl.No.A2651	The norm covered by this entry shall be substituted by the following:-
-----	-----	---	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A2651	Uracil (White) (purity Min. 99%)	1 kg	1. Malic Acid	2.52 kg

28.	339	<u>Chemicals & Allied Products</u> Sl.No.A2674	The description of the export item shall be amended to read as under:- “Pentoxazone Technical 3-(4-Chloro-5-Cyclopenetyloxy-2-Fluorophenyl)-5-Isopropylidene-1,3, Oxazolidine-2, 4-dione”
-----	-----	---	--

-:12:-

29.	341	<u>Chemicals & Allied Products</u> Sl.No.A2691	The validity of the SION at Sl No. A-2691 is extended upto 31.12.2002
-----	-----	---	---

30.	341	<u>Chemicals & Allied Products</u> Sl.No.A2692	The validity of the SION at Sl No. A-2691 is extended upto 31.12.2002
-----	-----	---	---

31.	341	<u>Chemicals & Allied Products</u> Sl.No.A2693	The validity of the SION at Sl No. A-2691 is extended upto 31.12.2002
-----	-----	---	---

32.	354	<u>Chemicals & Allied Products</u> Sl.No.A2797	The description of import item at Sl. No. 7 (with quantity) shall be substituted by the following:- “7. Lithium Di-isopropylamide - 4.00 kg OR N-Butyl Lithium (on 100% - 0.47 kg activity basis)
-----	-----	---	--

33.	368	<u>Chemicals & Allied Products</u> Sl.No.A2919	The norm covered by this entry shall be substituted by the following:-
-----	-----	---	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A2919	Losartan Potassium	1 kg	1. Ortho Toly l Benzo Nitrile OR	1.15 kg

			4-Methyl-2- Cyano Biphenyl	
			2. Tributyl Tin Chloride	1.06 kg
			3. Tritylchloride	2.00 kg
			4. N-Bromo Succinamide	0.38 kg

-:13:-

			5. Sodium Borohydride	0.32 kg
			6. 2-Butyl-4-Chloro 5- Formyl Imidazole	0.75 kg
			7. Potassium Hydroxide	0.16 kg
			OR	
			Potassium Tertiary Butoxide	
			8. Sodium Azide	0.50 kg
			9. Acetone/Dimethyl Formamide	1.74 kg
			10. Toluene / Methylene Chloride/Tertiary Butyl Methyl Ether	1.74 kg
			11. Isopropyl Alcohol/Aceto Nitrile	1.74 kg
			12. Activated Carbon	0.100 kg

34.	10	<u>Chemicals & Allied Products</u>	The quantity of import item Gum Terpentine containing Alpha Pinene 82.5% at Sl. No. 1 shall be corrected to read as under:-
-----	----	--	---

		Sl.No.A3021 (Notified vide Public Notice No. 37 Dated:03/10/2002	“1.950 kg”
--	--	--	------------

35.	10	<u>Chemicals & Allied Products</u> Sl.No.A3022 (Notified vide Public Notice No. 37 Dated:03/10/2002	The quantity of import item Alpha Pinene at Sl. No. 1 shall be corrected to read as under:- “1.505 kg”
-----	----	--	---

36.	11	<u>Chemicals & Allied Products</u> Sl.No.A3023 (Notified vide Public Notice No. 37 Dated:03/10/2002	The quantity of import item Beta Pinene at Sl. No. 1 shall be corrected to read as under:- “1.532 kg”
-----	----	--	--

-:14:-

37.	11	<u>Chemicals & Allied Products</u> Sl.No.A3027 (Notified vide Public Notice No. 37 Dated:03/10/2002	The quantity of import items at Sl. Nos. 1, 2, & 3 shall be corrected to read as under:- “1. 1.02 kg/kg content in the export product 2. 1.02 kg/kg content in the export product 3. 1.02 kg/kg content in the export product”
-----	----	--	---

38.	380	<u>Electronics Product</u> Sl.No.B-6	The description of import item at Sl. No. 3 shall be amended (without any change in quantity) to read as under:- “Copolymer of Vinyl Chloride Vinyl Acetate and Vinyl Alcohol/ Copolymer of Vinyl Chloride & Vinylidene AND
-----	-----	---	---

			Urethane Elastomer/ Polyurethane Elastomer and Phenoxy Resin”
--	--	--	---

39.	485 - 486	<u>Engineering Product</u> Sl.No.C57	The note No. 1 shall be substituted by the following:- “Note: 1. Entitlement of inputs for complete Bicycle having lower weight will be worked out on pro-rata basis. Normally, Bicycles having weight above 17 kg are not exported. However if weight of Bicycle exceeds by 10% i.e. upto 18.70 kg the same may also be considered by the RLA on pro-rata basis.”
-----	-----------	---	---

40.	491	<u>Engineering Product</u> Sl.No.C122	The note No. 7 shall be substituted by the following:- “Note: 1. However if weight of Bicycle Components exceeds by 10%, the same may also be considered by the RLA on pro-rata basis.”
-----	-----	--	--

-:15:-

41.	4	<u>Engineering Product</u> Sl.No.C220 (as notified vide Public Notice No. 10 Dated:01/05/2002)	The norm covered by this entry shall be substituted by the following:-
-----	---	---	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
--------	-------------	------	-------------	--------------

C220	Galvanised Transmission Line Towers & Parts thereof	1 kg	1. High Tensile Steel and Mild Steel Angle/ Plates OR M.S. Billets 2. Unwrought Zinc	1.050 kg 1.075 kg 0.065 kg
------	--	------	--	--------------------------------------

42.	557	<u>Engineering Product</u> Sl.No.C371	The description of import item at Sl. No. 2, (without any change in quantity) shall be amended to read as under:- “Zinc including Zinc Ingots”
-----	-----	--	---

43.	583	<u>Engineering Product</u> Sl.No.C464	The description of import item at Sl. No. 2(a), (without any change in quantity) shall be amended to read as under:- “Micro/Fume/Colloidal Silica and /or”
-----	-----	--	---

44.	591	<u>Engineering Product</u> Sl.No.C486	The description of import item at Sl. No. 2(a), 2(b), (with quantity) shall be amended to read as under:- “2. Additives Comprising of: Alumino Silicate - 200 kg Powder and/or Metallic Alloys of Aluminium Silicon And Magnesium OR a) Micro / Fume / Colloidal - 180 kg Silica”
-----	-----	--	--

45.	591	<u>Engineering Product</u> Sl.No.C487	The description of import item at Sl. No. 2(a) (i), (without any change in quantity) shall be amended to read as under:- “Micro/Fume/Colloidal Silica and /or”
-----	-----	--	---

46.	592	<u>Engineering Product</u> Sl.No.C488	The description of import item at Sl. No. 2(a), (without any change in quantity) shall be amended to read as under:- “Micro/Fume/Colloidal Silica and /or”
-----	-----	--	---

47.	592	<u>Engineering Product</u> Sl.No.C489	The description of import item at Sl. No. 2(a), (with quantity) shall be amended to read as under:- “2(a)High Alumina Cement - 270 kg /Binders and / or Lingo Sulphate OR Micro / Fume / Colloidal - 180 kg Silica”
-----	-----	--	---

48.	595	<u>Engineering Product</u> Sl.No.C503	The norm covered by this entry shall be substituted by the following:-
-----	-----	--	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
C503	Magnesium Ferro Silicon	1000 kgs	1. Ferro Silicon 2. Manganese Metal 3. Ferro Silico Calcium 4. Misch Metal (containing rare earths : 98% minimum)	885 kgs. 100 kgs 50 kgs 25 kgs

Note: For import item No. 4 prior permission from the Deptt. of Atomic Energy shall be obtained and submitted by the applicant alongwith the application for advance licence/

-:17:-

49.	626	<u>Engineering Product</u> Sl.No.C603	The description of export item shall be amended to read as under:- “Machined/ Cold Rolled / Cold Formed Rings for Bearing Races and CV Cages”
-----	-----	--	--

50.	657	<u>Engineering Product</u> Sl.No.C829	The description of import item at Sl. No. 1 shall be amended (with quantity) to read as under:- “1. Cold Rolled High Carbon Martensitic Stainless Steel Strip in Coils (thickness : 0.10+/- 0.005 mm, width : 310-340 mm) - 988 kgs OR Cold Rolled High Carbon Martensitic (Semi-finished) Stainless Steel Strip in Coils (Thickness : 0.8-0.9 mm, width: 310-340 mm) - 1295 kgs OR Hot Rolled High Carbon Martensitic Stainless Steel Strips in Coils (Thickness : 3.3-3.5 mm, 310-340 mm)”
-----	-----	--	--

			2. Import item shown as 1a) or below item 6 of import i.e. “OR H.R.S.S. Strip” shall be deleted.
--	--	--	--

51.	658	<u>Engineering Product</u> Sl.No.C833	Quantity of import item at Sl. No. 1, shall be amended to read as under:- “1.125 kg/kg content in export product”
-----	-----	--	--

-:18:-

52.	666	<u>Engineering Product</u> Sl.No.C890	The norm covered by this entry shall be substituted by the following:-
-----	-----	--	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
C890	Watch Dials made out of Nickel Silver Brass Strip	1 kg	1. Nickel Silver Brass Strip OR 1.(a)(i)Semi-finished Watch Dials (Pre-punched blanks made out of Brass / Nickle Silver with	The quantity to be allowed for Ladies is 1550 gms., for Boys 2300 gms. and for Gents 4325 gms Net to net

	special base finish- Gents, Boys and Ladies- OR	
1.(a)(ii)	Semi-finished Watch Dials (Pre- punched blanks made out of Brass/ Nickle Silver with mother of pearl- (MOP Discs) Gents, Boys and Ladies OR	Net to net
1.(a)(iii)	Semi-finished watch Dials (Brass/ Nickle Silver Strips) containing semi- punched brass circles Gents, Boys and Ladies	Net to net
2.	Dial Feet	2280 Nos.

-:19:-

3.	Appliques OR	12210 Nos.
3(a)(i)	Special Appliques (pre-punched mother of pearl – (MOP Discs) made out of natural sea - shell Gents, Boys and	Net to net

			Ladies OR 3(a)(ii)Special effects sheets made out of carbon fibre 4. Lacquers 5. Printing Ink 6. Misc. Items: Grinding Wheel / Abrasive/ Polipla Abrasive/ Electroplating Salt & Surface Treatment Chemicals/ Nickel Sulphite/ Silver Brightener/ Ad Salt/ Twist Drills & Cutting Tools & Cleaning Brushes	1.3 Sq.mtr./ Sq.mtr. content in export product 600 gms. 67 gms. Upto 5% of FOB value of export
--	--	--	--	---

53.	690	<u>Engineering Product</u> Sl.No.C969	The norm covered by this entry shall be substituted by the following:-
-----	-----	--	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
C969	Agricultural Tractor in CKD/SKD/CBU/SKID condition thereof	1 No.	1. Air Filter 2. Automotive Battery 3. Bearing (All types other than Engine Bearings) such as Ball Bearing / Taper/ Cylindrical /Needle Roller Bearings 4. Brake Assembly (Primer and / or Secondary) 5. Clutch Assembly (Including Split/Torque Type) 6. Internal Combustion Engine Complete OR a) Piston Rings b) Gaskets c) Oil Seal for Engine (Front & / or Rear) d) Pistons e) Injectors 7. Fuel Injection Pump 8. Front Axle (2 Wheel Drive and/or 4 Wheel Drive) Complete and / or Parts/ Accessories	1 No. 1 No. Net to net 1 No. 1 No. 1 No. Net to net 1 No. 2 No. 4 No. 4 No. 1 No. 1 No.

			9. Fuel Filter	
--	--	--	----------------	--

				1 No.
--	--	--	--	-------

-:21:-

			10. Hydraulic Pump (Including Auxiliary Hydraulic Pump)	
--	--	--	---	--

				1 No.
--	--	--	--	-------

			11. Hydraulic Cylinder	
--	--	--	------------------------	--

				1 No.
--	--	--	--	-------

			12. Hydraulic Valves	
--	--	--	----------------------	--

				1 No.
--	--	--	--	-------

			13. Oil Seals (other than Engine)	
--	--	--	--------------------------------------	--

				Net to Net
--	--	--	--	------------

			14. Oil Pump	
--	--	--	--------------	--

				1 No.
--	--	--	--	-------

			15. Hydrostatic Unit/ Valves for Hydraulic Transmission	
--	--	--	---	--

				1 No.
--	--	--	--	-------

			16. Radiator	
--	--	--	--------------	--

				1 No.
--	--	--	--	-------

			17. Seat Assembly	
--	--	--	-------------------	--

				1 No.
--	--	--	--	-------

			18. Synchropacks and/or Synchroniser	
--	--	--	---	--

				1 No.
--	--	--	--	-------

			19. Silencer	
--	--	--	--------------	--

				1 No.
--	--	--	--	-------

			20. Frontwheel Tyre	
--	--	--	---------------------	--

				1 Set
--	--	--	--	-------

			21. Rearwheel Tyre	
--	--	--	--------------------	--

				1 Set
--	--	--	--	-------

			22. Frontwheel Tyretube	
--	--	--	-------------------------	--

				1 Set
--	--	--	--	-------

			23. Rearwheel Tyretube	
--	--	--	------------------------	--

				1 Set
--	--	--	--	-------

			24. Front Wheelrim	
--	--	--	--------------------	--

				1 Set
--	--	--	--	-------

			25. Rear Wheelrim	
--	--	--	-------------------	--

				1 Set
--	--	--	--	-------

			26. Water Pump Seal	1 No.
			27. Water Pump	1 No.
			28. 'O' Ring	Net to Net
			29. Transmission complete or Components thereof	1 No.
			30. Alternator	
			31. Starter Motor	1 No.
			32. Turbo Charger	1 No.
			33. Safety Neutral Switch	1 No.
			34. Rops (Safety Equipment) Roll Over Protection Frame	1 No. 1 Set
			35. Wiring Harness	
			36. Oil Separator	
			37. Auxiliary Valves	1 Set 1 Set 1 No.

-:22:-

			38. Relevant Alloy Steel Rods/ Rounds / Billets	1.1 kg/kg content in export product
			39. Relevant Hot Rolled / Cold Rolled Steel (Sheets/wide Coils)	1.1 kg/kg content in export product

54.	740	<u>Engineering Product</u> Sl.No.C1166	The quantity of import item at Sl. No. 1 shall be amended to read as under:- “1. Brass Scrap - 1.08 kg OR Brass Ingots/Billets - 1.02 kg”
-----	-----	---	---

--	--	--	--	--

55.	740	<u>Engineering Product</u> Sl.No.C1167	The description of export item shall be amended to read as under:- “Brass extruded Solid sections including Bars and Rods”
-----	-----	---	---

56.	740	<u>Engineering Product</u> Sl.No.C1168	The norm covered by this entry shall be substituted by the following:-
-----	-----	---	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
C1168	Brass Foil	1 kg	1. Copper wire Bar/ Cathode/ Ingot/Rod OR Copper Scrap 2. Zinc Ingot	1.05 kg/kg content in the export product 1.075 kg/kg content in the export product 1.05 kg/kg content in the export product

-:23:-

57.	742	<u>Engineering Product</u> Sl.No.C1184	The norm covered by this entry shall be substituted by the following:-
-----	-----	---	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
C1184	Copper extruded Solid sections/	1 kg	1. Copper Cathode/ Ingot OR	1.02 kg

	Copper Rods		Copper Scrap	1.08 kg
--	-------------	--	--------------	---------

58.	743	<u>Engineering Product</u> Sl.No.C1185	The norm covered by this entry shall be substituted by the following:-
-----	-----	---	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
C1185	Copper flats / Sheets / Strips	1 kg	1. Copper wire bar/ Copper Ingot/ Copper Rod/Copper Cathode OR Copper Scrap	1.02 kg 1.08 kg

59.	743	<u>Engineering Product</u> Sl.No.C1186	The norm covered by this entry shall be substituted by the following:-
-----	-----	---	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
C1186	Copper Foils	1 kg	1. Copper Ingot/ Copper wire bar/Copper Rod OR Copper Strip in Coil OR Copper Scrap	1.02 kg 1.01 kg 1.08 kg

60.	743	<u>Engineering Product</u> Sl.No.C1188	The norm covered by this entry shall be substituted by the following:-
-----	-----	---	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
C1188	Silver Bearing Copper Strip/ Sheets/Foil	1 kg	1. Copper Scrap OR Copper wire bar 2. Silver Bullion of Purity 99.99%	1.06 kg/kg content in export product 1.03 kg/kg content in export product 1.02 kg/kg content in export product

61.	744	<u>Engineering Product</u> Sl.No.C1198	The quantity of import item at Sl. No. 1 shall be corrected to read as under:- “1.03 MT instead of 1.03 kg”
-----	-----	---	--

62.	826	<u>Engineering Product</u> Sl.No.C1552	The description of import item at Sl. No. 5 shall be amended (without any change in quantity) to read as under:- “5. Grade-F 169-05 Paper Rolls/Filter Reels”
-----	-----	---	--

63.	826	<u>Engineering Product</u> Sl.No.C1553	1. The description of import item at Sl. No. 2 shall be amended (without any change in quantity) to read as under:- “2. Nylon Moulding Granules” 2. The description of import item at Sl. No. 5 shall be amended (without any change in quantity) to read as under:- “5. Celgard (R) 3400 Flat Sheet/Film”
-----	-----	---	---

-:25:-

64.	835	<u>Engineering Product</u> Sl.No.C1613	After import item at Sl. No. 6 the following additional import item (with quantity) shall be added:- “7. Consumables - CIF value restricted to 4% of the FOB value”
65.	852	<u>Engineering Product</u> Sl.No.C1667	After the description of import item at Sl. No. 1, the alternative import item (with quantity) shall be added:- “OR Alloy/Non Alloy Steel Billets - 1.40 kg”
66.	858 - 859	<u>Engineering Product</u> Sl.No.C1689	1. The quantity of import item at Sl. No. 8 shall be corrected to read as under:- “1000 Set” 2. The description of import item at Sl. No. 11, (with quantity) shall be amended to read as under:- “11. Polyurethane Paint/ - Upto 4% Grease, Stainless of FOB Steel Screws, Circlips, value” Spring Washers, Hardened & Straightened

			Ground Shaft up to 5 mm Dia, Strain Relieves Adhesive, Rubber or Plastic parts and Connectors 3. After the description of import item at Sl. No. 11, the following additional import item (with quantity) shall be added:- “12. Raw Optical Glass - 218.6 kg”
--	--	--	---

-:26:-

67.	11	<u>Engineering Product</u> Sl.No.C1695 (as amended vide Public Notice No. 15 Dated:04/06/2002	The norm covered by this entry shall be substituted by the following:-
-----	----	--	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
C1695	Output transformers for uninterrupted power supply (350 VA to 500 VA, and for primary input voltage of 120 volt to 240 volt and 50 and 60 hertz) for Computer and	1 No.	- CRNGO Lamination E&I Strips - Self Soldering enamelled copper wire of relevant diameters - Mylar Polyester film of relevant thickness and width	1 kg/kg content in export product 1.02 kg/kg content in export product 1.02 Meter per Meter content in export product

	Telecom Applications weighing 1.62 to 2.29 kg	4. Electrical Grade Insulating Tape (18 to 45 mm width) 5. Relevant Nylon 66/ Polybutylene Terephthalate / Polyethylene Terephthalate/ Nylon 6/ Polyphenylene Sulphide/PET OR Bobbin 6. Relevant PVC Cable	1.02 Meter per Meter content in export product 1.02 kg/kg content in export product Net to net 1.02 Meter per Meter content in export product
--	---	--	--

-:27:-

		7. a) PVC Sleeve b) Terminal OR Insulated Faston Terminals/ Fully vinyl Insulated Female disconnects 250 series 8. Electrical Insulating Paper/ Nomex Paper of relevant GSM	Net to net Net to net Net to net 1.02 kg/kg content in export product
--	--	---	--

			9. Housing 10. Varnish / Appoxy Resin/ Thinner/ Hardner	Net to net Cif value limited to 2% of FOB value
--	--	--	--	--

68.	864	<u>Engineering Product</u> Sl.No.C1711	The norm covered by this entry shall be substituted by the following:-
-----	-----	---	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
C1711	Plastic (Ethylene Copolymer) Clad/ Coated Tin free Steel Tapes for cable armouring containing 93% Tin free Steel and 7% Plastic	1 kg	1. Tin Free Steel /Wide Coils 2. Plastic (Ethylene Co-Polymer)	1.06 kg/kg content in the export product 1.05 kg/kg content in the export product

69.	869	<u>Engineering Product</u> Sl.No.C1736	The norm covered by this entry shall be deleted.
-----	-----	---	--

-:28:-

70.	869-870	<u>Engineering Product</u> Sl.No.C1742	The description of import item at Sl. Nos. 1,3,10, 11, 12, 13, 14 and 15 shall be amended
-----	---------	---	---

			(without any change in quantity) to read as under:- “1. Pump/Pump with motor 3. Level Gauge 10.Burner 11.Temperature Controller/ Temperature Indicator 12. Burner Rod Assembly 13. Gate/ Globe Valve 14. Straight way valve 15. Safety valve”
--	--	--	---

71.	876	<u>Engineering Product</u> Sl.No.C1757	The norm covered by this entry shall be substituted by the following:-
-----	-----	---	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
C1757	Dry Cell Batteries (Paper Polyester Jacket) Type D (R20)	1 No.	1. Zinc Ingot / Slab (Battery Grade) 2. Acetylene Black 3. E. Manganese Dioxide 4. Metal Top Cover 5. Metal Bottom Cover 6. Manganese Ore	1.035 kg/kg content in the export product 1.02 kg/kg content in the export product 1.02 kg/kg content in the export product 1.01 No./No. 1.01 No./No. 1.02 kg/kg content in the export product

-:29:-

7. PVC Heat Shrink Tube of relevant Dia	1.02 mtr./mtr. content in the export product
8. Kraft paper for Tube	1.05 kg/kg content in the export product
9. LDPE Granules	1.05 kg/kg content in the export product
10. Polyester labels in Rolls	1.02 Sq.mtr. / Sq.mtr. content in the export product
11. Nickel Plated Brass Caps	1.02 No./No. As per packing Policy
12. Cartons	As per packing Policy
13. Containers	Cif value limited to 2% of FOB value
14. Misc. items: Ammonium Chloride,	

-:30:-

72.	25 - 26	<u>Engineering Product</u> Sl.No.C1787 (notified vide Public Notice No.20 Dated:01/07/2002)	After import item at Sl. No. 9 the following additional imports items (with quantity) shall be added:- “10. Burner - No. 11. Purge Pump - 1 No. 12. Sight Glass - Net to Net 13. Sight Glass - Net to Net packing 14. Plug - Net to Net 15. Relay - Net to Net 16. Relay Base - Net to Net 17. Thermostat - 1 No. 18. Flow Switch - 1 No.”
73.	906	GENERAL NOTE FOR FOOD PRODUCTS	The General Note of Food Product at Sl. No. 2 shall be amended to read as under:- “Note 2. The import of Cloves, Cinnamon and Cassia under Advance licences shall be allowed for the export products as mentioned at Sl. Nos. E-54, E-55 and

			E-56 only. However, the import of Cloves under Advance licence shall also be allowed for export of Oleoresin Clove.”
--	--	--	--

74.	1039	<u>Plastic Products</u> Sl.No.H-432	The norm covered by this entry shall be substituted by the following:-
-----	------	--	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
H-432	Slitted PVDC Coated rigid PVC film/ Slitted Rigid PVC film	1 kg	1. Relevant PVDC coated rigid PVC Film Jumbo Rolls/Rigid PVC film Jumbo Rolls	1.03 kg

-:31:-

75.	1093	<u>Textile Products</u> Sl.No.J-142	The norms covered by this entry shall be substituted by the following:-
-----	------	--	---

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
J-142	Men's/Ladies Bib and Brace	1 No.	1. Relevant Fabric	1.92 Sq.mtr.

76.	1106-1107	<u>Textile Products</u> Sl.No.J-252	The description of export item shall be amended to read as under:- “Men's/Ladies Riding Breeches of Woven/Knitted Fabric with Full Seat of Artificial Leather cloth”
-----	-----------	--	---

--	--	--	--

77.	1127	<u>Miscellaneous Products</u> Sl.No.K-49	The description of import item at Sl.No. 2 (without any change in quantity) shall be amended to read as under:- “Mirror Backed Paint having solid content not more than 70% by weight”
-----	------	---	---

-:32:-

Annexure “B” to the
Public Notice No. 44
Dated: 18/10/2002

CHEMICALS AND ALLIED PRODUCTS

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
--------	-------------	------	-------------	--------------

A3035	Propyphenazone (Iso Propyl Antipyrine)	1 kg	1. Aniline Oil 2. Sodium Nitrite 3. Methyl Aceto Acetic Ester 4. Isopropyl Alcohol 5. Methylene Chloride 6. Acetone	1.316 Kg 1.105 kg 1.44 kg 1.48 kg 0.75 kg 1.53 kg
A3036	Sibutramine	1 kg	1. 1,3 Dibromo Propane 2. Isobutyl Bromide 3. Tetra Hydrofuran 4. Formamide	4.04 kg 2.88 kg 4.17 kg 1.49 kg
A3037	Combi Seals Nitrile Rubber Disc with Aluminium Seal	1 kg	1. Nitrile Rubber 2. Rubber Accelerator Alkyl Phenol Disulphide/ Dipenta Methylene Thivram Tetrasulfide 3. Zinc Oxide/ Magnesium Oxidse Light 4. Low Molecular Polyethylene	0.79 kg/kg of the Rubber Compound in export product 0.03 kg/kg of the Rubber Compound in export product 0.04 kg/kg of the Rubber Compound in export product 0.012 kg/kg of the Rubber Compound in export product

-:33:-

A3038	Methyl Phenidone (1 Phenyl-4- Methyl-3-	1 kg	1. Aniline 2. Sodium Nitrite	1.04 kg 0.83 kg
-------	---	------	---------------------------------	--------------------

	Pyrazolidinone)		3. Isopropyl Alcohol 4. Methyl Methacrylate	1.00 kg 1.00 kg
A3039	Alpha Methyl Ionone	1 kg	1. Citral (Min. Purity 95%) 2. Methyl Ethyl Ketone	1.300 kg 0.975 kg
A3040	Nizatidine USP	1 kg	1. 1,3 Dichloro Acetone 2. Cystamine Hcl 3. N,N-Dimethyl Amino Thio Acetamide Hcl OR (i) Sodium Cyanide (ii) Phosphorus Pentasulphide 4. 1-Methyl Amino-1-Methyl Thio-2-Nitro Ethane OR (i) Nitro Methane (ii) Potassium Hydroxide 5. Thionyl Chloride 6. Dimethyl Sulfoxide 7. Chloroform 8. Methanol/Ethyl Acetate 9. Acetone / Methyl Isobutyl Ketone 10. Isopropyl Alcohol	3.44 kg 2.00 kg 3.00 kg 2.17 kg 4.00 kg 0.96 kg 1.87 kg 1.91 kg 2.79 kg 7.00 kg 3.78 kg 3.20 kg 1.00 kg 2.16 kg
A3041	Methyl Syringate 94% (3, 5 Dimethoxy-4-Hydroxy Benzoic Acid Methyl Ester)	1 kg	1. Gallic Acid (on 100% basis)	1.203 kg

-:34:-

A3042	Dihydromyrcenol	1 kg	1. Alpha Pinene	2.451 kg
A3043	Cocodiethanolamide (91% minimum)	1 kg	1. Coconut Fatty Acid 2. Diethanolamine	0.660 kg 0.375 kg
A3044	Alpha Ionone	1 kg	1. Citral (Min. Purity 95%)	1.30 kg
A3045	Fabric Softner (2 Heptadecyl-1- Amido Ethyl Amino Ethyl-3- Imidazolinium Acetate) (20%)	1 kg	1. Stearic Acid 2. Acrylamide 3. DETA	0.130 kg 0.025 kg 0.031 kg
A3046	Para Chloro Benzophenone	1 kg	1. Benzoyl Chloride 2. Mono Chloro Benzene 3. Aluminium Chloride (Anhydrous) 4. Ethylene Dichloride (Dichloro Ethane) 5. Methyl Alcohol 6. Sodium Hydroxide (Flakes)	1.252 kg 1.053 kg 1.725 kg 4.840 kg 7.200 kg 2.000 kg
A3047	Solvent Green 7 (Dye content 77%)	1 kg	1. Pyrene (93%)	0.667 kg
A3048	Acid Black 107	1 kg	1. Beta Naphthol 2. Sodium Nitrite 3. 6 Nitro 1-Diazo-2 Naphthol-4- Sulphonic Acid 4. Picramic Acid	0.390 kg 0.108 kg 0.340 kg 0.164 kg

			5. 5-Nitro-2- Amino Phenol	0.110 kg
--	--	--	----------------------------	----------

-:35:-

A3049	Disperse Blue F2 GBL (condensed product of 1,8 Dihydroxy 4,5 Dinitro Anthraquinone & Aniline)	1 kg	6. 1,8 Dihydroxy- 4,5 Dinitro Anthraquinone	1.032 kg
A3050	Poly Vinyl Acetate Homopolymer Emulsion based Adhesive having solid Content 45+/-1% (Cement modifier / construction grade)	1 kg	1. Vinyl Acetate Monomer 2. Polyvinyl Alcohol	0.430 kg 0.0427 kg
Note: In case of variation of solid content in the export product, the quantities of items No. 1 & 2 may be worked out on pro-rata basis.				
A3051	Self Adhesive Tear tape/ Tear Off Ribbon width 1.00 mm – 9.00 mm minimum length 1000 meters	1 kg	1. MOPP/ BOPP Film 7. Acrylic Synthetic Emulsion/ Water Based Adhesive (Solid content 55% ± 10%) 8. Release Coat OR	0.830 kg 0.640 kg 0.016 kg

			1. Pancakes of Self Adhesive tear Tape/ Tear Off Ribbon (width range 25.1 mm – 1050 mm)	1.07 kg
			2. Relevant Bobbin	Net to net

-:36:-

A3052	Tetanus Antitoxin BP/3000 IU/1 ML in Ampoule	1,00,000 Ampoule	1. Tetanus Antitoxin 4000 IU / ML-5000 IU/ML 2. Glass Ampoules	115.253 Lit. 115,000 Nos.
A3053	SII Polyvalent Anti Snake Venom Serum (Lyophilised) Snake Venom Antisera with Sterile Water for Injection in 10 ML Vials	10,000 Vials	1. Pepsin1:10000 2. Glycine 3. Glass Vials 4. Rubber Stoppers 5. Aluminium Caps / Seals 6. Glass Ampoules	2.112 kgs 2.400 kgs 11500 Nos 11000 Nos 11000 Nos 11500 Nos
A3054	Rubella Vaccine Live BP/ Rubella Vaccine Live attenuated (Freeze-Dried) 10 Doses with SWFI	10 Lakhs Doses (1,00,000 Vials)	1. Minimum Essential Eedium (MEM) Powder with Hanks Salt, with L- Glutamine and	220.000 Ltrs.

	without Sodium Bicarbonate	
2.	Tissue Culture Flask with CAP	370 Nos.
3.	Foetal Calf Serum (Foetal Bovine Serum) Suitable for Cultivation of Human Deployed Cell Line free of Mycoplasma free of Bovine Viruses	8.000 Ltrs.
4.	Gelatine Food Grade	2.300 kgs
5.	Sorbitol Extra pure for Microbiology	4.600 kgs
6.	Plastic Roller Bottles	70 Nos

-:37:-

7.	Glass Vials	115,000 Nos
8.	Rubber Stopper	110,000 Nos
9.	Aluminium Caps/Seals	110,000 Nos
10.	Glass Ampoules	115,000 Nos
11.	Cold Chain Monitor Card	350 Nos

			12. L-Histadine Free base Cell Culture Tested 13. L-Alanine Cell Culture Tested 14. Tricine Cell Culture Tested 15. TC Lactalbumine Hydrolysate 16. L-Arginine Monohydrochloride 17. L-Glutamine 18. Trypsin (From Porcine Pancreas Gamma Irradiated)	0.252 kgs 0.120 kgs 0.360 kgs 0.420 kgs 0.300 kgs 0.017 kgs 0.003 kgs
A3055	Measless & Rubella Virus Vaccine Live USP (Lyophilised) 2 Doses with SWFI	10 Lakhs Doses (5,00,000 Vials)	1. Minimum Essential Eedium (MEM) Powder with Hanks Salt, with L- Glutamine and without Sodium Bicarbonate 2. Tissue Culture Flask with CAP 3. Foetal Calf Serum (Foetal Bovine Serum) Suitable for Cultivation of Human Deployed Cell Line free of Mycoplasma free of Bovine Viruses	1317 Ltrs. 2152 Nos. 46.9 Ltrs.

			4. Gelatine Food Grade 11.91 kgs 5. Sorbitol Extra pure for Microbiology 23.82 kgs 6. Plastic Roller Bottles 7. Glass Vials 538 Nos 8. Rubber Stopper 9. Aluminium 575000 Nos Caps/Seals 550000 Nos 10.Glass Ampoules 550000 Nos 11.Cold Chain Monitor Card 575000 Nos 12.L-Histadine Free base 385 Nos Cell Culture Tested 13.L-Alanine Cell 0.630 kgs Culture Tested 14.Tricine Cell Culture 0.300 kgs Tested 15.TC Lactalbumine 0.900 kgs Hydrolysate 16.L-Arginine 1.050 kgs Monohydrochloride 17.L-Glutamine 18.Trypsin (From 2.400 kgs Porcine Pancreas Gamma Irradiated) 0.038 kgs 0.006 kgs	
A3056	Trans-4-Amino- Cyclo Hexanol	1 kg	1. Paracetamol 1.87 kg 2. 5% Rhodium on Alumina 0.015 kg	

		3. Methylene Chloride	1.43 kg
		4. Isopropyl Alcohol	1.81 kg

-:39:-

A3057	Para Methoxy Salicylaldehyde or 4-Methoxy salicylaldehyde (2-Hydroxy 4-Methoxy Benzaldehyde)	1 kg	1. Resorcinol 2. Dimethyl Formamide 3. Phosphorous Oxychloride 4. Toluene 5. Soda Ash	1.574 kg 1.568 kg 2.500 kg 2.160 kg 6.065 kg
A3058	Rose Oxide	1 kg	1. Citronellol 2. Rose Bengal	3.454 kg 20 gm
A3059	Primary Reformation Catalyst 46-1 Containing Nickel Oxide $22 \pm 2\%$ MgO $18 \pm 2\%$	1 kg	1. Nickel Metal 2. Graphite 3. Cement Fondu 4. Magnesium Oxide, Heavy	0.17 kg 0.040 kg 0.374 kg 0.18 kg
A3060	Fluorescent Pigment Chrome (Amino Sulphonamide Matrix content 95%)	1 kg	1. Ortho-Para Toluene Sulphonamide/ Para-Toluene Sulphonamide (OTPT/PTS Amide) 2. Melamine 3. Para Formaldehyde 4. Optical Brightner 5. Basic Dyes 6. Solvent Dyes	0.710 kg 0.180 kg 0.220 kg 0.001 kg 0.006 kg

				0.027 kg
A3061	Fluorescent Pigment Blue (Amino Sulphonamide Matrix content 95%)	1 kg	1. Ortho-Para Toluene Sulphonamide/ Para-Toluene Sulphonamide (OTPT/PTS Amide) 2. Melamine 3. Para Formaldehyde 4. Optical Brightner 5. Basic Dyes	0.710 kg 0.180 kg 0.220 kg 0.001 kg 0.017 kg

-:40:-

A3062	Fluorescent Pigment Violet (Amino Sulphonamide Matrix content 95%)	1 kg	1. Ortho-Para Toluene Sulphonamide/ Para-Toluene Sulphonamide (OTPT/PTS Amide) 2. Melamine 3. Para Formaldehyde 4. Optical Brightner 5. Basic Dyes	0.710 kg 0.180 kg 0.220 kg 0.001 kg 0.041 kg
A3063	Drug & Cosmetic Grade Yellow No. 8 (Acid Yellow 73) (C.I. No. 45350) (Dye content : 85%)	1 kg	1. Resorcinol 2. Phthalic Anhydride 3. Caustic Potash 4. Methanol	0.821 kg 0.522 kg 0.683 kg 2.727 kg
A3064	Chocolate Brown HT	1 kg	1. Resorcinol	0.233 kg

	(Food Brown 3) (C.I. No. 10285) (Dye content 85%)		2. Sodium Naphthionate	0.829 kg
			3. Sodium Nitrite	0.235 kg
			4. Formic Acid	0.114 kg
			5. Soda Ash	0.525 kg

-:41:-

Annexure “C” to the
Public Notice No. 44
Dated: 18/10/2002

ENGINEERING PRODUCTS

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
--------	-------------	------	-------------	--------------

C1810	Scalpel (Surgical Blade with Plastic Handle & Cover)	1 No. (7.75 gms.)	1. Cold Rolled Bright Finish Surgical Stainless Steel Strips 2. Polypropylene / High Impact Polystyrene (HIPS)/Acrylonitril Butadiene Styrene (ABS) 3. Medical Paper	1.687 gms. 7.35 gms. As per Packing Policy
C1811	Harrow Disc Notched	1 kg	1. Alloy/Non Alloy Steel Billets	1.45 kg
C1812	Lacquered Tin Free Steel Sheet	1 kg	1. Tin Free Steel Sheet (Unlacquered)	0.994 kg
C1813	S.S. Perforated Apron for Tea Industry	1 kg	1. C.R. Stainless Steel Sheets/ Wide Coils (AISI 304)	1.10 kg
C1814	Embossed Sheets of Cold Rolled Non-Alloy Steel	1 kg	1. C.R. Non Alloy Steel Sheets/ Wide Coil Bright finish of relevant grade	1.02 kg

-:42:-

C1815	Wax Impregnated	1 kg	1. Low Ash Metallurgical	260 gms.
-------	-----------------	------	--------------------------	----------

	Carbon Electrodes for Dry Cell Battery containing Wax 8-12%		Coke 2. Amorphous Graphite 3. Pure white Paraffin Wax (Melting point 60-63C) 4. Coal Tar Pitch (V.M. 50%) 5. Natural Crystalline Graphite	(Inclusive of 5% wastage) 395 gms (Inclusive of 5% wastage) 105 gms (Inclusive of 5% wastage) 400 gms (Inclusive of 50% wastage) 85 gms (Inclusive of 5% wastage)
C1816	Lead Cored Wire from Lead Ingots	1 kg	1. Lead Ingots 2. CRCA Steel Strip	1.02 kg/kg content in export product 1.01 kg/kg content in export product
C1817	Aluminium Steam Sterilizer-Double Racks (pressure cooker type)	1 No.	1. Aluminium Circles, Commercial Grade	1.03 kg/kg content in the export product
C1818	Polyesterimide enameled copper wire/strip	1 kg	1. Copper wire Rod/ Cathode 2. Polyesterimide enamels	1.01 kg/kg content in the export product 1.01 kg/kg content in the export product

C1819	CNC Bushing C-1 ½ Type	1 No.	1. Alloy Steel Round / Bars	2 kg/kg content in the export product
C1820	Tapping Chucks WF 1 IKP	1 No.	1. Alloy Steel Round / Bars	2.82 kg/kg content in the export product
C1821	Adapter Housing WEN 120 B.60	1 No.	1. Alloy Steel Round / Bars	3.06 kg/kg content in the export product
C1822	Two cubic meter standard bucket Wheel loader	1 No.	1. Reversing Transmission 2. Control Valve (Hydraulic valve) 3. T.R. Bearing 4. Digital Hourmeter 5. Front Drive Rigid Axle 6. Rear Drive Rigid Axle	1 No. 1 No. 1 No. 1 No. 1 No. 1 No.
C1823	Hydraulic Excavator	1 No./	1. Control valve 2. Swing Bearing 3. Pilot Valve 4. FC Valve 5. Seal Group 6. Pump 7. TR Chain 8. Oil injecting motor 9. Coupling 10. Needle Bearing	1 No. 1 No. 3 Nos. 1 No. 2 Nos. 1 No. 2 Nos. Net to net Net to net Net to net

		11. Roller Bearing	Net to net
		12. Swing Motor	Net to net
		13. Loader Valve	Net to net
		14. Motor Assembly	Net to net
		15. Lever	Net to net
		16. Upper / Lover Rollers	Net to net

-:44:-

Annexure “D” to the
Public Notice No. 44
Dated: 18/10/2002

MISCELLANEOUS PRODUCTS

Sl. No.	Export Item	Qty.	Import Item	Qty. Allowed
K155	Sandal Wood Chips/ Powder	1 kg	1. HDPE / PP Granules 2. Relevant Card Board (other than Ivory Board and White Board)	1.05 kg/kg weight of relevant packing material Net +5% wastage