

(TO BE PUBLISHED IN THE GAZETTE OF INDIA EXTRAORDINARY
PART-1-SECTION-1)

GOVERNMENT OF INDIA
MINISTRY OF COMMERCE
PUBLIC NOTICE NO. 46 (RE-99)/1997-2002
NEW DELHI : DATED 03/01/2000.

Attention is invited to Paragraph 7.8 of the Export and Import Policy 1997-2002, as amended and Paragraphs 7.8 and 7.10 of the Handbook of Procedures, Vol.1, 1997-2002, as amended and also to the Handbook of Procedures, Vol.2, 1997-2002, as amended from time to time.

In exercise of the powers conferred under Paragraph 4.11 of the Export and Import Policy 1997-2002, as amended, the Director General of Foreign Trade hereby makes the following amendments/modifications and additions in the Handbook of Procedures, Vol.2, 1997-2002, as amended.

In the statement of Standard Input Output Norms as contained in the Handbook of Procedures, Vol.2, 1997-2002, as amended, amendments/corrections at appropriate places as mentioned in Annexure "A" to this Public Notice shall be made.

In the statement of Standard Input Output Norms, following additions shall be made at appropriate places as mentioned below:-

CHEMICALS AND ALLIED PRODUCTS

After the existing entry at Sl.No.A-2319, the new entries from Sl.No.A-2320 to A-2369 shall be added as per Annexure "B" to this Public Notice.

ENGINEERING PRODUCTS

After the existing entry at Sl.No.C-1479, the new entries from Sl.No.C-1480 to C-1486 shall be added as per Annexure "C" to this Public Notice.

MISCELLANEOUS PRODUCTS

After the existing entry at Sl.No.K-120, the new entry Sl.No.K-121 to K-124 shall be added as per Annexure "D" to this Public Notice.

TEXTILE PRODUCTS

In the statement of Standard Input Output Norms relating to Textile Products, amendments / additions shall be made at appropriate places as per Annexure "E" to this Public Notice.

This issues in Public interest.

(N.L. LAKHANPAL)

(ASHUTOSH MISHRA)

DY. DIRECTOR GENERAL OF FOREIGN TRADE
FOR DIRECTOR GENERAL OF FOREIGN TRADE

Annexure "A" to the

Public Notice No. 46

Dated: 03/01/2000

AMENDMENTS/CORRECTIONS

Sl.No.	Page No.	Reference	Amendments/Corrections
(1)	(2)	(3)	(4)
1.	54	Chemicals & Allied <u>Products</u> Sl.No.A316	The description of the export item shall be amended (without any change in the quantity) to read as under:- "Niacinamide/ Nicotinamide BP/USP"
2.	68	Chemicals & Allied <u>Products</u>	The norm covered by this entry shall be substituted by the following:-

		Sl.No.A425	
--	--	------------	--

Sl.No.	Item of Export	Qty.	Item of Import	Qty. Allowed
A425	Tolbutamide	1 kg	1. Para Toluene Sulphonamide 2. N-Butyl Amine	0.976 kg 0.358 kg
3.	68	Chemicals & Allied <u>Products</u> Sl.No.A426	The norm covered by this entry shall be deleted.	

4.	130	Chemicals & Allied <u>Products</u> Sl.No.A940	The description of the export item shall be amended to read as under:- "Solvent Blue 2B/ Solvent Blue 36(C.I.No. 61551)".	
----	-----	--	--	--

5.	173	Chemicals & Allied <u>Products</u> Sl.No.A1379	The norm covered by this entry shall be substituted by the following:-	
----	-----	---	--	--

Sl.No.	Item of Export	Qty.	Item of Import	Qty. Allowed
A1379	Light Liquid Paraffin BP/VSP	1 kg	1. HVI Base Oil 2. Isopropyl Alcohol	1.25kg/kg content in the export product 0.172 kg/kg content in the export product

6.	178	Chemicals & Allied <u>Products</u> Sl.No.A1452	The quantity of import item No. 3 shall be amended to read as under :- "Acetic Acid - 0.657 Kg."
----	-----	--	---

7.	192	Chemicals & Allied <u>Products</u> Sl.No.A1567	The norm covered by this entry shall be substituted by the following:-
----	-----	--	--

Sl.No.	Item of Export	Qty.	Item of Import	Qty. Allowed
A1567	M.G. Poster Paper /MG Tissue Paper	1 MT	1. Waste Paper 2. Gum Rosin	0.709 MT 0.019 MT

8.	220	Chemicals & Allied <u>Products</u> Sl.No.A1708	The import item namely "Nitrile Rubber (NBR)" in the Sl. No. 2 shall be deleted.
----	-----	--	--

9.	246	Chemicals & Allied <u>Products</u> Sl.No.A1820	The description of the export item shall be amended to read as under:- "Polychloroprene Based Adhesives (Solid content 23% $\pm$ 1%)".
----	-----	--	---

10.	268	Chemicals & Allied <u>Products</u> Sl.No.A1997	Norm covered by this entry shall be substituted by the following:-
-----	-----	--	--

--	--	--	--	--

Sl.No.	Item of Export	Qty.	Item of Import	Qty. Allowed
A1997	Atrazine 97% Tech.	1 kg	1. Cyanuric Chloride 2. Isopropyl Amine (70%) 3. Monoethyl Amine (70%) 4. Toluene 5. Caustic Soda (100% basis)	0.883 kg 0.404 kg 0.308 kg 0.240 kg 0.371 kg

11	271	Chemicals & Allied Products Sl.No.A2016	Norm covered by this entry shall be substituted by the following:-
----	-----	--	--

Sl.No.	Item of Export	Qty.	Item of Import	Qty. Allowed
A2016	Ceftriaxone Sodium Sterile	1 kg	1. 7-ACA 2. 2.5 Dihydro-2-Methyl-3-Mercapto -5-Oxo-6-hydroxy- 1,2,4, Triazine(TAA) 3. BF Gas 4. Mercapto Benzo Thiazole 4-4-Y1 2(2-Amino Thiazolyl Methoxy Imino Acetate (MAEM)	0.668 kg 0.36 kg 0.611 kg 0.81 kg 0.514 kg

			5. Triethyl Amine	0.60 kg
			6. Acetonitrile	7.34 kg
			7. Methylene Chloride	13.99 kg
			8. Acetone	

12.	273	Chemicals & Allied Products Sl.No.A2027	Norm covered by this entry shall be substituted by the following:-
-----	-----	--	--

Sl.No.	Item of Export	Qty.	Item of Import	Qty. Allowed
A2027	Gefotaxime Sodium Sterile	1 kg	1. 7-ACA 2. Mercapto Benzo Thiazole-4-YL-2 (2-Amino Thiazolyl) Methoxy Imino Acetate (MAEM) OR	0.741 kg 1.025 kg
			(i) Ethyl Aceto Acetate ii. Potassium Carbonate iii. Bromine iv. Triphenyl Phosphine v. Vulkacit Acid 1. Methylene Chloride	0.965 kg 1.49 kg 0.76 kg 1.23 kg 1.49 kg 5.20 kg

			2. Isopropyl Alcohol	4.68 kg
			3. Acetone	
			4. Methanol	1.51 kg
			5. Formic Acid	
			6. Triethyl Amine	5.23 kg
			7. Ethyl Hexanate/2-Ethyl Hexanic	1.19 kg
				0.41 kg
				0.40 kg

13.	274	Chemicals & Allied Products SI.No.A2033	After import item No. 5 the following item with quantity shall be added :- "6. N-Propanol - 6.766 Kgs."
-----	-----	--	--

14.	19	Chemicals & Allied Products SI.No.A2144 (Introduced vide Public Notice No.52 dated: 5.11.98)	The description of import item No. 4 shall be amended to read as "Gum Rosin instead of Resin"
-----	----	---	---

15.	19	Chemicals & Allied Products SI.No.A2146 (Introduced vide Public Notice No. 52 dated: 5.11.98)	After import item No. 4, the following item with quantity shall be added :- "5. Gum Rosin - 0.238 kg"
16.	25	Chemicals & Allied Products	The description of import item No. 4 shall be amended to read as "1-Phenyl 3 Methyl 5 Pyrazolone instead of Aceto Acet Ortho Anisidide"

		Sl.No.A2193 (Introduced vide Public Notice No.3 dated: 5.4.99)	
17.	30	Chemicals & Allied <u>Products</u> Sl.No.A2218 (Introduced vide Public Notice No.3 dated 5.4.99)	The quantity of import item No. 10 and description of export Item No. 13 shall be amended to read as :- 10. "0.642 kg instead of 0.042 Kg." 13. " Di Isopropyl Ether instead of Di Isopropyl Ester"
18.	14	Chemicals & Allied <u>Products</u> Sl.No.A2262 (Introduced vide Public Notice No.26 dated 4.8.99)	The description of export item shall be amended to read as:- "Pigment Red 57:1 (Rosinated containing 92% Pigment)"
19.	16	Chemicals & Allied <u>Products</u> Sl.No.A2273 (Introduced vide Public Notice No.26 dated 4.8.99)	<i>Corrigendum</i> The description of import item No. 1 shall be corrected to read as:- "Diphenylphosphonate (DPP) instead of Diphenylphosphonate(DPP)"
20.	373	Engineering <u>Products</u> Sl.Nos. C12	The description of export item shall be amended to read as "Aluminium Foil commercial grade embossed cut to shape, preformed coated printed or other re-inforcing material" without any change in the quantity.
21.	428 & 429	Engineering <u>Products</u> Sl.Nos. C279, C280, C281 & 282	After import item No. 9 in the Norms covered by these entries, the following items with quantity shall be added:-

Sl.No.	Item of Export	Qty.	Item of Import	Qty. Allowed
C279	Single phase shell construction motors with aluminium or cast iron or sheet metal end covers - 0 watts to 90 watts OR Single phase shell construction motors with aluminium or cast iron or sheet metal end covers - 0 watts to 90 watts under SKD condition	1 No.	"10. Strain relief bush 11. Pull chain switch with chord 12. Aluminium alloy 13. Lead wire 14.Power supply chord 15. CRCA steel for end shields, mounting base, Lugs & pads 16.Open circuit switch 17.Centrifugal gear 18.Terminal/Crimp cap	1.00 No. 0. No. 0.50 kgs 1.175 Mtrs 2.00 Nos. 1.50 Kgs.. 1.00 No. 1.00 No. 3 Nos. Or 4 Nos. (as per requirement: quantity to be accounted for in the export product)
			19.Quick connect/disconnect terminals/ receptacles and tabs with/ without insulation	3 or 4 sets (as per require-ment quantity to be accounted for in the export product)

			20. Plastic film for labels/name plates 21. Transfer ribbon for labels/name plates"	10 grams 8 sq. inches
C280	Single phase shell construction motors with aluminium or cast iron or sheet metal end covers - 91 watts to 180 watts OR Single phase shell construction motors with aluminium or cast iron or sheet metal end covers - 91 watts to 180 watts under SKD condition	1 No.	"10. Strain relief bush 11. Pull chain switch with chord 12. Aluminium alloy 13. Lead wire 14. Power supply chord 15. CRCA steel for end shields, mounting base, Lugs & pads 16. Open circuit switch 17. Centrifugal gear 18. Terminal/Crimp cap	0. No. 1.00 No. 0.50 kgs 1.175 Mtrs 2.00 Nos. 1.50 Kgs.. 1.00 No. 1.00 No. 3 Nos. Or 4 Nos. (as per requirement: quantity to be accounted for in the export product)

			19.Quick connect/disconnect terminals/receptacles and tabs with/ without insulation 20.Plastic film for labels/name plates 21.Transfer ribbon for labels/name plates"	3 or 4 sets (as per require-ment quantity to be accounted for in the export product) 10 grams 8 sq.inches
C281	Single phase shell construction motors with aluminium or cast iron or sheet metal end covers - 181 watts to 750 watts OR Single phase shell construction motors with aluminium or cast iron or sheet metal end covers - 181 watts to 750 watts under SKD	1 No.	"10. Strain relief bush 11. Pull chain switch with chord 12. Aluminium alloy 13. Lead wire 14.Power supply chord 15. CRCA steel for end shields, mounting base, Lugs & pads	1.00 No. 1.00 No. 0.50 kgs 1.175 Mtrs 2.00 Nos. 1.50 Kgs.. 1.00 No.

	condition		16.Open circuit switch 17.Centrifugal gear 18.Terminal/Crimp cap 19.Quick connect/disconnect terminals/receptacles and tabs with/ without insulation 20.Plastic film for labels/name plates 21.Transfer ribbon for labels/name plates"	1.00 No. 3 Nos. Or 4 Nos. (as per requirement: quantity to be accounted for in the export product) 3 or 4 sets as per require-ment quantity to be accounted for in the export product) 10 grams 8 sq.inches
C282	Single phase shell construction motors with aluminium or	1 No.	"10. Strain relief bush	1.00 No. 1.00 No.

cast iron or sheet
metal end covers -
751 watts and above

OR

Single phase shell
construction motors
with aluminium or
cast iron or sheet
metal end covers -
751 watts and above
under SKD condition

11. Pull chain
switch with chord

0.50 kgs

12. Aluminium
alloy

1.175 Mtrs

13. Lead wire

2.00 Nos.

14. Power supply
chord

1.50 Kgs..

15. CRCA steel for
end shields,
mounting base,
Lugs & pads

1.00 No.

16. Open circuit
switch

1.00 No.

3 Nos. Or

17. Centrifugal gear

4 Nos. (as per
requirement:
quantity to be
accounted for in
the export
product)

18. Terminal/Crimp
cap

3 or 4 sets (as per
requirement
quantity to be
accounted for in
the export
product)

19. Quick connect/
disconnect
terminals/
receptacles and
tabs with/ without
insulation

10 grams

			20.Plastic film for labels/name plates	8 sq.inches
			21.Transfer ribbon for labels/name plates"	

22.	452	Engineering <u>Products</u> Sl.No. C367	The quantity of the import item shall be amended as "1.20 Kg/kg of the net content in export Product instead of 1.10 Kg/kg of the net content in export Product".
-----	-----	--	---

23.	465	Engineering <u>Products</u> Sl.No. C428	The quantity of the import item shall be amended as 1.25 kg instead of 1.15 kg.
-----	-----	--	---

24.	465	Engineering <u>Products</u> Sl.No. C429	The quantity of the import item shall be amended as 1.25 kg instead of 1.15 kg.
-----	-----	--	---

25.	492	Engineering <u>Products</u> Sl.No. C498	Norm covered by this entry shall be substituted by the following:-
-----	-----	--	--

Sl.No.	Item of Export	Qty.	Item of Import	Qty. Allowed
C498	Iron Ore Pellets (from Haematite Ore))	1000 kgs.	1. Iron Ore Fines 2. Lime stone/ Dolomite	1000 kg. 29 kg.

			3. Bentonite	
			4. Chromium based grinding media having 10-18% chromium content in the steel balls of different diameters	5 kg. 0.4 kg. 37 kg.
			5. Furnace Oil	0.0017 kg.
			6. Flocculent	

26.	516	Engineering Products Sl.No. C527	1. In the description of the resultant product the words "(from Wire Rod)" shall be deleted. 1. The existing import item No. 1 alongwith its quantity shall be substituted by following:- "1. (a) Stainless Steel wire - 1060 kgs Rod OR (b) Stainless Steel will - 1020 kgs of 1.2mm and above for redrawing of thinner wire
			The existing import item No.7 alongwith its quantity shall be substituted by following :- "7(a) Used/New Plastics - 300Nos

			Bobbins/Spools OR (b) ABS/Polystrene for - 1.05 Kg/kg making Plastics content Bobbins/Spools of Plastic Bobbins/ Spools in the export product The existing note below the standard norms C-527 shall be numbered as "NOTE No.(1). and thereafter the following shall be added "(2) The import item 1 (b) shall be permitted for import only if the product to be exported is of dia 1 mm and below".

27.	525	Engineering <u>Products</u> Sl.No. C589	Norm covered by this entry shall be substituted by the following:-
-----	-----	---	--

Sl.No.	Item of Export	Qty.	Item of Import	Qty. Allowed
C589	Cabinet made of CRCA	1 kg	1. Mild Steel CRCA Sheets/ cuttings/ defective/ secondary coils/	1.05 kg/kg content in the export product.

			2. 6 Leverlock with dead locking Mechanism (relevant) 3. Round Spindle Handle (relevant) 4. 3 Ply Carton	1 No. (net to net) 1 No. (net to net) (as per packing policy)
--	--	--	--	---

28.	530	Engineering <u>Products</u> Sl.No.C-635	The description and quantity of import item No. 1 shall be amended as follows:- 1. The word "OR" shall be deleted. 2. The following quantity shall be permitted for import against import item No. 1:- 1. Pig Iron - 0.96 MT 2. Steel Scrap - 0.24 MT
-----	-----	--	---

29.	609	Engineering <u>Products</u> Sl.No. C1058	The Norm covered by this entry shall be substituted by the following:-
-----	-----	---	--

Sl.No.	Item of Export	Qty.	Item of Import	Qty. Allowed
C1058	Lead Acid Battery	1 kg	1. a) Pure Lead	1.02 Kg/kg content in the export product

			b) Antimony OR c) Antimonial Lead Alloy 2. Battery Separators OR Roll of Battery Separators OR	1.02 Kg/kg content in the export product 1.02 Kg/kg content in the export product Net to Net 1.05 Sq.Mtr/ Sq.Mtr. content in the export product
			a. Synthetic Pulp Porous Paper Sheet b. Acid Reistent Glass Mat Sheet	1.14 Kg/kg content in the export product 1.14 Kg/kg content in the export product

c. Nitrile Rubber Based Glue	1.14 Kg/kg content in the export product
1. Tubular Bags	Net to Net
2. Relevant Battery Cell Container and Lids/Relevant Battery Container and Lids	Net to Net
OR	
Polypropylene Granules	1.05 Kg/kg content in the export product
	Net to Net
3. Battery Vent Plugs	Net to Net
4. Polarity Indicator Rings	
	Net to Net
5. Rubber Grommet	Net To Net
6. Electrolytic Copper	
7. Pure Tin	1.02 Kg/kg content in the export product

			10. Lignin	1.02 Kg/kg content in the export product
--	--	--	------------	---

30.	649	Engineering <u>Products</u> Sl.No.C-1218	The description of the import Item No. 1 shall be amended as "Lamp Black/ Thermal Black" instead of "Lamp Block/Thermal Block".
-----	-----	---	---

--	--	--	--

31.

Sl.No.	Item of Export	Qty.	Item of Import	Qty. Allowed
C1265	Stud	1 kg	1. MS/ Alloy Steel/ Bars/ Rods	1.15 kg.

32.	29	Engineering <u>Products</u> Sl.No.C1467 (Introduced vide Public Notice No.26 dated 4.8.99)	The description of the export item shall be amended to read as under:- "Brake Drum made of Alloy Cast Iron (Rough Castings)".
-----	----	--	--

"Note:- In the case of Machined Castings the above quantities of import items at each Sl.No. 1 to 5 are to be multiplied by factors as given below:-

a) Less than 10 kg/piece - 1.36

b) 10 kgs. to 100 kgs/piece - 1.25"

33.	724	<u>Handicrafts</u>	The description of the import item No.1 & 2
-----	-----	--------------------	---

		Sl.No.F7	shall be amended to read as:- "Relevant Wood"
34.	830	<u>Plastic Products</u> Sl.No.H194	The norm covered by this entry shall be substituted by the following:-

Sl.No.	Item of Export	Qty.	Item of Import	Qty. Allowed
H194	Plastic shaving/ household Brushes	1 kg	1. Relevant Nylon/ PP/ PVC Mono filament Bristles 2. Relevant Polymers like ABS/ Granules/ PP Granules/ HIPS Granules 3. Relevant Dyes	1.05 kg/kg content of the relevant items in the export product 1.05 kg/kg content of the relevant items in the export product Upto 1% weight of Polymer content at 1 above

35.	951	<u>Miscellaneous Products</u> Sl.No.K74	1. The following may be added after import item No.2: "OR 2. White prepared pigments -10 Kgs." 2. The following shall be added at the end of the Note:-
-----	-----	--	--

			"and import of white prepared pigments shall be allowed only in the case of export of sanitary ware (white)".
--	--	--	---

Annexure "B" to the

Public Notice No. 46

Dated: 03/01/2000

CHEMICALS AND ALLIED PRODUCTS

Sl.No.	Item of Export	Qty.	Item of Import	Qty. Allowed
A2320	Cinnamic Aldehyde	1 kg	1. Benzaldehyde	0.908 kg
A2321	Allopurinol	1 kg	1. Cyano Acetamide 2. Triethyl Ortho-formate 3. Formamide	1.50 kg 3.17 kg 1.50 kg
A2322	Low Active manesia types Catalyst (Nickel impregnated an Magnesia support Nickel content 6 +/- 1% Bulk	1 Cubic meter	1. Nickel Metal 2. Magnesium Oxide 3. Alumina Powder	71.14 kg 920.00 kg 27.80 kg 41.00 kg

	density = 0.95 to 1.15 kg / Litre		4. Methyl hydroxy Ethyl Cellulose	
A2323	FCMIC Chloride	1 kg	1. 2-Fluoro-6-Chloro Benzalde-hyde 2. Hydroxyl amine Sulphate 3. Methyl Aceto Acetate 4. Chloroform 5. Sodium Hydroxide	1.141 kg 0.760 kg 1.090 kg 1.345 kg 1.076 kg
A2324	Aseptic Packaging aluminium Foil of Thickness less than 0.2 mm backed by paper & LDPE	1 MT	1. Relevant Duplex Paper Board/ Bleached Paper Board 2. Aluminium Foil 3. LDPE Granules	1.10 MT/MT content in the export product 1.10 MT/MT content in the export product

			4. LLDPE Granules OR HDPE Granules 5. Ethylene Acrylic Acid Co-polymer Granules 6. Polypropylene Strips (1"width)	1.12 MT/MT content in the export product 1.12 MT/MT content in the export product 1.10 MT/MT content in the export product
				8 kg
A2325	Alpha Cypermethrin Tech. 97%	1 kg	1. A(i) D.V. Ester (ii) Thionyl Chloride (iii)Caustic Soda Flakes OR B(i) DV Acid	0.655 kg 0.365 kg 0.233 kg 0.595 kg

			Chloride	0.111 kg
			(ii) Caustic Soda Flakes	
			OR	0.482 kg
			C(i) T-Butanol	0.393 kg
			(ii) Acrylonitrile	
			(iii) Acetonitrile	0.116 kg
			(iv) Tri Ethyl Amine	0.320 kg
				1.144 kg
			v. Carbon Tetra Chloride	
			vi. Thionyl Chloride	1.110 kg
			vii. Dimethyl Formamide	0.048 kg
			viii. Caustic Soda Flakes	2.052 kg
			ix. Hexane	1.707 Litre
			1. Meta Phenoxy Benzaldehyde	0.542 kg
			OR	
			2(i) Benzaldehyde	0.433 kg
			(ii) Liquid Bromine	0.330 kg
			(iii) Mono Ethylene	0.222 kg

			Glycol (iv) Phenol v. Potassium Hydroxide vi. Aluminium Chloride 1. Tetra Butyl Ammonium Bromide 2. Sodium Cyanide 3. Hexane 4. Tri Ethyl Amine 5. Caustic Soda Flakes	0.325 kg 0.230 kg 0.542 kg 0.0044 kg 0.122 kg 0.375 kg 0.400 kg 0.816 kg
A2326	Activated Nickel hydroxide (Mass) Powder (Containing min. 95% Nickel Hydroxide Powder)	1 kg	1. Nickel Hydroxide Powder	0.98 kg
A2327	Activated Cadmium hydroxide (Mass) Powder (Containing min. 80% Cadmium oxide Powder)	1 kg	1. Cadmium Oxide Powder 2. Graphite Flakes/ Powder	0.823 kg 0.204 kg
A2328	Double Perforated Steel strip (below 40 mm)	1 kg	1. Cold Rolled Steel Strip	1.05 kg

A2329	Ethion Tech. 50% EC (W/V)	1 Ltr.	1. Ethion Tech. 92% 2. Emulsifier (An-Ionic & Non Ionic) Stansurf-4466) 3. Solvent C-9	0.5434 kg. 0.060 kg 0.396 kg
A2330	Cefuroxime Axetil Crystalline	1 kg	1. Cefuroxime Acid 2. Acetyl Bromide 3. N N Dimethyl Acetamide 4. Ethyl Acetate 5. Activated Carbon	1.00 kg 0.598 kg 80. kg 4.21 kg 0.05 kg
A2331	Cefuroxime Axetil Amourphous	1 kg	1. Cefuroxime Acid 2. Acetyl Bromide 3. N N Dimethyl Acetamide 4. Ethyl Acetate 5. Acetone 6. Activated Carbon	1.187 kg 0.71 kg 3.33 kg 0. kg 497. kg 0.05 kg
A2332	Frambinon 4- (4- hydroxyphenyl) -2- butanone	1 kg	1. Acetone 2. Formaldehyde 3. Phenol 4. Toluene	0.176 kg 0.306 kg 0.715 kg 0.691 kg

A2333	1-Hydroxy Ethylidene Diphosphonic Acid Disodium Salt 95% (Maxinol DS)	1 kg	1. Yellow Phosphorous	0.260 kg
A2334	Nickel Based Catalyst on Magnesia Support (nickel oxide content 6.6%)	1 MT	1. Nickel Metal 2. Magnesia support	50 kg 953 kg
A2335	Benzyl Benzoate	1 kg	1. Benzyl Chloride 2. Sodium Benzonate	0.663 kg 0.755 kg
A2336	Oxydemeton Methyl Tech. 50%	1 kg	1. Mixed Xylene/ Methyl Iso Butyl Ketone OR Mono Chloro Benzene	0.511 kg
A2337	Plaster of Paris (Dental Grade)	1 kg	1. Hydrocol Cement	0.975 kg
A2338	Loratadine	1 kg	1. 3-Chlorobenzyl Chloride 2. Ethyl Nicotinate 3. N-methyl-4-Chloro Piperidine 4. N, N - Dimethyl Carbonyl Chloride	10.035 kg 10.035 kg 844. kg 0. kg

			5. N, N - Di-isopropyl Amine 6. Acetonitrile 7. Tetra Hydrofuran 8. Methylene Chloride	0.50 kg 16.50 kg 22.00 kg 22.00 kg
A2339	Patent Blue V-C I No. 42051 (Dye content 85%)	1 kg	1. Meta Hydroxy Benzaldehyde	0.272 kg
A2340	Acid Black 194-145% (100% Dye content)	1 kg	1. 6, Nitro - 1 - Diazo - 2 Naphthol - 4 - Sulfonic Acid OR a. Beta Naphthol b. Sodium Nitrite 2. Beta Naphthol	0.641 kg 0.448 kg 0.410 kg 0.313 kg
A2341	Cobalt Silicate (Containing: Cobaltic oxide 67%)	1 kg	1. Cobalt oxide (Cobaltic Oxide)	0.691 kg
A2342	Praseodymium Yellow (Containing : Zirconium Oxide 60% praseodymium Oxide 5%)	1 kg	1. Zirconium Oxide 2. Praseodymium Oxide	0.620 kg 0.052 kg

A2343	Red Brown (Containing : Chromium Oxide 39%)	1 kg	1. Chromium Oxide	0.400 kg
A2344	Chrome Green (Containing: Chromium Oxide 92%)	1 kg	1. Chromium Oxide	0.948 kg
A2345	Parrot Green (Containing: Zirconium Oxide 67%, Praseodymium Oxide 5%)	1 kg	1. Zirconium Oxide 2. Praseodymium Oxide 3. Ammonium Meta Vanadate	0.691 kg 0.052 kg 0.032 kg
A2346	Zirconium Grey (Dark Grey) (Containing: Zirconium Oxide 62%)	1 kg	1. Zirconium Oxide 2. Ammonium Meta Vanadate	0.640 kg 0.080 kg
A2347	Cobalt Blue (Containing: Cobaltic Oxide 67%)	1 kg	1. Cobalt Oxide (Cobaltic Oxide)	0.691 kg
A2348	Coral Pink (Containing: Zirconium Oxide 58%)	1 kg	1. Zirconium Oxide	0.600 kg
A2349	Mustard Yellow (Containing: Stannic Oxide 86%, Antimony Trioxide 9%)	1 kg	1. Stannic Oxide (Tin Oxide) 2. Antimony Trioxide	0.887 kg 0.093 kg

A2350	Vanadium Blue (Containing: Zirconium Oxide 63%)	1 kg	1. Zirconium Oxide 2. Ammonium Meta Vanadate	0.650 kg 0.080 kg
A2351	Burgundy (Containing: Stannic Oxide 62%, Chromium Oxide 9%)	1 kg	1. Stannic Oxide (Tin Oxide) 2. Chromium Oxide	0.640 kg 0.093 kg
A2352	Zirconium Yellow (Containing: Zirconium Oxide 58%)	1 kg	1. Zirconium Oxide (Tin Oxide) 2. Ammonium Meta Vanadate	0.600 kg 0.095 kg
A2353	Jade Green (Containing: Zirconium Oxide 62%, Praseodymium Oxide 5%)	1 kg	1. Zirconium Oxide 2. Praseodymium Oxide 3. Ammonium Meta Vanadate	0.640 kg 0.050 kg 0.040 kg
A2354	Ivory (Containing: Zirconium Oxide 60%, Praseodymium Oxide 4.5%)	1 kg	1. Zirconium Oxide 2. Praseodymium Oxide 3. Ammonium Meta Vanadate	0.620 kg 0.045 kg 0.022 kg
A2355	Sodium Lauryl Ether Sulphate (active matter 69% minimum)	1 kgm	1. Lauryl alcohol 2. Sulphur	0.366 kg 0.060 kg 0.075 kg

			3. Caustic Soda Flakes	
A2356	Cocomonoetharo- lamide 4 mole Ethoxylate	1 kg	1. Coconut fatty Acid 2. Monoethenolamine	0.505 kg 0.146 kg
A2357	Cobalt Chloride Hexa Hydrate	1 kg	1. Broken Cobalt Metal Electrodes	0.262 kg/kg
A2358	Cobalt Oxide	1 kg	1. Broken Cobalt Metal Electrodes	0.789 kg/kg
A2359	Formo Sulphathiazole	1 kg	1. Sulpha thiazole 2. Isopropyl Alcohol	0. kg 0.25 kg
A2360	Poly Vinyl Formal Resin	1 kg	1. Vinyl Acetate Monomer 1. Paraformaldehyde 2. Poly Vinyl Alcohol	1.690 kg 0.462 kg 0.100 kg
A2361	Reinforced Steel wire - braided Rubber Hose containing Minimum 35% relevant Synthetic rubber in the Rubber compound	1 kg	1. Hose Reinforcement Steel wire. (Brass Plated of relevant thickness) 2. Relevant Textile Yarn (Cotton, Polyester, Rayon)	1.05 kg/kg content in the export product 1.05 kg/kg content in the export product

			3. Input for 1 kg Rubber compound in the export product	
			i. Relevant Synthetic Rubber (Polychloroprene Rubber/ NBR/ EPDM/ SBR)	0.37 kg
			ii. Carbon Black	0.47 kg
			iii. Plasticiser/ Oil (Thiokol)	0.055 kg
			iv. Rubber Chemicals (Accelerators, Antioxidants, Retarders, Bonding Agents, Peptizers, Sulphur, Wax, Resins, Magnesium oxide, Dispersing Agents, Precipitated Silica)	0.030 kg
			v. Filler (China Clay)	0.105 kg
Note: (1) Relevant Item No.2 above is to be allowed if hose is impregnated with relevant textile cover (2) Under S.No. 3(i) NBR is to be allowed only if the hose is oil resistant. (3) Under import of item at S.No.3(iv), the quantity of Antioxidants shall not exceed 0.015 kg and the value of total rubber chemicals shall not exceed 7% of f.o.b. value of export				

A2362	3, 4 - Dichloro Aniline	1 kg	1. Para Nitro Chloro Benzene	1.350 kg
A2363	Acid Black 194-160% (69% Dye-content)	1 kg	1. Beta Naphthol 2. Sodium Nitrite 3. Twitchell Oil	0.510 kg 0.280 kg 0.020 kg
A2364	Acid Black 194-115% (49% Dye content)	1 kg	1. Beta Naphthol 2. Sodium Nitrite 3. Twitchell Oil	0.371 kg 0.203 kg 0.020 kg
A2365	Acid Black 194-215% (100% Dye content)	1 kg	1. 6 Nitro 1 Diazo Naphthol 4 Sulfonic acid (OR) a. Beta Naphthol b. Sodium Nitrite 1. Beta Naphthol	0.641 kg 0.448 kg 0.410 kg 0.313 kg
A2366	Benzalpthalide	1 kg	1. Phenyl acetic acid 2. Phthalic anhydride	0.681 kg 0.740 kg
A2367	Synthetic Resin Master Batch containing 60% propylene (Homo Polymer) and 40%	1 kg	1. Polypropylene (Homo polymer film grade) 2. Synthetic Resin (Arkon P-140)	0.624 kg 0.416 kg

	Synthetic Resin (Arkon P-140)			
A2368	Paper Cones made of relevant paper board	1 kg	1. Relevant Kraft/Grey Paper Board (180 GSM to 310 GSM)	1.39 kg
A2369	Multilayer Foiless Plastic Laminated tubes with or without Caps (5 ply Printed)	1 kg	1. LDPE Granules 2. LLDPE Granules 3. Polyester Film 4. Master Batch (70% Titanium Di-Oxide)	1.17 kg/kg content in the export product 1.17 kg/kg content in the export product 1.12 kg/kg content in the export product 1.12% of weight of LDPE Granules in the export product 0.5% of weight of LDPE/

			5. U.V. Ink	LLDPE in the export product
			6. 6.U.V. Varnish	0.3%of weight of LDPE/LLDPE in the export product
			7. HDPE Granules (for Shoulder of tubes)	1.05 Kg/Kg content in the export product
			8. Polypropylene Granules (for caps)	1.05 Kg/Kg content in the export product

ENGINEERING PRODUCTS

Sl.No.	Item of Export	Qty.	Item of Import	Qty. Allowed
C1480	Washing Machine (Semi Automatic)	1 No.	1. Washer - P	Net to Net
			2. Belt. V	Net to Net
			3. Door SW ASM	Net to Net
			4. Buzzer ASM	Net to Net
			5. Capacitor	Net to Net
			6. Gear Case Assembly	Net to Net
			7. Plunger Valve Strap	Net to Net
			8. Timers	Net to Net
			9. Block Brake	Net to Net
			10. Motors (Relevant)	Net to Net
			11. P.V. Bellow	Net to Net
			12. Net	Net to Net
			13. Bellows ASM	Net to Net
			14. Power Cord	7.233 Kgs
			15. Adapter	0.2 Kgs

			16. Polypropylene Resin	
			17. Resin ABS	
C1481	Battery type NCSP-B-40600D (Nickel Cadmium batteries) 24 Volts, 40 AH.	1 No	1. Nickel Fibremat Fibrex OR Nickel Powder 2. Nylon moulding granules/powder 3. Nonwoven Separator (Viledon) FS 2115 4. Nickel Powder type 255/287/210 5. Celgard 3400 film 6. Battery connector 7. Metregrip 303 LV epoxy adhesive activator 8. Metregrip 303 LV Epoxy Adhesive base.	40.00 sq. ft. 4.48 kgs 4.10 kgs 18.00 sq.mtr 4.00 kgs 16.00 sq.mtr 1 No. 0.50 Ltrs 0.50 Ltrs

C1482	Pneumatic Demolition Tool	1 No.	1. Valve Assembly & Case 2. Valve Case Cover 3. Valve 4. Valve Case Spacer 5. Retainer latch 6. Bushing Latch 7. Back Head Complete 8. Throttle Lever 9. Front Head 10.Front Head Spring 11.Fron Head Bolt 12.Retainer Latch Pin (outer) 13.Air Inlet Nut 14.Anvil Block 15.Anvil Block Bushing 16.Piston 17.Back Head Bolt	One No. each on net to net basis
			18.Air Inlet Swivel	
			19.Cyliner	

			20.Retainer Latch Pin (inner)	
Not:- The firm shall account for each of the above input in the export product.				
C1483	Pneumatic Chipper-1"to Cylinder	Tools 4"	1No.	1. Throttle Valve 2. Throttle Valve Tube 3. Bushing- Permanent 4. Throttle Lever 5. Handle 6. Upper Valve case Lid 7. Valve Case 8. Piston 9. Cylinder 10. Retainer 11. Bushing-Round/ Hex 12. Collar Lock 13. Exhaust Shield One No. each on net to net basis.
Not:- The firm shall account for each of the above input in the export product.				

C1484	ALPVCP VCSWP VC (1.1kv)	3x 240 Sq. mm	1. Al. Ingot/Rod 2. PVC Resin 3. DIDP	2.024Kg. per m 1.053Kg.per m .3786 Kg.per m
C1485	ALPVCSWPVC (1.1kv)	1x 150 Sq. mm	1. Al. Ingot/Rod 2. PVC Resin 3. DIDP	0.426 Kg.per m 0.215 Kg.per m .0774 Kg.per m
C1486	ALPVCPVCSWPVC (1.1kv)	3.5x 95 Sq. mm	1. Al. Ingot/Rod 2. PVC Resin 3. DIDP	0.970 Kg.per m 0.587 Kg.per m .218 Kg.per m

Annexure "D" to the

Public Notice No. 46

Dated: 03/01/2000

MISCELLANEOUS PRODUCTS

K121	Pressure Bandage	1 No.	1. Non-Woven Fabric (67% Viscose and 33%	1.05 Kg/kg content in the export product
------	------------------	-------	---	--

			Polyester) of relevant GSM 2. Elastic Guage bandage of relevant width and length	Net to net
K122	Disposable Diaper (Contour shape) Size – Small Diaper Length (mm) 400(+/- 10 mm) Diaper width (mm) 305 (+/- 10 mm) Weight (gms) 29- 34	1000 Nos.	1. Cellulose based Wood Pulp (Untreated) 2. Tissue (15-20 gsm) 3. Super Absorbent Polymer (Sodium Poly Acrylate Based Polymer 4. Polypropylene Hydrophillic Non-woven Fabric (15-20 gsm) 5. Polyethylene Film	25.27 kgs. 2.18 kgs. 4.19 kgs. 0.166 kgs. 3.280 kgs.

			- Elastic Rubber Threads (6-8 strands) - Hotmelt Construction Adhesive - Hotmelt Elastic Adhesive - Release Tape (Polypropylene based) - Fastening Tape (Polypropylene based) - Frontal Tape (Polypropylene based)	0.154 kgs. 0.568 kgs. 0.433 kgs. 2.0 sq. meter 3.2 sq. meter 8.7 sq. meter
K123	Disposable Diaper (Contour shape) Size – Medium Diaper Length (mm) 450(+/- 10 mm) Diaper width (mm) 320 (+/- 10 mm) Weight (gms) 37-43	1000 Nos.	1. Cellulose based Wood Pulp (Untreated) 2. Tissue (15-20 gsm) 3. Super Absorbent Polymer (Sodium Poly Acrylate)	30.63 kgs. 2.66 kgs. 5.07 kgs. 0.174 kgs.

			Based Polymer	
			4. Polypropylene Hydrophillic Non-woven Fabric	3.80 kgs.
			5. Polyethylene Film	
			Elastic Rubber Threads (6-8 strands)	0.190 kgs.
			Hotmelt Construction Adhesive	0.693 kgs.
			Hotmelt Elastic Adhesive	0.481 kgs.
			Release Tape (Polypropylene based) (width-38 mm(+/-10 mm)	2.04 sq. meter
			Fastening Tape (Polypropylene based) (width- 60.325 mm(+/- 10 mm)	3.25 sq. meter
			Frontal Tape (Polypropylene based) (width 8.75 inches (+/- 1inch)	8.70 sq. meter

K124	Disposable Diaper (Contour shape) Size – Large	1000 Nos.	1. Cellulose based Wood Pulp (Untreated)	38.28 kgs.
	Diaper Length (mm) 470(+/- 10 mm)		2. Tissue (15-20 gsm)	2.86 kgs 6.39 kgs
	Diaper width (mm) 330 (+/- 10 mm)		3. Super Absorbent Polymer (Sodium Poly Acrylate Based Polymer	0.183 kgs
	Weight (gms) 46- 54		4. Polypropylene Hydrophillic Non-woven Fabric (15-20 gsm)	4.04 kgs. 0.230 kgs.
			5. Polyethylene Film	0.866 kgs.
			6. Elastic Rubber Threads (6-8 strands)	0.481 kgs.
			7. Hotmelt Construction Adhesive	2.04 sq. meter
			8. Hotmelt Elastic Adhesive	
			9. Release Tape (Polypropylene based) (width- 38 mm(+/-10 mm)	3.25 sq. meter

			10. Fastening Tape (Polypropylene based) (width- 60.325 mm(+/- 10 mm)	9.44 sq. meter
			11. Frontal Tape (Polypropylene based) (width 9.5 inches (+/- 1inch)	

Annexure "E" to the

Public Notice No. 46

Dated: 03/01/2000

TEXTILE PRODUCTS

The description of export item in the existing entry at S.No. J-92 (page No. 904) shall be amended to read as under:-

"100% Cotton Fabric - Dyed".

Further after the existing entry at S.No. J-307 a new entry at S.No. J-308 shall be added as under:-

Sl.No.	Item of Export	Qty.	Item of Import	Qty. Allowed

J-308	100% Cotton yarn Dyed Fabric/Made ups	1 kg	1. Cotton yarn 2. Polyvinyl Alcohol (PVA) Sizing Materials 3. Sodium Hydro Sulphite 4. Vat Dyes/ Reactive Dyes (100% Strength)	10. kg 1. kg 2. kg 0.015 kg
-------	---	------	--	--