

GOVERNMENT OF INDIA

MINISTRY OF COMMERCE

PUBLIC NOTICE NO. 50 (RE-99)/1997-2002.NEW DELHI : DATED 02/02/2000.

Attention is invited to Paragraph 7.8 of the Export and Import Policy 1997-2002, as amended and Paragraphs 7.8 and 7.10 of the Handbook of Procedures, Vol.1, 1997-2002, as amended and also to the Handbook of Procedures, Vol.2, 1997-2002, as amended from time to time.

In exercise of the powers conferred under Paragraph 4.11 of the Export and Import Policy 1997-2002, as amended, the Director General of Foreign Trade hereby makes the following amendments/modifications and additions in the Handbook of Procedures, Vol.2, 1997-2002, as amended.

In the statement of Standard Input Output Norms as contained in the Handbook of Procedures, Vol.2, 1997-2002, as amended, amendments/corrections at appropriate places as mentioned in Annexure "A" to this Public Notice shall be made.

In the statement of Standard Input Output Norms, following additions shall be made at appropriate places as mentioned below:-

CHEMICALS AND ALLIED PRODUCTS

After the existing entry at Sl.No.A-2369, the new entries from Sl.No.A-2370 to A-2386 shall be added as per Annexure "B" to this Public Notice.

ENGINEERING PRODUCTS

After the existing entry at Sl.No.C-1486, the new entries from Sl.No.C-1487 to C-1500 shall be added as per Annexure "C" to this Public Notice.

TEXTILE PRODUCTS

After the existing entry at Sl. No. J-308, the new entry Sl.No. J-309 shall be added as per Annexure "D" to this Public Notice.

This issues in Public interest.

Sd/-

(N.L. LAKHANPAL)

DIRECTOR GENERAL OF FOREIGN TRADE

(ASHUTOSH MISHRA)

(Issued from File No.01/83/44/19/AM99/DES-VI)

AMENDMENTS/CORRECTIONS

Sl.No.	Page No.	Reference	Amendments/Corrections
(1)	(2)	(3)	(4)
1.	8	Chemicals & Allied Products Sl.No.A23	The norm covered by this entry shall be deleted.
2.	21	Chemicals & Allied Products Sl.No.A97	After import item No. 7 the word "OR" and thereafter the following item with quantity shall be added:- "1. 1,3- Dimethyl Xanthine - 1.38 kg. Sodium Salt (Crude Sodium Theophylline) 2. Activated carbon - 0.100 kg.".
3.	22	Chemicals & Allied Products Sl.No.A107	The norm covered by this entry shall be deleted.
4.	35	Chemicals & Allied	The norm covered by this entry shall be

	Products	substituted by the following:-
	Sl.No.A175	

Sl.No.	Item of Export	Qty.	Item of Import	Qty. Allowed
A175	Dextropropoxy Phene Napsylate BP/USP	1 kg	1. Priophenone OR i. Propionic Acid ii. Thionyl Chloride iii. Aluminium Chloride	1.645 kg. 1.315 kg. 2.89 kg. 2.825 kg.
			1. Paraformaldehyde 2. D-Camphor Sulphonic Acid 3. Propionic Anhydride 4. Benzyl Chloride 5. Magnesium Metal 6. Isopropyl Alcohol OR Toluene	0.427 kg. 0.343 kg. 0.623 kg. 2.975 kg. 0.70 kg. 3.43 kg.

5.	45	Chemicals & Allied Products Sl.No.A238	The norm covered by this entry shall be substituted by the following:-
----	----	--	---

Sl.No.	Item of Export	Qty.	Item of Import	Qty. Allowed
A238	FCMIC CHLORIDE B.P.	1 kg.	1.2-Fluro-6-Chloro Benzaldehyde	0.806 kg.
			2.Hydroxylamine Sulphate	0.537 kg.
			3. Methyl Aceto Acetate	0.77 kg.
			4.Chloroform	0.95 kg.
			5.Sodium Hydroxide	0.76 kg.

6.	45	Chemicals & Allied Products Sl.No.A242	After Import item No. 1, the following item with quantity shall be added:- "6. Iso Propyl Alcohol - 0.2 kg."
7.	4	Chemicals & Allied Products Sl.No.A290 (Amended Vide Public Notice No. 3 Dated: 5.4.99)	The description of the import item at Sl. No.1 shall be amended (without any change in the quantity) to read as under:- "Dicyanodiamide instead of Dicyanodimide".
8.	58	Chemicals & Allied Products Sl.No.A339	The Quantity of the import item shall be amended to read as under:- "1. Meta Amino Phenyl - 1.07 kg. 2. Potassium Carbonate - 1.14 kg."
9.	59	Chemicals & Allied Products	The norm covered by this entry shall be substituted by the following:-

Sl.No.A352

Sl.No.	Item of Export	Qty.	Item of Import	Qty. Allowed
A352	Pentoxifylline BP 93	1 kg	1. 1-Bromo, 3-Chloro Propane 2. Methyl/Ethyl Acetoacetate	1.872 kg. 2.00 kg.

10.	67	Chemicals & Allied Products Sl.No.A420	After import item No. 7 the word "OR" and thereafter the following item with quantity shall be added:- "1. 1,3,- Dimethyl Xanthine - 1.38 kg. Sodium Salt (Crude Sodium Theophylline) 2. Activated carbon - 0.100 kg."
11.	174	Chemicals & Allied Products Sl.No.A1397	The norm covered by this entry shall be substituted by the following:-

Sl.No.	Item of Export	Qty.	Item of Import	Qty. Allowed
A1397	Methyl 4-Acetamide 2, Methoxy Benzoate (Methopabate)	1 kg.	1. Sodium Para Amino Salicylate Acid 2. Potassium Carbonate 3. Acetone	1.45 kg. 1.45 kg. 4.40 kg.

12.	196	Chemicals & Allied Products Sl.No.A1591	The norm covered by this entry shall be substituted by the following:-
-----	-----	--	--

Sl.No.	Item of Export	Qty.	Item of Import	Qty. Allowed
A1591	Methyl-4-Acetamido, 2-Methoxy Benzoate	1 kg.	1. Meta Amino Phenol 2. Potassium Carbonate 3. Caustic Soda Lye(47%)	1.28 kg. 2.43 kg. 0.81 kg.

13.	198	Chemicals & Allied Products Sl.No.A1609	The description of the export item shall be amended to read as under:- "Chlorpyriphos"
-----	-----	--	---

14.	213	Chemicals & Allied Products Sl.No.A1683	The description of the export item shall be amended to read as under:- "EPDM RUBBER GRADE H.539/IM 7100"
-----	-----	--	---

15.	239	Chemicals & Allied Products Sl.No.A1769	The norm covered by this entry shall be substituted by the following:-
-----	-----	--	--

Sl.No.	Item of Export	Qty.	Item of Import	Qty. Allowed
A1769	Boosters (Per Gram) (Pentolite)	1 kg	1. Pentaerythritol	0.243 kg.

			2. Acetone	0.200 kg.
			3. Di-Pentaerythritol	0.005 kg.
			4. TriNitro Tolune (TNT)	0.505 kg.

16.	263	Chemicals & Allied Products Sl.No.A1949	The description of the export item shall be amended to read as under:- "D(-) Alpha Parahydroxy Phenyl Glycine Ethyl/Methyl Potassium Dane Salt instead of D(-) Para Hydroxy Phenyl Glycine Dane Salt".
17.	10	Chemicals & Allied Products Sl.No.A2081 (Amended Vide Public Notice No. 3 Dated: 05/04/1999)	The Foot Note given under SION Sl. No. A-2081 shall be deleted.
18.	22	Chemicals & Allied Products Sl.No.A2118 (Introduced Vide Public Notice No. 37 Dated: 10.09.98)	The description of the import item at Sl. No.1 shall be amended to read as under:- "Potassium Pen G (First Crystal)/ Pen V" instead of "Pen-G Pot. Ist" and After import item No. 20 the following item with quantity shall be added:- "21. Para Nitro Benzyl - 2.50 kg/kg" Bromide
19.	19	Chemicals & Allied Products	The description of the import item at Sl. No. 1 shall be amended to read as under:-

		Sl.No.A2119 (Introduced vide Public Notice No. 37 Dated: 10.09.98)	"Potassium Pen G (First Crystal)/ Pen V" instead of "Pen-G Pot. Ist" and After import item No. 16 the following item with quantity shall be added:- "17. Para Nitro Benzyl - 3.20 kg/kg" Bromide
20.	23	Chemicals & Allied Products Sl.No.A2182 (Introduced vide Public Notice No.3 dated 05.04.1999)	The quantity of import item No. 10 shall be amended to read as under:- "10. 1.77 kg. instead of 1.18 kg." AND The description of import item No. 2 shall be amended to read as under:- "2. 2-Chloro Propionic Chloride".
21	18	Chemical & Allied Products Sl.No.A2299 (Introduced vide Public Notice No.37 dated 01.11.1999)	The description of import item Sl. No. 1 shall be amended to read as :- "L-Gulatamine instead of L-Glutanime"

22.	22	Chemicals & Allied Products Sl.No.A2305 (Introduced vide Public Notice No. 37 dated 01.11.1999)	Corrigendum The word "BO" appearing in the
-----	----	---	--

description
of export
item shall be
corrected to
read as "BP".

23.	427	Engineering Products Sl No C278	After import item No 8 the following item with quantity shall be added
-----	-----	------------------------------------	--

Sl.No.	Item of Export	Qty.	Item of Import	Qty. Allowed
C278	Single Phase Electrical Energy Meter	1 No.	"9.Registered Assembly 10.Phenolic Resin 11.Brass Sheets/ coils/ strips/ scraps"	1 No. (Net to net) 1.05 kg/kg content in the export product 1.05 kg/kg content in the export product

24.	438	Engineering Products Sl.No. C317	After import item No. 1 the following alternate item with quantity shall be added :- " OR Relevant Lamination / - 1 set per Stampings core packs motor (1 No. of stator pack and 1 No. of rotor pack)"
-----	-----	-------------------------------------	--

25.	439	Engineering Products Sl.No. C318	After import item No. 1 the following alternate item with quantity shall be added :- " OR Relevant Lamination / - 1 set per Stampings core packs motor (1 No. of stator pack and 1 No. of rotor pack)"
26.	439	Engineering Products Sl.No. C319	After import item No. 1 the following alternate item with quantity shall be added :- " OR Relevant Lamination / - 1 set per Stampings core packs motor (1 No. of stator pack and 1 No. of rotor pack)"
27.	439	Engineering Products Sl.No. C320	After import item No. 1 the following alternate item with quantity shall be added :- " OR Relevant Lamination / - 1 set per Stampings core packs motor (1 No. of stator pack and 1 No. of rotor pack)"

28.	492	Engineering Products Sl.No. C498	Norm covered by this entry shall be substituted by the following:-
-----	-----	-------------------------------------	--

Sl.No.	Item of Export	Qty.	Item of Import	Qty. Allowed
C498	Iron Ore Pellets (from Haematite Ore)	1000 kgs.	1.Iron Ore Fines 2.Lime stone/ Dolomite 3.Bentonite 4.Chromium based grinding media having 10-18% chromium content in the steel balls of different diameters 5.Furnace Oil 6.Flocculent	1000 kg. 29 kg. 5 kg. 0.4 kg. 37 kg. 0.0017 kg.

29.	511	Engineering Products Sl.Nos.C-519	Norm covered by this entry shall be substituted by the following:-
-----	-----	--------------------------------------	--

Sl.No.	Item of Export	Qty.	Item of Import	Qty. Allowed
C-519	Silica Bricks/Shapes for Blast Furnace	1000 Kgs.	1. Quartzite 2. (i) Phenolic based Resin (Liquid) (ii) Phenolic based Resin (Powder) (iii)Ligno Sulphate OR	1570 kgs. 70 kgs. 30 kgs. 24 kgs.

			(iv)Goulac	9 kgs.
			3. (i) Micro Silica and/ or fused Silica	21 kgs.
			(ii) Silicon Metal	15 kg.
			OR	
			3(i) Iron Ore Powder	12 kg.
			(ii) Hydrated Lime	79 kg.
			(iii) Silicon Metal	21 kg.
			4. Alloy Steel Mould	0.03 Nos.
			5. Wooden Metal	0.013 Nos.

30.	512	Engineering Products Sl.Nos.C-520	Norm covered by this entry shall be substituted by the following:-	
Sl.No.	Item of Export	Qty.	Item of Import	Qty. Allowed
C-520	Silica Bricks/Shapes for Coke Oven	1000 Kgs.	1. Quartzite	1570 kg.
			2. (i) Phenolic based Resin (Liquid)	70 kg.
			(ii) Phenolic based Resin (Powder)	30 kg.
			2. Ligno Sulphate	24 kg.

			OR	
			2. Goulac	9 kg.
			3. (i) Micro Silica and/ or fused Silica	21 kg.
			(ii) Silicon Metal	15 kg.
			OR	
			3. (i) Iron Ore	14 kg.
			Powder	88 kg.
			(ii) Hydrated Lime	21 kg.
			(iii) Silicon Metal	0.04 Nos.
			4. Alloy Steel Mould	0.07 Nos.
			5. Wooden Metal	

31.	570	Engineering Products Sl.Nos.C-905	Norm covered by this entry shall be substituted by the following:-
-----	-----	--------------------------------------	---

Sl.No.	Item of Export	Qty.	Item of Import	Qty. Allowed
C-905	Aluminium Oxide Resin Disc. (Coated abrasive) 4" dia x 5/8" Centre hole (containing Al. Oxide grains Min. 1.1 kg)	100 Nos.	1. Abrasive grade Vulcanised Fibre 2. Aluminium Oxide grains (Synthetics)	1.315kg. (quantity to be accounted for in the export product) 1.21 kg

32.	570	Engineering Products Sl.Nos.C906	Norm covered by this entry shall be substituted by the following:-
-----	-----	-------------------------------------	--

Sl.No.	Item of Export	Qty.	Item of Import	Qty. Allowed
C-906	Aluminium Oxide Resin Disc. (Coated abrasive) 5" dia x 5/8" Centre hole (containing Al. Oxide grains Min. 1.4 kg.)	100 Nos.	1. Abrasive grade Vulcanised Fibre 2. Aluminium Oxide grains (Synthetics)	1.84 Kg. (quantity to be accounted for in the export product) 1.54 kg.

33.	570	Engineering Products Sl.Nos.C907	Norm covered by this entry shall be substituted by the following:-
-----	-----	-------------------------------------	--

Sl.No.	Item of Export	Qty.	Item of Import	Qty. Allowed
C-907	Oxide Resin Disc. (Coated abrasive Aluminium) 6" dia x 7/8" Centre hole (containing Al. Oxide grains Min. 2.74 kg.)	100 Nos.	1. Abrasive grade Vulcanised Fibre 2. Aluminium Oxide grains (Synthetics)	3.0906 kg. (quantity to be accounted for in the export product) 3.017 kg.

34.	570	Engineering Products Sl.Nos.C908	Norm covered by this entry shall be substituted by the following:-
-----	-----	-------------------------------------	--

Sl.No.	Item of Export	Qty.	Item of Import	Qty. Allowed
--------	----------------	------	----------------	--------------

C-908	Oxide Resin Disc. (Coated abrasive Aluminium) 7" dia x 7/8" Centre hole (containing Al. Oxide grains Min. 3.2 kg.)	100 Nos.	1. Abrasive grade Vulcanised Fibre 2. Aluminium Oxide grains (Synthetics)	3.5850 kg. (quantity to be accounted for in the export product) 3.52 kg.
-------	--	-------------	--	--

35.	24	Engineering Products Sl.No.C1370 (Introduced vide Public Notice No.37 dated 10.9.1998)	The unit of the quantity of import item Sl. No. 4 shall be corrected to read as "Mtr./Mtr." instead of "kg/kg".
36.	42	Engineering Products Sl.Nos.C1391 (Introduced vide Public Notice No. 63 dated : 24.12.98)	The description of the export item shall be amended to read as under:- "Mechanical Spray Pumps (15 mm to 20 mm) instead of Mechanical Spray Pump (Mechanical) (20mm)" A. COMPONENTS After S.No. 6 the following shall be added:- "7. Outer Gasket - 1 No."
37.	31	Engineering Products Sl.Nos.C1402 (Introduced vide Public Notice No. 3 dated : 05.04.99)	The description of the export item shall be amended to read as under:- "Industrial Heat Exchanger (Shell and Tube/ Plate Spiral Type)"

38.	29	Engineering Products Sl.Nos.C1469 (Introduced vide Public Notice No. 26 dated 4.8.1999)	Norm covered by this entry shall be substituted by the following:-
-----	----	---	---

Sl.No.	Item of Export	Qty.	Item of Import	Qty. Allowed
C1469	Cistern Inlet & Outflow Valves as per IS: 12234 : 13040	1 kg.	1. St. Steel Rod 2. Polyacetal 3. Polypropylene	1.02 kg/kg content in the export product 1.15 kg/kg content in the export product 1.15 kg/kg content in the export product

39.	34	Plastic Products Sl.No.H-404 (Introduced vide Public Notice No. 3 Dated: 5.4.99)	1. The description of the import item at Sl. No. 1(e) shall be amended (without any change in the quantity) to read as under:- "Metallised BOPP Film/Cast Polypropylene Film" 2. The quantity of import item No.4 shall be amended to read as "0.4 GMS/Sq.Mtr..
-----	----	--	--

			3.In the note 4(ii), the quantity of Liquid Polyurethane Additive shall be amended to read as "0.4 GMS/Sq.Mtr. + wastage". 4. In the Notes at Sl. No. 4(ii) under this entry, the following sub-para shall be added:- "Weight of Dry Adhesive and Additive taken at 'D' and 'E' in the formula above will be added for each additional layer to arrive at composite weight in GSM per Sq.Mtr. of the export product".
--	--	--	--

40.	933	Textile Product Sl.No.J300	The description of the import item shall be amended (without any change in the quantity) to read as under:- "Fabric to be used in the Garment instead of 100% Polyamide 6.6 Fabrics".
-----	-----	-------------------------------	---

CHEMICALS AND ALLIED PRODUCTS

Sl.No.	Item of Export	Qty.	Item of Import	Qty. Allowed
A2370	Meta Toly Osocyanate (MTI)	1 kg	1. Meta Toluidine OR Meta Nitro Toluene 2. Ethylene Dichloride	0.894 kg. 1.270Kg 0.442 kg.
A2371	DIPPED NYLON	1 MT		1.047 MT

	BELTING FABRICS (NN/PP) CONVEYOR DUCK/ SYNTHETIC FABRICS OF NYLON 6/66-840 Denier and above		1. Nylon Industrial Yarn (N 6/66) 2. VP Latex (Dry) 3. Resorcinal 4. Formaldehyde	63 kg. 7 kg. 10 kg.
A2372	Cefuroxime Axetil Crystalline	1 kg.	1. Cefuroxime Acid 2. Acetyl Bromide 3. N N Dimethyl Acetamide 4. Ethyl Acetate 5. Activated Carbon	1.0 kg 0.598 kg 2.80 kg 4.21 kg 0.05 kg
A2373	Ceftriaxone Sodium	1 kg.	1. 7-ACA 2. 2,5 Dihydro-2- Methyl-3- Mercepto-5) x0-6- Hydroxy 1,2,4 Triazine (TAA) 3. BF3 Gas 4. Mercapto Benzo Thiazole 4-4-yl- 2(2-Amino)	0.668 kg 0.32 kg 0.611 kg 0.81 kg

			Thiazoyl) Methoxy Amino Acetate (MAEM Triethyl Amine Acetonitrile Methylene Chloride	0.514 kg 2.60 kg 7.34 kg
A2374	5-Amino Tetrazole(SAT)	1 kg	1. Sodium Hydroxide Flakes 2. Hydrazine Hydrate 80% Dry 3. Sodium Nitrite 4. Dicyandiamide	0.90 kg. 1.30kg 1.60 kg. 0.68 kg.
A2375	Sterile Cefuroxime Sodium	1 kg	1. 7-ACA 2. (Z)-2-Methoxy Imino (Furyl-2- YL) Acetic Acid Ammonium Salt (SMIA) 3. Chloro Sulphonyl Isocyanate 4. Sodium 2-Ethyl Hexonate 5. Methylene Chloride 6. Tetra Hydrofuran	1.10 kg. 0.88 kg. 0.60 kg. 1.10 kg. 3.23kg 1.50 kg.

			7. Acetone	4.61kg
			8. Activated Carbon	100 gm.
A2376	Imazethapyr 70% WDG	1 kg	1. Imazethapyr Technical 97%	0.736 kg.

A2377	Cobalt Manganese Acetate solution (Cobalt and Manganese metal content 4.20% each)	1 kg	1. Cobalt metal 2. Acetic acid 3. Manganese Metal 4. Acetic acid	0.048 kg 0.092 kg 0.047 kg 0.101 kg
Note:- In case metal content in the export product varies then correspondingly import items allowed above shall also vary on pro-rata basis.				
A2378	Acid Blue 25 (ACID BLUE BE) (DYE-CONTENT 83%)	1 kg	1. Bromamine Acid(90%) 2. Aniline	0.945 kg 0.731 kg
A2379	P.P Woven Sacks with/ without liner or with/without U.V Stabilization (2% by weight) or with/ without lamination with kraft paper or	1 kg	1. 1. (a) P P Granules OR	1.10 kg/ kg content in the export item

with/without stitched with P P Yarn	(b) P P Granules	1.078 kg/kg content in the export item
	(c) U.V Stabilizer	0.022 kg
	2. Relevant PP/LDPE Granules for liner/ coating	1.05 kg/ kg content in the export item
	3. Relevant Kraft Paper	1.05 kg/ kg content in the export item
	4. Relevant PP Yarn for stitching	1.05 kg/ kg content in the export item
Note:- In the case of export product without U.V Stabilization, the item at 1(a) will only be allowed and in the case of U.V Stabilization, the item 1(b) & 1(c) will be allowed instead of 1(a).		

A2380	P.P Woven Fabrics with/ without U.V	1 kg	1. P P Granules	1.058 kg
			2. U.V Stabilize	0.022 kg

	Stabilization (2% by weight)			
A2381	Inlaid Linoleum Floor Covering of 2.0 mm thickness having a coating weight of 245 +/- 3% kg.	100 Sq. mtr.	1. Raw Linseed Oil 2. Granulated Cork/ Cork Powder 3. Wood Powder 4. Gum Rosin, Gum Copal 5. Hydro Carbon Resin 6. Titanium Dioxide Rutile 7. Modified Acrylic/ Styrene Co-polymer Emulsion / Dispersion 8. Polyethylene Wax 9. Non-ionic/ Ionic Surface Active Agent based on Tetra Methyl Decyndid and emulsifier for Acrylics	87.14 kg 5.21 kg 33.23 kg 17.12 kg 2.39kg 28.40 kg 0.64 kg 0.16 kg 0.05 kg

-

A2382	Inlaid Linoleum Floor Covering of 2.5 mm thickness having a coating	100 Sq. mtr.	1. Raw Linseed Oil 2. Granulated Cork/ Cork Powder	110.00 kg 5.51kg
-------	--	--------------------	--	-------------------------

	weight of 300 +/- 3% kg.		3. Wood Powder 4. Gum Rosin, Gum Copal 5. Hydro Carbon Resin 6. Titanium Dioxide Rutile 7. Modified Acrylic/ Styrene Co-polymer Emulsion / Dispersion 8. Polyethylene Wax 9. Non-ionic/ Ionic Surface Active Agent based on tetra Methyl Decyndid and emulsifier for Acrylics	41.91 kg 21.60 kg 2.39kg 36.67 kg 0.64 kg 0.16 kg 0.05 kg
Note:- Packing materials (Green kraft Paper and Green Gum Tape) should be allowed as per Packing Policy while issuing the licences)				
A2383	ION Exchange Resin (Mix Bed) Strong Acid Cation Exchange Resin 60 parts & Strong Base Anion Exchange Resin 40 parts	1 Cubic ft.	1. Styrene 2. Divinyl Benzene 3. Ethylene Dichloride 4. Paraformaldehyde 5. Ethylene Glycol Dimethacrylate	93. kg 0.48 kg 3.98kg 2.74kg 0.29 kg

A2384	ION Exchange Resin (Mix Bed) Strong Acid Cation Exchange Resin 60 parts & Strong Base Anion Exchange Resin 40 parts	1 Cubic ft.	1. Styrene 2. Divinyl Benzene 3. Ethylene Dichloride 4. Paraformaldehyde 5. Ethylene Glycol Dimethacrylate	7.93kg 0.48 kg 3.99kg 2.74 kg 0.29 kg
A2385	5-Lithosulpho Isophthallic Acid (or) Lithiumsulpho Isophthalic Acid	1 kg	1. Isophthalic Acid 2. Lithium Hydroxide (56%)	0.861 kg 0.189 kg
A2386	Azithromycin Dihydrate	1 kg	1. Erthromycin Thiocynate (on 100% activity) OR Erthromycin Base (on 100% basis) 2. Hydroxyl Amine free base 50% solution	2.80 kg 2.45 kg 1.50 kg

			OR	
			i. Hydroxyl Amine HCL	1.50 kg
			ii. Triethyl Amine	0.70 kg
			1. Platinum Dioxide	2.42gm
			2. Para Toluene Sulfonyl Chloride	1.037 kg
			3. Methanol	
			4. Methylene Chloride	3.79 kg
				6.21 kg
			5. Acetone	7.00 kg

ENGINEERING PRODUCTS

Sl.No.	Item of Export	Qty.	Item of Import	Qty. Allowed
C1487	Earth Moving Wheels (19.5x 25x2.5")	1 No. (249 kg.)	1. HR plates / HR plates in coil form	180 kg.
			2. HR Sections	99 kg.
			3. HR billet	06 kg.
			4. Paint	1.25kg.
			5. Thinner	0.40 Ltrs.
			6. Welding wire	3.00 kg.

C1488	Earth Moving Wheels (22 x 25 x 3")	1 No. (259 kg.)	1. HR plates / HR plates in coil form 2. HR Sections 3. HR billet 4. Paint 5. Thinner 6. Welding wire	198 kg. 101 kg. 06 kg. 1.25kg 0.40 Ltrs. 3 kg.
C1489	Rear Axle Housing Assembly for LCV/ HCV	1 kg.	1. H.R. Steel Plates (8 mm to 16 mm)	1.83 kg/kg content in the export product
C1490	Finned Tubes	1 MT	1. Seamless steel / ERW tubes or pipes 2. CRSS/ HRSS/ CRCS/ HRCS strips or coils	1.02 MT/ MT content in the export product 1.125 MT/ MT content in the export product

C1491	Sintered Bronze Bushes & Part EP Grade	1 kg	1. Iron Powder Atomised 2. Copper Mill Scale 3. Solid Lubricant Powder 4. Lubricating Oil	0.470 kg. 0.580 kg. 0.0106 kg. 0.0403 kg.
-------	--	------	---	--

C1492	Cold Rolled Grain Oriented Silicon Electrical Steel Sheets/ Coils	1 MT	1. HR Alloy Steel Sheets/ coils 2. Mgo Powder for coating 3. Inorganic coating (Remisol coating liquid/ corrosive liquid) 4. Pickling Oil 5. Steel Strapping 6. VCI Rusto paper	1180 kg. 4.2kg 10 kg. 0.5 kg. As per packing policy As per packing policy
-------	---	------	--	--

C1493	Pneumatic Tool (Air Hoists) upto 1000 kg. lifting capacity.	1 No.	1. Relevant Ball Bearing 2. Relevant Chain Link 3. Relevant Cap Brake 4. Frame 5. Gear Internal 6.Liner 7.Motor Housing 8.Muffler	4 Nos. 1 No. 1 No. 1 No. 1 No. 1 No. 1 No. 1 No.
-------	---	-------	--	---

			9.Retainer Body	1 No.
			10.Shaft-Sprocket	1 No.
			11.Shaft-Rotor	1 No.
			12.Sprocket (4 pocket)	1 No.
			13.Washer	1 No.
			14.Sprocket (6 pockets)	1 No.
Note:- (i) Import item at Sl. No. 14 shall be allowed only if export products has a lifting capacity of (501-1000 Kgs.). (ii) Import shall be permitted on net to net basis with accountability clause.				

C1494	Pneumatic chipper with cylinder Bore Chrome Lined 1" to 4" Cylinder	1 No.	1. Relevant Throttle Valve 2. Relevant Throttle Valve tube 3. Relevant Bushing-permanent 4. Relevant Lever Throttle 5. Relevant Lid-Upper Valve case 6. Relevant Case Valve 7. Relevant Lid lower valve case	One No. Each (with accountability clause). On net to net basis.
-------	---	-------	--	---

			8. Relevant Collar Lock 9. Relevant Exhaust Shield 10. Relevant Handle 11. Relevant Retainer (Chisel sleeve) 12. Relevant Cylinder (Chrome Lined Bore) 13. Relevant Piston	
--	--	--	--	--

C1495	Pneumatic Tool Heavy Duty Air Hoist-Rated Capacity above 909 kg. (2000 pounds) up to and including 1818 kg. (4000 pounds).	1 No.	1. Relevant Chain Load 2. Relevant Guide- Chain 3. Relevant Handle 4. Relevant Motor Housing 5. Relevant Limit Stop 6. Relevant Cover- Worm Gear 7. Relevant Cover- Motor	1 No. 1 No. 1 No. 1 No. 1 No. 1 No.
-------	--	-------	---	--

			8. Relevant Cover-Spur Gear	1 No.
			9. Relevant Yoke	1 No.
			10. Relevant End Plate Upper	1 No.
			11. Relevant End Plate Lower	1 No.
			12. Relevant Liner	2 Nos.
			13. Relevant Self Lubricating Bush	1 No.
			14. Relevant Chain Handle	1 No.
			15. Relevant Handle	1 No.
			16. Relevant Worm	1 No.
			17. Relevant Worm Gear	3 Nos.
			18. Relevant Throttle Lever	7 Nos.
			19. Relevant Gasket	1 No.
			20. Relevant Strainer-Air	

			• Relevant Muffler • Relevant Suspension Bail	1 No.
--	--	--	--	-------

			10. Relevant End Plate Upper	
--	--	--	---------------------------------	--

			• Relevant End Plate Lower	1 No.
			• Relevant Liner	1 No.
			• Relevant Valve Throttle	1 No.
			• Relevant Self Lubricating Bush	2 Nos.
			• Relevant Hook (Bare)	1 No.
			• Relevant Hook Bare	
			• Relevant Chain Handle	1 No.
			• Relevant Handle	1 No.
			• Relevant Worm	1 No.
			• Relevant Worm Gear	1 No.
			• Relevant Throttle Lever	2 Nos.
			• Relevant Gasket	
			• Relevant Strainer - Air	7 Nos.
			• Relevant Muffler	

			• Relevant Needle Bearing • Relevant Ball Bearing	1 No. 1 No. 2 Nos. 7 Nos.
Note:- The import of components shall be allowed on net to net basis with accountability clause.				

C1497	1 No.				
1 No.					
1. Pneumatic Tool Scabblers with 3000 BPM(Blows per minute)Relevant Cap Cylinder	3 Nos.				
2. Relevant Piston & Carbide tip assembly	1 No.				
3. Relevant Cylinder	1 No.				
4. Relevant Handle Bent	3 Nos.				
5. Relevant Handle Cylinder					
6. Relevant Bushing-Cylinder	1 No.				
7. Relevant Bushing Reducer	1 No.				

8. Relevant Throttle Valve Lever	1 No.				
9. Relevant Throttle Valve Body	1 No.				
10. Relevant Throttle Valve					
11. Relevant Air Strainer					
Note:- Import shall be permitted on net to net basis with accountability clause.					

C1498	Pneumatic Tool Hand Drill with Drilling Diameter Upto 1-1/4" (one and a quarter inch) with muffler.	1 No.	1. Relevant Air Inlet Bushing	1 No.
			2. Relevant Throttle Valve Bushing	1 No.
			3. Relevant Throttle Lever	1 No.
			4. Relevant Pipe Plug	1 No.
			5. Relevant Handle (Bare)	1 No.
			6. Relevant Through Bolt	2 Nos.
			7. Relevant Air tube comp	
			8. Relevant Cylinder bush	1 No.

			9. Relevant Cylinder	
			10. Relevant Piston	1 No.
			11. Relevant Front Valve seat	1 No.
				1 No.
			12. Relevant Valve	
			13. Relevant Rear Valve seat	1 No.
			14. Relevant wire retainer	1 No.
			15. Relevant front head	1 No.
			16. Relevant Chuck 7/8" hex	1 No.
				1 No.
			17. Relevant Chuck Sleeve	1 No.
			18. Relevant Plunger shifter	1 No.
				1 No.
			19. Relevant Ratchet ring	1 No.
			20. Relevant Pawl	
			21. Relevant Shifter Sleeve	2 Nos.
				1 No.
			22. Relevant Muffler complete	1 No.

Note:- Import shall be permitted on net to net basis with accountability clause.

C1499	Pneumatic Tool Scabbler with 2900 BPM (Blows per Minute) per piston.	1 No.	1. Relevant Piston & Carbide tip assembly 2. Relevant Cylinder 3. Relevant Live Air Handle 4. Relevant Throttle Valve 5. Relevant Air Inlet Nipple 6. Relevant Dead handle	3 Nos. 1 No. 1 No. 1 No. 1 No. 1 No.
Note: Import shall be permitted on net to net basis with accountability clause.				
C1500	Pneumatic Tool Hand Drill with Drilling Diameter Upto 1 1/4" (one and a quarter inch) without muffler.	1 No.	1. Relevant Air Inlet Bushing 2. Relevant Throttle Valve Bushing 3. Relevant Throttle Lever 4. Relevant Pipe Plug 5. Relevant Handle (Bare) 6. Relevant Through Bolt	1 No. 1 No. 1 No. 1 No. 1 No.

			7. Relevant Air tube comp	2 Nos.
			8. Relevant Cylinder bush	1 No.
			9. Relevant Cylinder	1 No.
			10. Relevant Piston	1 No.
			11. Relevant Front Valve seat	1 No.
			12. Relevant Valve	1 No.
			13. Relevant Rear Valve seat	1 No.
			14. Relevant wire retainer	1 No.
			15. Relevant front head	1 No.

			• Relevant Chuck 7/8" hex	1 No.
			• Relevant Chuck Sleeve	1 No.
			• Relevant Plunger shifter	1 No.

		• Relevant Ratchet ring • Relevant Pawl • Relevant Shifter Sleeve • Relevant Hose tail	1 No. 2 Nos. 1 No. 1 No.
Note:- Import shall be permitted on net to net basis with accountability clause.			

TEXTILE PRODUCTS

J309	Braided Elastic Tape made out of Polyester Filament yarn and Heat Resistance Rubber thread in Assorted sizes	1 kg.	1. Polyester Filament Yarn (150 Denier) (+/- 10%) 2. Heat resistance Rubber Thread (Guage 36 to 44)	1.02 kg/kg content in the export product 1.02 kg/kg content in the export product
------	--	-------	--	--