

(TO BE PUBLISHED IN THE GAZETTE OF INDIA EXTRAORDINARY PART-1-SECTION-1)

**GOVERNMENT OF INDIA
MINISTRY OF COMMERCE & INDUSTRY
DEPARTMENT OF COMMERCE**

**PUBLIC NOTICE NO. 52 (RE-2001)/1997-2002
NEW DELHI : DATED : 03/12/2001.**

Attention is invited to Paragraph 4.11 of the Export and Import Policy 1997-2002, as amended and Paragraphs 7.8 and 7.10 of the Handbook of Procedures, Vol.1, 1997-2002, as amended and also to the Handbook of Procedures, Vol.2, 1997-2002, as amended from time to time.

2. In exercise of the powers conferred under Paragraph 4.11 of the Export and Import Policy 1997-2002, as amended, the Director General of Foreign Trade hereby makes the following amendments/modifications and additions in the Handbook of Procedures, Vol.2, 1997-2002, as amended.
3. In the statement of Standard Input Output Norms as contained in the Handbook of Procedures, Vol.2, 1997-2002, as amended, amendments/corrections at appropriate places as mentioned in Annexure "A" to this Public Notice shall be made.
4. In the statement of Standard Input Output Norms, following additions shall be made at appropriate places as mentioned below:-

CHEMICALS AND ALLIED PRODUCTS

After the existing entry at Sl.No.A-2789, the new entries at Sl.No.A-2790 to A-2799 shall be added as per Annexure "B" to this Public Notice.

ENGINEERING PRODUCTS

After the existing entry at Sl.No.C-1710, the new entries at Sl.No.C-1711 to C-1719 shall be added as per Annexure "C" to this Public Notice.

5. This issues in public interest.

(N.L. LAKHANPAL)
DIRECTOR GENERAL OF FOREIGN TRADE

(SATYAN SHARDA)
JT. DIRECTOR GENERAL OF FOREIGN TRADE

Annexure "A" to the
Public Notice No.52
Dated: 03/12/2001

AMENDMENTS/CORRECTIONS

Sl. No.	Page No.	Reference	Amendments/Corrections
1	2	3	4
1.	60	<u>Chemicals & Allied Products</u> Sl.No.A375	The norm covered by this entry shall be substituted by the following:-

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A375	Pseudo Ephedrine Base	1 kg	1. Pseudo Ephedrine HCL OR Benzaldehyde 2. Platinum of min. 99.98% purity 3. Benzene 4. Monomethylamine 5. Acetone 6. Methanol 7. Caustic Soda Flakes 8. Activated Carbon 9. Acetic Anhydride	1.22 kg 5.22 kg 308 mg 8.43 lit/kg 1.89 kg 1.69 kg 2.93 lit/kg 7.26 kg 0.097 kg 1.70 kg

2.	184	<u>Chemicals & Allied Products</u>	The norm covered by this entry shall be substituted by the following:-
----	-----	--	--

	Sl.No.A1520	
--	-------------	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A1520	Trichloro Carbanilide	1 kg	1. Para Chloro Phenyl Isocyanate 2. 3,4 Dichloro Aniline 3. Toluene	0.500 kg 0.540 kg 0.850 kg

-:3:-

3.	10 & 12	<u>Engineering Products</u> Sl.No.C252 (As substituted vide Public Notice No. 38 Dated: 01/11/2000 and amended vide Public Notice No. 04 Dated: 31/03/2001)	1. The description of export item shall be amended to read as under:- “Paper Covered copper conductors (Strips/ Wires).” 2. The description of import item at Sl. No. 2 shall be amended (without any change in quantity) to read as under:- “Relevant insulating paper”
----	---------	--	---

4.	632-634	<u>Engineering Product</u> Sl.No.C965	The description of export item shall be amended to read as under:- “45 CC to 60 CC Scooter in CKD/SKD/CBU condition”
----	---------	--	---

5.	634-636	<u>Engineering Product</u> Sl.No.C966	The description of export item shall be amended to read as under:- “Above 60 CC and upto 100 CC Scooter in CKD/SKD/CBU condition”
----	---------	--	--

6.	671-	<u>Engineering Products</u>	The description of export item shall be
----	------	-----------------------------	---

	674	Sl.No.C1081	amended to read as under:- “Above 100 CC and upto 175 CC Scooter in CKD/SKD/CBU condition”
--	-----	-------------	---

7.	715	<u>Engineering Products</u> Sl.No.C1325	After the description of import item at Sl. No. 2 the following import item (with quantity) shall be added:- “3. Polyester Glass Yarn - 1.01 kg/kg content in the export product”
----	-----	--	--

-:4:-

8.	970-971	<u>Textile Products</u> Sl.No.J- 50	At the end of this norm, the following Note shall be added:- “Note: In case import item is polyester Staple Fibre Dyed and Viscose Staple Fibre Dyed then import of Disperse Dyes shall not be permissible.”
----	---------	--	---

-:5:-

Annexure “B” to the
Public Notice No.52
Dated: 03/12/2001

CHEMICALS AND ALLIED PRODUCTS

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A2790	<u>Tri Potassium Phosphate (food grade)</u>	1 kg	1. Caustic Potash flakes 2. Phosphoric Acid (85%)	0.79 kg 0.54 kg
A2791	3-Chloro Benzyl Cyanide or Meta Chloro Benzyl Cyanide	1 kg	1. Meta Chloro toluene 2. Sodium Cyanide	1.180 kg 0.420 kg
A2792	Thiophene 2-Aldehyde	1 kg	1. Thiophene 2. Dimethyl Formamide 3. Toluene	0.83 kg 0.72 kg 1.75 kg
A2793	2-Amino-4-Picoline (2-Amino-4-Methyl Pyridine)	1 kg	1. Gama Picoline 2. Sodium Metal	0.957 kg 0.293 kg
A2794	2-Amino Pyridine	1 kg	1. Pyridine 2. Sodium Metal	0.934 kg 0.337 kg
A2795	Medicinal Ointment, 10 gm tube, each gm Ointment should contain, i) Hydrocartisone Acetate not less than 5.58 mg ii) Framyestin Sulphate not less than 10.00 mg iii) Esculoside not less than 10.00 mg	1000 tubes – 10 gm each	1. Hydrocortisone Acetate 2. Framycetin Sulphate 3. Esculoside 4. Cholesterol	56.10 gm 102.00 gm 102.00 gm 161.00 gm

iv) Cholesterol. q.s.			
-----------------------	--	--	--

-:6:-

A2796	Rectal Capsules, each soft gelatin capsules contain 500 mg of ointment containing, i) Hydrocortisone Acetate 2.79 mg ii) Framycetin Sulphate 5.00 mg and iii) Esculose 5.00 mg	Pack size of 20 capsules	1. Hydrocortisone Acetate 2. Framycetin Sulphate 3. Esculose	55.80 mg 102.00 mg 101.00 mg
A2797	Atorvastatin Calcium	1 kg	1. Methyl Isobutyryl Acetate OR Methyl Isopropyl Ketone 2. 4-Fluoro Benzaldehyde 3. t-Butyl Acetate 4. Methoxy Diethyl Borane 5. 2, 2-Dimethoxy Propane 6. 3-Ethyl-5-(2-Hydroxy Ethyl)-4- Methyl Thiazolium Bromide 7. Lithium Diisopropylamide 8. Sodium Borohydride	1.76 kg 0.85 kg 2.58 kg 1.02 kg 3.42 kg 0.30 kg 4.00 kg

			9. Beta Alanine	
			10.n-Heptane	0.42 kg
			11.Tetra Hydrofuran	0.10 kg
			12.Tert. Butyl Methyl Ether	4.37 kg
			13.Ethyl ® -4-Cyano-3-Hydroxy Butanoate	6.70 kg
				4.37 kg
				1.428 kg

-:7:-

A2798	Tetanus Antitoxin BP IU/5ML	1 Lac. VIALS	1. Tetanus Antitoxin 4000 IU/ML 2. Glass Vials 3. Aluminium Caps/Seals 4. Rubber Stoppers 5. Shipping Indicators	575 ltrs 115,000 Nos 110,000 Nos 110,000 Nos 350 Nos
A2799	Alfa-Methyl Amino propiophenone HCL (MAK)	1 kg	1. Propiophenone OR i. propionyl Chloride ii. Aluminium Chloride 2. Liquid Bromide 3. Iso Propyl Alcohol	1.20 kg 1.20 kg 0.44 kg 1.44 kg 0.61 kg

-:8:-

Annexure “C” to the
Public Notice No.52
Dated: 03/12/2001

ENGINEERING PRODUCTS

Sl.No.	Export Item	Qty.	Import Item	Qty Allowed
C1711	Plastic (Ethylene Co-polymer) clad/ Coated Tin free Steel Tapes for Cable armouring containing 93% Tin Free Steel and 7% plastic	1 kg	1. Tin Free Steel Sheet/Strips 2. Plastic (Ethylene Co-Polymer)	1.02 kg/kg content in the export product 1.05 kg/kg content in the export product
C1712	Bathroom Jali with frame size 20 Cm x 20 Cm Made of Stainless Steel Sheet Grade AISI-430	1 kg	1. Stainless Steel Sheet Grade-430	1.30 kg/kg content in the export product
C1713	Ventilation Jali with frame having hole made of Stainless Steel Sheet Grade AISI-430	1 kg	1. Stainless Steel Sheet Grade AISI-430	1.125 kg/kg content in the export product
C1714	High Chromium Valve Seat inserts with Chromium content 35% or more	1 MT	1.M.S. Scrap 2. Carbon 3. Ferro L. C. Chrome 4. Ferro H.C. Chrome 5. Pure Chromium 6. Ferro Molybdenum 7. Nickle	535.00 kg 21.40 kg 42.80 kg 42.80 kg 749.00 kg 128.40 kg 171.20 kg

		8.Cobalt	214.00 kg
		9.Ferro Tungsten	42.80 kg
		10.Tungsten	128.40 kg
		11.Boron	64.20 kg

-:9:-

21715	Abrasive Stone with Grain Bond of ratio 57:43	1 kg	1. Silicon Carbide	0.57 kgs.
21716	Aluminium Conductor 1C x 300 sq.mm 11/11KV (UE)XLPE insulated and screened, aluminium wire screening over insulation and armouring ALXLPE PVCS, AWA PVC cable Minimum export weight 2681.6 kg/km	1 metre	1. EC Grade Aluminum Rod/ Ingots 2. Commercial Grade Aluminium Rod/ Ingots 3. XLPE Semi Conducting Compound 4. XLPE Insulation 5. PVC Resin 6. DOP	0.812 kg/metre 1.0128 kg/metre 0.0467 kg/metre 0.4487 kg/metre 0.238 kg/metre 0.1165 kg/metre
21717	Aluminium Conductor 1C x 300 sq.mm 19/33 KV(E) XLPE insulated and screened, aluminium wire screening over insulation and armouring ALXPE	1 metre	1. EC Grade Aluminium Rod/ Ingots 2. Commercial Grade Aluminium Rod/ Ingots 3. XLPE Semi-conducting Compound 4. XLPE Insulation 5. PVC Resin	0.812 kg/metre 1.638 kg/metre 0.056 kg/metre

PVCS AWA PVC cable- Minimum export weight 3850 kg/km		6. DOP	0.806 kg/metre 0.365 kg/metre 0.1797 kg/metre
---	--	--------	---

-:10:-

C1718	Aluminium Conductor 3 core x 185 sq. mm 11/11 KV (UE) XLPE insulated and screened, aluminium wire screening over individual core ALXPE PVCS FPVC cable minimum export weight 6745.1 kg/km	1 metre	1. EC Grade Aluminium Rod/ Ingots 2. Commercial Grade Aluminium Rod/ Ingots 3. XLPE Semi-Conducting Compound 4. XLPE Insulation 5. PVC Resin 6. DOP 7. Galv Flat Steel Wire	1.484 kg/metre 0.428 kg/metre 0.1918 kg/metre 1.111 kg/metre 1.227 kg/metre 0.597 kg/metre 1.183 kg/metre
C1719	Aluminium Conductor 3 core x 70 sq.mm 11/11 KV (UE) XLPE insulated and screened, aluminium wire screening over individual core ALXPE PVCS	1 metre	1. EC Grade Aluminium Rod/ Ingots 2. Commercial Grade Aluminium Rod/ Ingots 3. XLPE Semi-conducting Compound 4. XLPE Insulation 5. PVC Resin 6. DOP	0.548 kg/metre 0.4271 kg/metre 0.1386 kg/metre 0.7908 kg/metre

FPVC cable-	7. Galv Flat Steel Wire	0.7475 kg/metre
Minimum export		0.3637 kg/metre
weight 4300 kg/km		0.9615 kg/metre