

(TO BE PUBLISHED IN THE GAZETTE OF INDIA EXTRAORDINARY PART-1-SECTION-1)

**GOVERNMENT OF INDIA
MINISTRY OF COMMERCE & INDUSTRY
DEPARTMENT OF COMMERCE**

PUBLIC NOTICE NO. 52 (RE- 02)/ 2002-2007
NEW DELHI : DATED : 05/12/2002.

Attention is invited to Paragraph 2.4 of the Export and Import Policy 2002-2007, as amended and Paragraphs 4.9 and 4.10 of the Handbook of Procedures, Vol.1, 2002-2007, as amended and also to the Handbook of Procedures, Vol.2, 2002-2007, as amended from time to time.

2. In exercise of the powers conferred under Paragraph 2.4 of the Export and Import Policy 2002-2007, as amended, the Director General of Foreign Trade hereby makes the following amendments/deletions/corrections and additions in the Handbook of Procedures, Vol.2, 2002-2007, as amended.
3. In the statement of Standard Input Output Norms as contained in the Handbook of Procedures, Vol.2, 2002-2007, as amended, amendments/ corrections/ deletion at appropriate places as mentioned in Annexure "A" to this Public Notice shall be made.
4. In the statement of Standard Input Output Norms, following additions shall be made at appropriate places as mentioned below:-

CHEMICALS AND ALLIED PRODUCTS

After the existing entry at Sl.No.A-3109, new entries at Sl. No. A-3110 to A-3117 shall be added as per Annexure "B" to this Public Notice.

ENGINEERING PRODUCTS

After the existing entry at Sl.No.C-1825, new entries at Sl.No.C-1826 to C-1841 shall be added as per Annexure "C" to this Public Notice.

-:2:-

PLASTICS GOODS

After the existing entry at Sl.No.H-512, new entries at Sl. No. H-513 to H-516 shall be added as per Annexure "D" to this Public Notice.

SPORTS GOODS

After the existing entry at Sl.No.I-41, new entries at Sl. No. I-42 to I-47 shall be added as per Annexure "E" to this Public Notice.

This issues in public interest.

(L. MANSINGH)
DIRECTOR GENERAL OF FOREIGN TRADE

(R. C. SAINI)
DY. DIRECTOR GENERAL OF FOREIGN TRADE
FOR DIRECTOR GENERAL OF FOREIGN TRADE

-:3:-

Annexure "A" to the

Public Notice No. 52

Dated: 05/12/2002

AMENDMENTS/CORRECTIONS

Sl. No.	Page No.	Reference	Amendments/Corrections
1	2	3	4
1.	147	<u>Chemicals & Allied Products</u> Sl.No.A1062	The norm covered by this entry shall be substituted by the following:-

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A1062	1 Hydroxyethylidene 1:1 Di Phosphoric Acid 60%	1 kg	1. Phosphorous Trichloride OR Yellow Phosphorous Chlorine 2. Acetic Acid Galcial	0.828 kg 0.189 kg 0.654 kg 0.182 kg

2.	156	<u>Chemicals & Allied Products</u> Sl.No.A1204	The description of import item at Sl. No. 1, (without any change in quantity) shall be amended to read as under:- "Phenol"
----	-----	---	---

3.	159	<u>Chemicals & Allied Products</u> Sl.No.A1242	The description of import item at Sl. No. 1, (without any change in quantity) shall be amended to read as under:- "Denatured Ethyl Alcohol"
----	-----	---	--

--	--	--	--

4.	169	<u>Chemicals & Allied Products</u> Sl.No.A1385	The description of export item shall be amended to read as under:- "Methyl Amino Propyl Amine / 3 Methyl Amino Propyl Amine"
----	-----	---	---

-:4:-

5.	172	<u>Chemicals & Allied Products</u> Sl.No.A1419	1. The description of export item shall be corrected to read as under:- "N- (1, 3 Dimethyl Butyl)-N- Phenyl-P-Phenylene Diamine" 2. The description of import item at Sl. No. 1 (without any change in quantity) shall be amended to read as under:- "Para Amino Diphenyl Amine"
----	-----	---	--

6.	177	<u>Chemicals & Allied Products</u> Sl.No.A1476	The description of import item Ethyl Alcohol appearing at Sl. No. 2, (without any change in quantity) shall be amended to read as:- "Denatured Ethyl Alcohol"
----	-----	---	--

7.	191	<u>Chemicals & Allied Products</u> Sl.No.A1598	The description of export item shall be corrected by the following:- "Amino Trimethylene Phosphonic Acid (50%strength)"
----	-----	---	--

--	--	--	--

8.	269	<u>Chemicals & Allied Products</u> Sl.No.A2111	The description of import item at Sl. No. 1, (without any change in quantity) shall be amended to read as:- "Refined Naphthalene"
----	-----	---	--

9.	289-290	<u>Chemicals & Allied Products</u> Sl.No.A2263	The description of import item at Sl. No. 13, (with quantity) shall be amended to read as under:- "Isopropyl Alcohol/ - 12.37 kg/kg Ethyl Acetate/Absolute Alcohol"
----	---------	---	--

10.	312	<u>Chemicals & Allied Products</u> Sl.No.A2439	The description of import item at Sl. No. 1(a), (without any change in quantity) shall be amended to read as:- "Denatured Ethyl Alcohol"
-----	-----	---	---

-:5:-

11.	332	<u>Chemicals & Allied Products</u> Sl.No.A2605	The description of export product shall be amended to read as under:- "Imazethapyr 5% SL (Pursuit 50A)"
-----	-----	---	--

12.	340	<u>Chemicals & Allied Products</u> Sl.No.A2686	The norm covered by this entry shall be re-stored by the following:-
-----	-----	---	--

--	--	--	--	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A2686	Dimethyl Amine Hydrochloride	1 kg	1. Methanol	0.868 kg

13.	342	<u>Chemicals & Allied Products</u> Sl.No.A2699	The description of import item at Sl. No. 1, shall be amended to read as:- "Refined Naphthalene"
-----	-----	---	---

14.	345	<u>Chemicals & Allied Products</u> Sl.No.A2724	The norm covered by this entry shall be deleted.
-----	-----	---	--

15.	367	<u>Chemicals & Allied Products</u> Sl.No.A2905	The description of export item shall be amended to read as under:- "2,6 Di-tertiary Butyl Paracresol (Butylated Hydroxy Toluene)"
-----	-----	---	--

16.	22	<u>Chemicals & Allied Products</u> Sl.No.A3095 (notified vide Public Notice No. 46 Dated:06/11/2002)	The description of export item shall be amended to read as under:- "Sterile Ceftazidime/ Ceftazidime Pentahydrate USP"
-----	----	--	---

-:6:-

17.	479	<u>Engineering Product</u> Sl.No.C2	The description of import item at Sl. No. 1(a), (with quantity) shall be substituted by the following:- "OR 1a) Aluminium Ingot/ - 1.04 kg T Bars/Sows/Billets OR a) Aluminium Scrap - 1.05 kg
-----	-----	--	---

18.	481- 482	<u>Engineering Product</u> Sl.No.C22	The norm covered by this entry shall be substituted by the following:-
-----	-------------	---	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
C22	Table, Kitchen & other house hold articles made of aluminium including anodized with or without handle irrespective of what material handle are made of (other than those covered under SION at C-1749	1 kg	1. Aluminium Scrap 2. Aluminium Ingot 3. Aluminium Sheet/ Coils	1.22 kg/kg content of Aluminium in export product 1.18 kg/kg content of Aluminium in export product 1.15 kg/kg content of Aluminium in export product

			4. Aluminium Circle	1.07 kg/kg content of Aluminium in export product
--	--	--	---------------------	--

-:7:-

19.	541	<u>Engineering Product</u> Sl.No.C303, C304, C305, C306 & C307	The norms covered by these entries shall be deleted.
-----	-----	--	--

20.	572-576	<u>Engineering Product</u> Sl.No.C446	After the description of import item at Sl. No. 96, the following additional import items (with quantity) shall be added:- "97.Sensors - Net to net 98.linear Transducer - net to net /VDO Pressure Transducer 99. Thrust Ball Bearing - Net to net Spherical Roller Bearings, Bush Bearing, Wheel Flange Rollers etc.
-----	---------	--	--

			100.Various Switches such as Rotary	-	Net to net
			101.Drive such as Converters	-	Net to net
			102.Non Alloy Round Stock/ Bar	-	1.05 kg/kg content
			in		Export Product
			103.Steel Pipe kg/kg	-	1.02 content
			in		Export Product
			104.Hydraulic Cylinder	-	Net to net
			105.Band Heters	-	Net to net
			106.Various Types of Seal Kits	-	Net to net
			107.PVC Tubing	-	1.02 kg/kg
			content in		Export Product

-:8:-

		-	108.Water Filter-cum- Regulator Assy	-	Net to net
			109.Cam Follower/	-	Net to net

Roller		
110.Thread Guide	-	Net to net
111.S.S. Filter Belts	-	Net to net
112.Coil	-	Net to net
113.Encoder/Encoder Cables	-	Net to net
114.Flow Meter	-	Net to net
115.Servo Valve Assembly/ Actuator	-	Net to net
116.Variou machined Mechanical Parts	-	Net to net
117.Control Panels	-	Net to net
118.Extruder Screw	-	Net to net
119.Extruder Barrel	-	Net to net
120.Air Compressor	-	Net to net
121.Filter Elements/ Suction Filters	-	Net to net
122.Pressure Gauge/ Indicator/Oil Gauge	-	Net to net
123.'O' Rings	-	Net to net
124.Thermo Meters/Bi Metal Thermo Meter	-	Net to net
125.Terminal Blocks	-	Net to net
126.Hose Union	-	Net to net
127.Universal Elbow/ Joint	-	Net to net
128.Accumulator	-	Net to net
129.Scrapper	-	Net to net
130.Programmer	-	Net to net
131.High/Low Pressure	-	Net to net

			Elements 132.MMC Units - Net to net 133.Motor Protection - Net to net Controller 134.Programmable Logic - Net to net Controller
--	--	--	---

-:9:-

21.	579-580	<u>Engineering Product</u> Sl.No.C459	The description of export item shall be amended to read as under:- "Alloy Steel (other than Stainless Steel and High speed steel), Bars and Rods (Including Rounds, Flats, Hexagons, Octagon, Wire Rods etc.) Angles, Shapes and sections (including Special Profiles) Plate / Sheets / Strips / Wide Coils / Blooms / Billets / Slabs / Ingots containing 2% or more alloying elements."
-----	---------	--	---

22.	585	<u>Engineering Product</u> Sl.No.C469	The description of export item shall be amended to read as under:- "Cold Rolled Galvanised Colour Coated Non-Alloy Steel Sheets / Hoopand Strips / wide coils having zinc coating of 180 gm per Sq.m @ 40 Sq.M per litre Primer, 20 Sq.M per litre as Top Coat and 25 Sq. Mtr. Per liter. as Backer given in Engineering Table 1"
-----	-----	--	---

--	--	--	--

23.	585-586	<u>Engineering Product</u> Sl.No.C470	The description of export item shall be amended to read as under:- "Cold Rolled Full Hard / Cold Rolled Close Annealed (without skin passed/ temper passed) Non-Alloy/ Alloy Steel (excluding Stainless Steel) Sheets/ Hoops & Strips / Wide Coils"
-----	---------	--	---

24.	586	<u>Engineering Product</u> Sl.No.C471	The description of export item shall be amended to read as under:- "Cold Rolled Close annealed (CRCA) Skin passed / Temper passed (Including Half Hard, Quarter Hard) Non-Alloy / Alloy Steel (excluding Stainless Steel) Sheets/ Hoop & Strips / Wide Coils"
-----	-----	--	--

-:10:-

25.	601-603	<u>Engineering Product</u> Sl.No.C511	The description of export item shall be amended to read as under:- "Non-alloy / Alloy / Stainless Steel bars and Rods (including Rounds, Flats, Hexagon, Octagon, Wire Rod, Cold twisted deformed bars, thermo-mechanically treated reinforcing bars etc.) Angles, Shapes and sections (including Beams,
-----	---------	--	---

			Joists, Channels Special profiles etc.), Plates / Sheets /Strips/ Wide coil / Blooms / Billets/ Slabs and Ingots”
--	--	--	---

26.	614-616	<u>Engineering Product</u> Sl.No.C525	The description of export item shall be amended to read as under:- “Stainless Steel bars and Rods (including Rounds, Flats Hexagons, Octagons, wire rods, etc.) Angles, Shapes and sections (including beams, Joists, Channels, special profiles, etc.), Plates / Sheets / Strips/ wide coils/ Blooms/ Billets/ slabs/ Ingots in any condition/ finish whether cast, hot rolled/ cold rolled, forged or cold finished/ cold drawn”
-----	---------	--	--

27.	617	<u>Engineering Product</u> Sl.No.C527	1. the description of import item at Sl. No. 7(a) (without any change in quantity) shall be amended to read as under:- “7(a). Used / New Plastic / Steel Bobbins / Spools” 2. In the Note No. 1, the words appearing as “below 1 mm only” shall be substituted by the following:- “below 1.6 mm only”
-----	-----	--	--

28.	626	<u>Engineering Product</u> Sl.No.C601	The description of import item at Sl. No. 1, shall be amended (without any change in quantity) to read as under:- "Cold Rolled Non-alloy Steel Sheet/Strip/Wire Coils (prime seconds / defectives)"
-----	-----	--	--

29.	657	<u>Engineering Product</u> Sl.No.C829	The Note No. 1, below this entry shall be added:- "Note: 1. Import of handle may also be allowed on net to net basis with accountability clause where the product is exported alongwith the handle"
-----	-----	--	--

30.	838	<u>Engineering Product</u> Sl.No.C1630	The norm covered by this entry shall be substituted by the following:-
-----	-----	---	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
C1630	Galvanised Steel Flexible Tube / Pipe (conduit) with PVC coating	1 kg	1. Low carbon MS defective coils/ Sheets 2. Zinc	1 kg/kg content in the export product 0.025 kg content in the export product 1.05 kg/kg content in the

			3. PVC compound (granules)	export product
--	--	--	-------------------------------	----------------

-:12:-

31.	841	<u>Engineering Product</u> Sl.No.C1645	The description of import items shall be amended (with quantity) to read as under:- "1. For Export item No. 1 i) Gear Box - 1 No ii) Front Axle - 1 No. iii) View for Oil Level - 1 No. iv) Plug - 1 No. v) Distributor Valve - Net to net and handle 0. For Export Item No. 2 i) Gear Box - 1 No ii) Front Axle - 1 No. iii) View for Oil Level - 1 No. iv) Plug - 1 No. v) Distributor Valve - Net to net and Handle
-----	-----	---	---

			0. For Export Item No. 3 i) Gear Box - 1 No ii) Front Axle - 1 No. iii) View for Oil Level - 1 No. iv) Plug - 1 No. v) Distributor Valve - Net to net and Handle vi) Hyd. Motor - 1 No. vii) Control Valve - 1 No."
--	--	--	---

32.	861	<u>Engineering Product</u> Sl.No.C1698	In the description of import item at Sl. No. 1, the following alternative import items (with quantity) shall be added:- "OR "1(a) Aluminium Ingot - 1.10 kg/kg content in the export product 1(b) Relevant alloying - 1.10 kg/kg elements such as content in the export product silicon metal, the product manganese metal, product magnesium metal etc."
-----	-----	---	--

33.	23	<u>Engineering Product</u> Sl.No.C1780 (as amended vide Public Notice No.20 Dated:01.07.2002)	The norm covered by this entry shall be substituted by the following:-
-----	----	--	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
C1780	Magnet Retrieving	1 No.	1. Permanent Magnet Strontium Ferrite Grade in demagnetized condition as Component in relevant dimensions OR Permanent Magnet Strontium Ferrite Grade in demagnetized condition as Raw Material	Net to net 1.02 kg/kg content of Magnet in the export product

34.	23	<u>Engineering Product</u> Sl.No.C1781 (as amended vide Public Notice No.20 Dated:01.07.2002)	The norm covered by this entry shall be substituted by the following:-
-----	----	--	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
C1781	Magnetic Tray	1 No.	1. Permanent Magnet Strontium Ferrite Grade in demagnetized	Net to net

			condition as Component in relevant dimensions	
--	--	--	---	--

-:14:-

			OR Permanent Magnet Strontium Ferrite Grade in demagnetized condition as Raw Material	1.02 kg/kg content of Magnet in the export product
--	--	--	--	---

35.	25	<u>Engineering Product</u> Sl.No.C1786 (amended vide Public Notice No.20 Dated:01.07.2002)	The norm covered by this entry shall be substituted by the following:-
-----	----	--	---

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
C1786	Steel Rolls for Cold Rolling Mill (2-Hi, 4-Hi, 6-Hi)	1 kg	1. Alloy Tool Steel Round Bar conforming to AISI D3/D2	1.40 kg.

36.	v of HBP (VOL-II) PART-II	GENERAL NOTE FOR FUEL	In the "General Note for Fuel" the description of the product group against Sl. No. 9 shall be amended to read as under:-
-----	------------------------------------	--------------------------	--

			"9. Non-ferrous basic metals (including down-stream products of aluminium)"
--	--	--	---

37.	1	(Corrected vide Public Notice No.36 Dated:17/09/2002)	The word "Raw" appearing in the subject heading and in the first paragraph of the said Public Notice shall be deleted.
-----	---	--	--

-:15:-

Annexure "B" to the
Public Notice No. 52
Dated: 05/12/2002

CHEMICALS AND ALLIED PRODUCTS

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A3110	Para Hydroxy Benzo Phenone	1 kg	1. Benzoyl Chloride 2. Phenol 3. Aluminium Chloride (Anhydrous) 4. Dichloro Ethane (Ethylene Dichloride)	1.220 kg 0.940 kg 1.682 kg 4.4 kg

			5. Caustic Soda Flakes 6. Methanol	2.00 kg 9.00 kg
A3111	Nipacide C1 15 (Containing Chloro Methyl Isothiazolinone content 1.4% min.)	1 kg	1. Chloro Methyl Isothiazolinone (10.2%)	0.138 kg
A3112	Timber Touch (1-(2,2,6-Trimethyl Cyclohexyl)-Hexan-3-ol)	1 kg	1. Citral (min. Purity 95%) 2. Methyl Propyl Ketone	1.865 kg 1.500 kg
A3113	Ortho Cresol	1 kg	1. Phenol 2. Methanol	0.915 kg 0.312 kg
A3114	Phenyl-Alpha (2 Pyridyl) Acetone Nitrile	1 kg	1. 2 Chloro Pyridine 2. Sodium Hydride	0.78 kg 0.18 kg
A3115	Synthetic tanning agent Ammonium Salt of Phenol, Cresol Sulfonic Acid, Polymerized with urea and formaldehyde (Active content 40.5-41%)	1 kg	1. Phenol 2. Cresol	0.132 kg 0.070 kg

-:16:-

A3116	Venetian Glass Beads Loose, Glass	1 kg	1. Glass Beads/	1.05 kg/kg content of
-------	-----------------------------------	------	-----------------	--------------------------

	Beads in Strings, Bracelets, Rosaries, Necklaces		Metal Beads OR Block Glass /Plain Glass Rods/ Millifeori Glass Rods/ Venetian Glass Rods 2. Metal Locks 3. Metal Findings 4. PVC Coated Steel Wire	export 1.03 kg/kg content of export 1.20 kg/kg content of export 1.03 kg/kg content of export 1.03 kg/kg content of export 1.05 kg/kg content of export
A3117	Wax Crayons – Containing Paraffin wax not less than 24% and Stearic Acid not less than 74%	1 kg	1. Paraffin Wax 2. Stearic Acid 3. Organic Pigments	0.252 kg 0.740 kg 0.021 kg

-:17:-

Annexure "C" to the
Public Notice No. 52
Dated: 05/12/2002

ENGINEERING PRODUCTS

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
C1826	LPG Storage Bullets / Tanks	1 No.	1. B.Q. Plates	1.05 kg/kg content in export product
C1827	Kerosene Wick Stove and its parts	1 No.	1. CRCA Non Alloy Steel Sheet 2. Nickel Anode 3. Paper Board for corrugated boxes	1.10 kg/kg content in the export product 0.97% of the weight of components to be nickel plated As per Packing Policy
C1828	Radiators for transformer made of stainless steel	1 No.	1. Stainless Steel Sheet/Coils	1.05 kg/kg content in the export product

Note : In the case of coated / painted radiator, whether internally or externally coated, relevant coating / painting material may be allowed on actual

requirement basis upto to 4% of the FOB value of exports

-:18:-

C1829	Evaporative Cooler	Air	1 No.	1. ABS 2. PVC Compound 3. Nitrile Rubber compound 4. Relevant Gear Motor/ Swing Motor 5. Relevant main Motor 6. Relevant Pump Motor 7. Adhesive	1.05 kg/ kg content in the export product 1.05 kg/ kg content in the export product 1.05 kg/ kg content in the export product 1 No. 1 No. Net to net Cif value restricted to 1% of the FOB value 1 kg/ kg content in the export product
-------	--------------------	-----	-------	--	--

			8. Cellulose impregnated corrugated paper cartons	
C1830	Hot Rolled Non-alloy Steel Strips/Slit Coils in pickled and oiled condition	1 kg	1. Hot Rolled Non-alloy Steel Wide Coils in unpickled and un-oiled condition	1.02 kg
C1831	Aluminium Pressure Cooker	1 No.	1. Aluminium Alloy circles (commercial grade)	1.03 kg/kg content in the export product

-:19:-

C1832	Chrome / Nickle Plated Wire Wheel for all types of card	1 No.	1. HR Sheet for Rim 2. Billets for shell 3. Wire for spokes 4. Nipple wire	1.19 kg/kg in the export product 2.5 kg/ kg in the export product 1.07 kg/kg in the export product 1.42 kg/kg in the export product
-------	---	-------	---	--

			5. Nickel 6. Sealant 7. Brightener 8. Plating Chemicals	0.03 kg/No. of the export product 0.03 kg/No. of the export product 0.15 kg/No. of export product cif value limited upto 3% of the FOB value
C1833	Silane Treated Glass Fabric / Cloth	1 kg	1. Glass Fibre / Glass Filament Yarn 2. Polyvinyl Alcohol 3. Silane	1.10 kg 0.02 kg 0.003 kg
C1834	Telephone Cable of relevant size (pairs) having copper conductor – 0.5 mm dia	1 Km	As per Engineering Table No. 9(1)	

-:20:-

C1835	Telephone Cable of relevant size (pairs) having copper	1 Km	As per Engineering Table No. 9(2)	
-------	--	------	-----------------------------------	--

	conductor – 0.65 mm dia			
C1836	Telephone Cable of relevant size (pairs) having copper conductor – 0.90 mm dia	1 Km	As per Engineering Table No. 9(3)	
C1837	D. C. Motors	1 No.	1. Relevant Cold Rolled Steel Sheet/ Strip/Wide Coil	1.37 kg/kg content in the export product 1.60 kg/kg content in the export product
			2. CRNGO Steel Sheet/ Strip/ Wide Coil	1 kg/ kg content in the export product 1.05 kg/ kg content in the export product
			3. Trivoltthrem/ Triflixel (Nomex / Polyester Film/ Nomex)	1.05 kg/kg content in the export product
			4. Copper Wire (Square) Bar/Rod	Net to net Net to net Net to net Net to net
			5. Plate	Net to net Net to net
			M.S.	

			10. Poppet 11. Seal 12. Secondary Plunger 13. Sleeve 14. Spring 15. Seal 16. Spring 17. Retainer	Net to net Net to net Net to net Net to net Net to net Net to net Net to net
C1839	Steel trunks (in CKD and SKD condition), with accessories/ fittings/ hardwares, such as, hasps, staples, corners, handles, slips, Knobs fittings side flaps and flats	1 kg	1. Carbon Steel / Mild Steel / all seconds grades/ defectives/ cuttings/ prime sheets/ coils/ strips OR 1. Tin plate waste/ waste 2. Bronze powder	1.25 kg/kg content in the export product 1.25 kg/kg content in the export product 0.070 kg/kg of export product

-:22:-

			3. Suitcase locks, metal fittings including combination locks	Net to net with accountability
--	--	--	---	--------------------------------

				in the export product
C1840	Marsh Geophone Strings consisting of 12 SM-24 Basic Elements	1 No.	1. Basic Element SM-24	12 Nos.
C1841	Marsh Geophone Strings consisting of 12 SM-24 Basic Elements (LD)	1 No.	2. Basic Element SM-24	12 Nos.

-:23:-

ENGINEERING TABLE – 9 (1)

EXPORT ITEM - TELEPHONE CABLE (**LENGTH - ONE KM.**) OF RELEVANT SIZE(PAIRS) HAVING COPPER CONDUCTOR – 0.50 MM DIA

able size (Pairs)	1200	1000	900	800	600	400	300	200	150	100	70	50	30	20	10	5
opper nductor a(mm)	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
PORT ITEMS WITH QUANTITIES IN (kg.)																
Copper	4231.756	3526.463	3173.817	2821.17	2115.878	1410.585	1057.939	705.2926	528.9694	352.6463	246.8524	176.3231	105.7939	70.52926	35.26463	17.63231
HDPE	2416.178	2013.482	1812.134	1610.786	1208.089	805.3928	604.0446	402.6964	302.0223	201.3482	140.9437	100.6741	60.40446	40.26964	20.13482	10.06741
Filling Jelly	1328.083	1357.929	1187.493	933.1449	720.2243	433.8454	313.3903	284.8938	166.7236	151.3079	98.86314	92.36556	51.88066	56.48608	24.53371	10.83703
Flooding jelly	42.95541	40.67055	38.38569	35.41537	30.84564	24.79076	21.36346	18.45026	15.30858	13.2522	10.96734	9.824908	7.540046	6.96883	4.798211	3.341611
Poly Foil stock	22.32395	21.13175	19.93955	18.38969	16.00529	12.84596	11.05766	9.537604	7.898328	6.825348	5.633147	5.037047	3.844847	3.546796	2.414206	1.654178
Al Foil stock	129.767	122.8368	115.9067	106.8975	93.03721	74.67232	64.2771	55.44117	45.91222	39.67509	32.74494	29.27987	22.34972	20.61718	14.03355	9.615578
LDPE	727.1546	690.3367	653.5187	521.7104	457.8926	343.1433	298.9618	238.2735	201.1488	159.5445	134.9992	122.7265	98.18122	92.04489	68.72685	34.5782

-:24:-

ENGINEERING TABLE – 9 (2)

EXPORT ITEM - TELEPHONE CABLE (***LENGTH - ONE KM.***) OF RELEVANT SIZE(PAIRS) HAVING COPPER
CONDUCTOR – 0.65 MM DIA

Cable size (Pairs)	900	600	400	200	100	70	20	10
Copper conductor Dia(mm)	0.65	0.65	0.65	0.65	0.65	0.65	0.65	0.65
IMPORT ITEMS (WITH QUANTITIES IN Kgs.)								
1.Copper	5363.75	3575.833	2383.889	1191.944	595.9722	417.1806	119.1944	59.59722
2.HDPE	2319.531	1546.354	1030.903	515.4514	257.7257	180.408	51.54514	25.77257
3.Filling	1970.915	1205.986	707.5148	468.8895	279.7171	164.2673	24.78362	8.025579
4.Jelly								
5.Flooding Jelly	46.38271	37.24326	29.70321	22.27741	16.45101	13.2522	6.397615	4.341239
6.Poly Foil stock	24.11225	19.34345	15.40919	11.53454	8.494428	6.825348	3.248746	2.175766
7.Al Foil stock	140.1622	112.4416	89.57214	67.04916	49.37729	39.67509	18.88465	12.64752
8.LDPE	782.3816	635.1097	441.9382	338.2343	214.6487	159.5445	85.90856	56.33147

ENGINEERING TABLE – 9 (3)

- EXPORT ITEM - TELEPHONE CABLE (***LENGTH - ONE KM.***) OF RELEVANT SIZE(PAIRS)

- HAVING COPPER CONDUCTOR – 0.90 MM DIA

Cable size (Pairs)	20	50	30	70	100	200
Copper conductor Dia(mm)	0.9	0.9	0.9	0.9	0.9	0.9
IMPORT ITEMS (WITH QUANTITIES IN Kgs.)						
1.Copper	228.5148	571.287	342.7722	799.8018	1142.574	2285.148
2.HDPE	137.4537	343.6343	206.1806	481.088	687.2685	1374.537
3.Filling	131.6723	260.6243	181.2253	371.0402	510.1027	2494.791
4.Jelly						
5.Flooding jelly	11.53856	17.25071	13.82342	20.44952	24.21954	42.95541
6.Poly Foil stock	5.931197	8.911699	7.123398	10.58078	12.54791	22.32395
7.Al Foil stock	34.47748	51.80284	41.40762	61.50505	72.93979	129.767
8.LDPE	141.1355	202.4988	165.6808	261.8984	335.7798	727.1546

Dated: 05/12/2002

PLASTIC PRODUCTS

H513	HDPE Telecom Duct	1 kg	1. HDPE Resin 2. Silicore 3. Colour Master Batch 4. White Master batch 5. Cord Strap 6. Buckles 7. Polyester Strap 8. Printing Ink 9. Solvent for Ink	1.003 kg 0.037 kg 0.009 kg 0.001 kg As per packing policy As per packing policy As per packing policy 0.04 gms 0.05 gms
H514	Thermoplastic Polyurethane Grade Desmopan 585 U-101	1 MT	1. Polyester Polyol 225 B 2. 1,4 Butane-Diol 3. MDI (Desmodur TPPU 0118 FUSED) 4. Stabaxol 5. Vinyzene S. B. -1 PS 6. Desmopan KA 8551 7. Nacol 18-94 8. Adipic Acid	475.2 kg 160.8 kg 310.20 kg 2.7 kg 2.7 kg 10.00 kg 2.45 kg 109.4 kg

-:27:-

H515	Low Density Polyethylene (LDPE)	1 MT	1. Ethylene 2. Oleamide (Crodamide) 3. Force Feed Lub Oil 4. LPG 5. Propylene	1025 kgs 0.50 kg 1.60 kg 3.5 kg 10 kgs
H516	Hot Melt Adhesive / thermosetting Glue containing 51 $\pm$ 1% EVA Copolymer, 26 $\pm$ 1% Tackifier and 23 $\pm$ 1% paraffin/ Sasol Wax	1 kg	1. EVA Copolymer 2. Relevant Tackifier Resin/ Petroleum Hydrocarbon Resin 3. Relevant Paraffin Wax/ Sasol Wax	0.53 kg 0.27 kg 0.24 kg

-:28:-

Annexure "E" to the
Public Notice No. 52
Dated: 05/12/2002

SPORTS GOODS

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
I42	Cricket Bat size – Full/ Men, Length 22 inch; Breadth 4.2 inch	1 No.	1. Willow cleft Length – 27.5 – 28.5 inch; Breadth – 4-6/8-5 inch; thickness – 1-5/8-1-6/8 inch	1.03 No.
I43	Cricket Bat size – Harrow – Length	1 No.	1. Willow cleft length – 26-27 inch; Breadth – 4-1/2-4-3/4 inch;	1.03 No.

	21.4 inch; Breadth 4.1 inch		Thickness – 1-1/4-1-1/2 inch	
I44	Cricket Bat size 6 of length 21.0 inch; Breadth 4.0 inch	1 No.	1. Willow cleft Length – 26-27 inch; Breadth – 4-1/2 – 4-3/4 inch; Thickness – 1-1/4-1-1/2 inch	1.03 No.
I45	Cricket Bat size 5 of Length 20.4 inch; Breadth 3.7 inch	1 No.	1. Willow cleft length – 26 – 27 inch; Breadth – 4-1/2 – 4-3/4 inch; thickness – 1-1/4 – 1-1/2 inch	1.03 No.
I46	Cricket Bat size 4 of Length 19.4 inch; Breadth 3.6 inch		1. Willow cleft length – 26-27 inch; Breadth – 4-1/2 – 4-3/4 inch; Thickness – 1-1/4-1-1/2 inch	1.03 No.

-:29:-

I47	Cricket Bat size 3 of Length 18.4 inch; Breadth 3.5 inch	1 No.	1. Willow cleft Length – 26-27 inch; Breadth – 4-1/2-4-3/4 inch; Thickness 1-1/4-1-1/2 inch	1.03 No.
-----	--	-------	---	----------

Note (common to all sizes of Cricket Bats):-

The cane for handle of cricket bat with a diameter varying from 10 mm to 25 mm may also be imported subject to the condition that the weight of cane is 450 gm (+/-10%). Appropriate handle shall be required in export product.