

**GOVERNMENT OF INDIA
MINISTRY OF COMMERCE & INDUSTRY
DEPARTMENT OF COMMERCE**

PUBLIC NOTICE NO. 54 (RE- 03)/ 2002-2007
NEW DELHI : DATED : 03/01/2003.

Attention is invited to Paragraph 2.4 of the Export and Import Policy 2002-2007, as amended and Paragraphs 4.9 and 4.10 of the Handbook of Procedures, Vol.1, 2002-2007, as amended and also to the Handbook of Procedures, Vol.2, 2002-2007, as amended from time to time.

2. In exercise of the powers conferred under Paragraph 2.4 of the Export and Import Policy 2002-2007, as amended, the Director General of Foreign Trade hereby makes the following amendments/deletions/corrections and additions in the Handbook of Procedures, Vol.2, 2002-2007, as amended.
3. In the statement of Standard Input Output Norms as contained in the Handbook of Procedures, Vol.2, 2002-2007, as amended, amendments/ corrections/ deletion at appropriate places as mentioned in Annexure "A" to this Public Notice shall be made.
4. In the statement of Standard Input Output Norms, following additions shall be made at appropriate places as mentioned below:-

CHEMICALS AND ALLIED PRODUCTS

After the existing entry at Sl.No.A-3117, new entries at Sl. No. A-3118 to A-3133 shall be added as per Annexure "B" to this Public Notice.

ENGINEERING PRODUCTS

After the existing entry at Sl.No.C-1841, new entries at Sl.No.C-1842 to C-1858 shall be added as per Annexure "C" to this Public Notice.

-:2:-

FOOD PRODUCTS

After the existing entry at Sl.No.E-109, new entry at Sl. No. E-110 shall be added as per Annexure "D" to this Public Notice.

PLASTIC PRODUCTS

After the existing entry at Sl.No.H-516, new entries at Sl. No. H-517 to H-519 shall be added as per Annexure "E" to this Public Notice.

5. This issues in public interest.

(L. MANSINGH)
DIRECTOR GENERAL OF FOREIGN TRADE

(R. C. SAINI)
DY. DIRECTOR GENERAL OF FOREIGN TRADE
FOR DIRECTOR GENERAL OF FOREIGN TRADE

-:3:-

Annexure "A" to the

AMENDMENTS/CORRECTIONS

Sl. No.	Page No.	Reference	Amendments/Corrections
1	2	3	4
1.	46	<u>Chemicals & Allied Products</u> Sl.No.A226	The description of import item at Sl. No. 1 (with quantity) shall be amended to read as under:- “DL-2 AB (DL2 - 1.51 kg Amino Butanol)”

2.	108	<u>Chemicals & Allied Products</u> Sl.No.A763	The norm covered by this entry shall be substituted by the following:-
----	-----	--	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A763	Optical Brightener (C.I. Fluorescent Brightener 220) (Assay 80%)	1 kg	1. Aniline Oil OR Sulphanilic Acid 2. Cyanuric Chloride 3. 4,4-Diamino Stilben 2,2-Disulphonic Acid OR 3. a) Para Nitro Toluene b) Caustic Soda 4. Diethanol Amine 5. Caustic Soda 6. Soda Ash	0.160 kg 0.273 kg 0.289 kg 0.283 kg 0.350 kg 0.570 kg 0.178 kg 0.123 kg 0.265 kg

-:4:-

3.	166	<u>Chemicals & Allied Products</u> Sl.No.A1352	The norm covered by this entry shall be deleted.
----	-----	---	--

4.	167	<u>Chemicals & Allied Products</u> Sl.No.A1353	The norm covered by this entry shall be substituted by the following:-
----	-----	---	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A1353	Fumaric Acid (99.5% minimum)	1 kg	1. Benzene 2. Thio-urea OR Maleic Anhydride	1.075 kg 0.054 kg 0.871 kg

5.	169	<u>Chemicals & Allied Products</u> Sl.No.A1381	The norm covered by this entry shall be substituted by the following:-
----	-----	---	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A1381	Malic Acid	1 kg	1. Benzene OR Maleic Anhydride 2. Catalyst 3. Thio-Urea 4. Molecular Sieve	1.045 kg 0.847 kg 0.019 kg 0.059 kg 0.029 kg

6.	198	<u>Chemicals & Allied</u>	The norm covered by this entry shall be
----	-----	-------------------------------	---

		<u>Products</u> Sl.No.A1647	substituted by the following:-
--	--	--------------------------------	--------------------------------

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A1647	Permethrin Technical (92%)	1 kg	1. D.V. Ester 2. Benzaldehyde 3. Liquid Bromine 4. Phenol 5. Potassium Hydroxide (Min. 88%) 6. Sodium Borohydride	0.59 kg 0.400 kg 0.304 kg 0.299 kg 0.192 kg 0.028 kg

-:5:-

7.	236	<u>Chemicals & Allied Products</u> Sl.No.A1837	The norm covered by this entry shall be substituted by the following:-
----	-----	---	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A1837	Polyester Partially Oriented Yarn (PTA Route)	1 kg	1. PTA 2. MEG 3. Titanium Dioxide 4. Antimony Trioxide 5. Diethylene Glycol 6. Triethylene Glycol 7. Dowtherm/Heat Transfer Oil/Fluid 8. Spin finish Oil 9. Furnace Oil	0.920 kg 0.370 kg 0.00338 kg 0.00061 kg 0.00408 kg 0.009 kg 0.005 kg 0.01014 kg 0.3486 Lts/kg

8.	237	<u>Chemicals & Allied Products</u>	The description of import items at Sl. No. 4 & 6 (without any change in quantity) shall be
----	-----	--	--

		Sl.No.A1843	amended to read as under:- “4. Estofil Dyes/ Master Batch 6. Furnace Oil/LDO”
--	--	-------------	---

9.	243	<u>Chemicals & Allied Products</u> Sl.No.A1891	The norm covered by this entry shall be deleted.
----	-----	---	--

10.	279	<u>Chemicals & Allied Products</u> Sl.No.A2181	The description of export item shall be amended to read as under:- “Garcinia Cambogia Powdered Extract having a minimum of 50% HCA (Hydroxy Citric Acid)”
-----	-----	---	--

11.	338	<u>Chemicals & Allied Products</u> Sl.No.A2673	The norm covered by this entry shall be deleted.
-----	-----	---	--

-:6:-

12.	368	<u>Chemicals & Allied Products</u> Sl.No.A2924	The norm covered by this entry shall be substituted by the following:-
-----	-----	---	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A2924	Phenyl Hydrazine Semi Carbazide	1 kg	1. Aniline 2. Sodium Nitrite 3. Caustic Soda Flake 4. Isopropyl Alcohol	1.04 kg 0.87 kg 1.65 kg 1.00 kg

--	--	--	--

13.	543	<u>Engineering Product</u> Sl.No.C313	The description of import item at Sl. No. 1, (with quantity) shall be substituted by the following:- “1. Copper Scrap - 1.05 MT/MT of Copper content in the export product OR Copper Tube - 1.03 kg/kg content in the export product OR Copper Billet - 1.03 kg/kg content in the export product”
-----	-----	--	---

-:7:-

14.	556	<u>Engineering Product</u> Sl.No.C362	The norm covered by this entry shall be substituted by the following:-
-----	-----	--	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
C362	Casing Pipes conforming to API, Specification 5CT or equivalent of OD 114 mm to 508 mm (4 and ½” to 20”) made of (a) Seamless Steel Pipes	1000 Mtrs.	1. (a) Plain end seamless Pipes OR (b) ERW Steel Pipes of relevant dia and grade as the case may be 2. Plain end Seamless coupling Stock 3. Finished Thread inserts 4. Cross Overs	1055 mtrs. 1055 mtrs 28 mtrs 30 Sets.

	(b) OR ERW Steel Pipes			Net to net with accountability in the export product upto a max. of 5 Nos.
--	------------------------------	--	--	--

15.	564- 565	<u>Engineering Product</u> Sl.No.C397	1. The description of export item shall be amended to read as under:- “Thermostatic type Bimetal / Trimetal Strip of Various Grades and parts thereof” 2. The description of import item at Sl. No. 1a) (2), (without any change in quantity) shall be corrected to read as under:- “1a) (2) Alloy with 22% Nickel, 3% Chrome and balance Ferrous”
-----	-------------	--	--

-:8:-

		-	3. The import items at Sl. No. 4, 5, & 6 (with quantity) is under Sl. No. 1(b) is shifted under Sl. No. 1(a) as under:- “4. Relevant Grade of - 1.10 kg/kg Stainless Steel content in the export product 5. Nickel - 1.10 kg/kg content in the export product 6. Copper - 1.10 kg/kg content in the
--	--	---	--

			export product
--	--	--	-------------------

16.	566	<u>Engineering Product</u> Sl.No.C404	The description of import item at Sl. No. 2, shall be amended (without any change in quantity) to read as under:- “Cobalt Matric Powder / Metal Matric Powder/ Cobalt Metal Powder”
-----	-----	--	--

17.	566	<u>Engineering Product</u> Sl.No.C405	The description of import item at Sl. No. 2, shall be amended (without any change in quantity) to read as under:- “Cobalt Matric Powder / Metal Matric Powder/ Cobalt Metal Powder”
-----	-----	--	--

-:9:-

18.	566	<u>Engineering Product</u> Sl.No.C406	The description of import item at Sl. No. 2, shall be amended (without any change in quantity) to read as under:- “Cobalt Matric Powder / Metal Matric Powder/ Cobalt Metal Powder”
-----	-----	--	--

19.	567	<u>Engineering Product</u> Sl.No.C407	The description of import item at Sl. No. 2, shall be amended (without any change in quantity) to read as under:- “Cobalt Matric Powder / Metal Matric Powder/ Cobalt Metal Powder”
-----	-----	--	--

20.	567	<u>Engineering Product</u> Sl.No.C408	The description of import item at Sl. No. 2, shall be amended (without any change in quantity) to read as under:-
-----	-----	--	---

			“Cobalt Matric Powder / Metal Matric Powder/ Cobalt Metal Powder”
--	--	--	--

21.	567	<u>Engineering Product</u> Sl.No.C409	The description of import item at Sl. No. 2, shall be amended (without any change in quantity) to read as under:- “Cobalt Matric Powder / Metal Matric Powder/ Cobalt Metal Powder”
-----	-----	--	---

22.	567	<u>Engineering Product</u> Sl.No.C410	The description of import item at Sl. No. 2, shall be amended (without any change in quantity) to read as under:- “Cobalt Matric Powder / Metal Matric Powder/ Cobalt Metal Powder”
-----	-----	--	---

23.	567- 568	<u>Engineering Product</u> Sl.No.C411	The description of import item at Sl. No. 2, shall be amended (without any change in quantity) to read as under:- “Cobalt Matric Powder / Metal Matric Powder/ Cobalt Metal Powder”
-----	-------------	--	---

-:10:-

24.	568	<u>Engineering Product</u> Sl.No.C412	The description of import item at Sl. No. 2, shall be amended (without any change in quantity) to read as under:- “Cobalt Matric Powder / Metal Matric Powder/ Cobalt Metal Powder”
-----	-----	--	---

25.	568	<u>Engineering Product</u>	The description of import item at Sl. No. 2,
-----	-----	----------------------------	--

		Sl.No.C413	shall be amended (without any change in quantity) to read as under:- “Cobalt Matric Powder / Metal Matric Powder/ Cobalt Metal Powder”
--	--	------------	--

26.	639	<u>Engineering Product</u> Sl.No.C690	The description of export item shall be amended to read as under:- “Cryogenic Tank for Liquified Gases”
-----	-----	--	--

27.	657	<u>Engineering Product</u> Sl.No.C829	The description of import item at Sl. No. 1, (with quantity) shall be amended to read as under:- “1. Cold Rolled Medium/ - 988 kg High Carbon Martensitic Stainless Steel Strips in Coils (Thickness 0.10 +/- 0.005 mm, width 22.38+ 0.02/-0.00 mm)” OR Cold Rolled Medium - 1295 kg /High Carbon Martensitic (Semi-finished) Stainless Steel Strips in Coils (Thickness : 0.8-0.9mm), Width: 310-340 mm) OR Hot Rolled Medium / - 1522 kg High Carbon Martensitic Stainless Steel Strips in Coils (Thickness : 3.3 – 3.5 mm), Width : 310 – 340 mm)
-----	-----	--	--

28.	741	<u>Engineering Product</u> Sl.No.C1176	After the description of import item at Sl. No. 2 the following additional import items (with quantity) shall be added:- “3. Calcium Hexa Bromide 4. Hot Die Steel 5. Lubricants CIF value limited 6. Tungsten Carbide to 1.5% of Drawing Dies & FOB value of Plugs export 7. Refractory Ramming Mass”
-----	-----	---	--

29.	742	<u>Engineering Product</u> Sl.No.C1177	After the description of import item at SL. No. 2 the following additional import items (with quantity) shall be added:- “3. Calcium Hexa Bromide 4. Hot Die Steel 5. Lubricants CIF value limited 6. Tungsten Carbide to 1.5% of Drawing Dies & FOB value of Plugs export 7. Refractory Ramming Mass”
-----	-----	---	--

30.	746	<u>Engineering Product</u> Sl.No.C1214	The description of export item shall be amended to read as under:- “Valve Stamp made of Brass”
-----	-----	---	---

31.	780	<u>Engineering Product</u> Sl.No.C1383	The description of export item shall be amended to read as under:- “Automotive Oil Filter / Fuel Filter/Spin-on Filters/Oil or Fuel Filter Assembly / Canister-Lub Oil Filter /Air Filter”
-----	-----	---	---

-:12:-

32.	828	<u>Engineering Product</u> Sl.No.C1577	After the import item at Sl. No. 1 the following alternative import item (with quantity) shall be added:- “OR Stainless Steel Coil - 1.15 kg (Martensitic Grade)”
-----	-----	---	--

33.	839	<u>Engineering Product</u> Sl.No.C1636	The description of export item shall be amended to read as under:- “Burning lances (non-alloy steel pipes fitted with alloy steel wires)”
-----	-----	---	--

34.	877	<u>Engineering Product</u> Sl.No.C1762	The description of export item shall be amended to read as under:- “Agricultural Sprinklers mainly made of Brass”
-----	-----	---	--

35.	17	<u>Engineering Product</u> Sl.No.C1772 (Amended vide Public Notice No.15 Dated:04/06/2002)	The norm covered by this entry shall be substituted by the following:-
-----	----	---	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
C1772	Earth Moving Wheel Components, namely, Bead Seat Ring, Gutter Band Fixed Flange & Lock Ring	1 No.	4. HR Section (Rolled Bar)	1.10 kg/kg content in the export product

-:13:-

36.	18	<u>Engineering Product</u> Sl.No.C1773 (Amended vide Public Notice No.15 Dated:04/06/2002)	The norm covered by this entry shall be substituted by the following:-
-----	----	---	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
C1773	Earth Moving Wheel Components, namely, Detachable Flange/ Loose Flange Centre Band Disc & Side Ring	1 No.	1. HR Plate	1.20 kg/kg content in the export product

37.		GENERAL NOTE FOR FUEL	The General Note for Fuel at Sl. No. 7, shall be amended to read as under:- “7. Refractory items of the following types:- a. Shaped and Fired - 7% b. Shaped and Tempered - 3% c. Others - 2%”
-----	--	-----------------------	--

-:14:-

Annexure “B” to the
Public Notice No. 54
Dated: 03/01/2003

CHEMICALS AND ALLIED PRODUCTS

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A3118	Sodium Perborate Monohydrate	1 kg	1. Borax Pentahydrate	0.814 kg
A3119	Sodium Perborate Tetrahydrate	1 kg	1. Borax Pentahydrate	0.524 kg
A3120	Ortho Cresol	1 kg	1. Phenol 2. Methanol	0.915 kg 0.312 kg
A3121	Naphthalene 1,3,6 Trisulfonic Acid	1 kg	1. Crude Naphthalene	0.737 kg
A3122	4 Chloro 4 Hydroxy Benzophenone	1 kg	1. Para Chloro Benzotrichloride 2. Phenol 3. Aluminium Chloride an Hydrous 4. Sodium Hydroxide (Flakes) 5. Dichloro Ethane 6. Methyl Alcohol	1.805 kg 0.810 kg 1.604 kg 1.70 kg 5.00 kg 5.00 kg
A3123	3,4 Dichloro Aniline	1 kg	1. Ortho Dichloro Benzene	1.158 kg
A3124	Diethylene Triamine Penta (Methyl Phosphonic Acid (50% active content))	1 kg	1. Diethylene Triamine 2. Phosphorous Trichloride OR Yellow Phosphorous	0.090 kg 0.620 kg 0.141 kg

			3. Formaldehyde (Purity=36%)	0.480 kg
A3125	N-Acetyl-L- Cysteine USP/EP	1 kg	1. L-Cysteine Monohydrate	1.243 kg

-:15:-

A3126	S-Carboxy Methyl Cysteine JP	1 kg	1. L-Cysteine Hcl Monohydrate	1.133 kg
A3127	Phenyl Ephedrine Hcl/R-(-)-Phenyl Ephedrine Hcl	1 kg	1. 3 Hydroxy Aceto- phenone OR 1(i) 3 Amino Acetophenone 1(ii)Sodium Nitrite OR 1(i) Acetophenone 1(ii)N Heptane/Heptane 2. N Methyl Butyl Amine 2(i) Sodium Borohydride 2(ii)Mono Methylamine 40% 2(iii)Methanol 2(iv)N Heptane / Heptane 3. L(+) Tartaric Acid OR d-Tartaric Acid 4. 1,4, Dioxane/ Methyl Isobutyl Ketone	2.47 kg 3.70 kg 2.12 kg 5.86 kg 4.04 kg 5.68 kg 1.19 kg 9.66 kg 4.03 kg 4.71 kg 1.51 kg 3.00 kg

			5. Toluene / Methanol / Acetone	3.89 kg
			6. Isopropyl Alcohol/Methyl Isobutyl Ketone	1.50 kg
			7. Caustic Soda Flakes	2.00 kg

-:16:-

A3128	1,3-Dibromo 5,5-Dimethyl Hydantoin	1 kg	1. 5,5 Dimethyl Hydantoin 2. Liquid Bromine	0.526 kg 0.621 kg
A3129	SBR Latex (40% Solid content)	1 kg	1. Butadiene 2. Styrene 3. Tertiary Dodecyl Mercaptan 4. Emulsifier 5. Sodium Salt of condensed Naphthalene Sulphonic Acid	0.196 kg 0.196 kg 0.0015 kg 0.028 kg 0.002 kg
A3130	Glass Mosaic Tiles Totally coloured	100000 SQ MTRS. (900 MT)	1. a) Zirconium Silicate b) Polyvinyl Alcohol c) Cobalt Oxide/ Copper Oxide Pigment d) Borax Pentahydrate e) Boric Acid Pentahydrate f) Sodium Nitrate g) Flourspar + Bentonite h) Zinc Oxide i) Soda Ash	55.00 MT 10.00MT 46.20 MT 45.00 MT 4.50. MT 4.4 MT 96.8 MT

			e)Cobalt Oxide/ Copper Oxide Pigment	
			f)Borax Pentahydrate	50 MT
			g)Boric Acid	5.50 MT
			h)Zirconium Silicate	31.24 MT
			i)Zinc Oxide	43.56 MT
			j)Methyl Cellulose	2 MT
			k)Sodium Nitrate	4.4 MT
			l)Kaolin	15.00 MT

-:18:-

			2.a)Paper/ Paper Boards/ Coated/ Uncoated/ Cardboard Carton/ Wax Paper	As per General Packing Policy.
			b)PVC Plastisol (Hot Glue) OR	200 Nos.
			b.1)NET	
			3. a)Heat Resistant Metal Rollers	10000 Nos.
			b)Corderite Refractory Slabs	3.0 MT
			OR	
			b)Heat Resistant Metal Plates	3.0 MT
			c)High Alumina Balls	5.0 MT
			d)High Alumina Bricks	
Note : The cif value of inputs at s.No. 3 (a) to (e) shall be limited to 5% of FOB value of exports.				
A3132	Glass Mosaic Tiles Glazed (25x25 mm	100000 Sq.Meter (800 MT)	1. a)Bentonite+Flourspar b)Sodium Tripoly	123 MT 19.25 MT

	and above)		Phosphate	
			c)Polyvinyl Alcohol	8.50 MT
			d)Soda Ash	221 MT
			e)Cobalt Oxide/ Copper Oxide Pigment	41.53 MT
			f)Borax Pentahydrate	42.50 MT
			g)Boric Acid	4.67 MT
			h)Zirconium Silicate	25.4 MT
			i)Zinc Oxide	33.08 MT
			j)Methyl Cellulose	1.70 MT
			k)Sodium Nitrate	4.4 MT
			l)Kaolin	15.00 MT

-:19:-

			2. a)Paper/ Paper Boards/ Coated/Uncoated/ Cardboard Carton/ Wax Paper	As per General Packing Policy.
			b)PVC Plastisol (Hot Glue) OR	
			b.1)NET	
			3.a)Heat Resistant Metal Rollers	200 Nos.
			b)Corderite Refractory Slabs	10000 Nos.
			OR	
			b)Heat Resistant Metal Plates	3.0 MT
			c)High Alumina Balls	3.0 MT
			d)High Alumina Bricks	5.0 MT

Note : The cif value of inputs at 3 (a) to (e) will be limited to 5% of FOB value of exports.

A3133	Blend of urea Polymer with Formaldehyde, Bisulfite & Sodium Lignosulfonate 95% (Sodium Lignosulfonate 95% content 28-80%)	1 kg	1. Sodium Lignosulfonate (Purity 95%)	0.286 kg
-------	---	------	---------------------------------------	----------

-:20:-

Annexure “C” to the
Public Notice No. 54
Dated: 03/01/2003

ENGINEERING PRODUCTS

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
C1842	Copper Bonded/ Coated Ground Steel Rods	1 kg	1. Non-Alloy Steel Rounds/ Bars/ Wire Rods 2. Copper Wire Bars/ Cathodes/ Rods	1.02 kg/kg content in the export product 1.02 kg/kg content in the export product
C1843	HRC Fuses	1 No.	1. Brass Strip BS2870 2. Copper Strip BS4608	1.10 kg/kg content in the export product 1.10 kg/kg content in the export product 1.02 kg/kg content in the export product

			3. Silver Plated Copper Strip	1.10 kg/kg content in the export product
			4. Fire Sheet/ Disc Board	

-:21:-

C1844	Chafing Dishes/ Chafers (Round Shaped)	1 kg	1. S.S. Sheets/Wide Coil of relevant Grade 2. Brass Scrap	1.24 kg/kg content in the export product 1.06 kg/kg content in the export product
C1845	Chafing Dishes / Chafers (Rectangular Shaped)	1kg	1. S.S. Sheets/ Wide Coil of relevant Grade 2. Brass Scrap	1.09 kg/kg content in the export product 1.06 kg/kg content in the export product
C1846	Waste Coupling for Sink	1 No.	1. S.S. Sheets of relevant Grade 2. Brass Scrap 3. P.P. Moulding Powder/ Granules	1.36 kg/kg content in the export product 1.05 kg/kg content in the export product 1.05 kg/kg content in the export product

C1847	S.S. Vacuum Jugs (without Handle & Lid) for Coffee/ Tea machines	1 No.	1. S.S. Wide Coil of relevant Grade 2. Getter Pills 3. Buffing Wheel 4. Kraft Paper	1.36 kg/kg content in the export product 1 No. As per consumable Policy As per Packaging material Policy
C1848	Injection Mould with Hot Runner System and temperature Controller	1 Set	1. Relevant Alloy Steel Flat/Round/ Block 2. Hot Nozzle Flat 3. Temperature Control System	1.15 kg/kg content in the export product Net to net (Set) Net to net (Set)
C1849	Vibratory Cutlery Polisher	1 No.	1. Relevant Motovib (Vibration Motor) 2. Relevant Variable Frequency Drive 3. Relevant Energy Regulator 4. Relevant UV Lamp 5. Relevant UV Choke 6. Relevant Noise Filter 7. Relevant Gas Filled Lifting Cylinder	Net to net Net to net Net to net Net to net Net to net Net to net Net to net

			8. Polyurethane Elastomer	1.05 kg/kg content in the export product
			9. Relevant Air Heater	Net to net

-:23:-

C1850	Synthetic Media Pocket Efficiency 95% of Different GSM	1 No.	1. Synthetic Non Woven Filter Media Efficiency 95% of relevant GSM	1.04 Sq.Mtr./ Sq. Mtr. content in the export product
C1851	Electrical Terminals (Rail Mounted)	1 No.	1. Relevant Polyimide Powder	1.05 kg/kg content in the export product
C1852	Stainless Steel Inner / Outer Ring for Gasket	1 kg	1. Stainless Steel Sheet/ Wide Coil/ Strips of relevant grades	1.75 kg/kg content in the export product
C1853	Tube-cut-of- Blades (Knives) made of High Speed Steel Sheet	1 kg	1. High Speed Steel Sheet of relevant grade	1.20 kg/kg content in the export product
C1854	Plate Processor for offset printing Industry.	1 No.	1. A.C. Motors 2. Gear Box 3. Speed Controller 4. Float Switch 5. Ball Bearing 6. Spiral Brushes 7. Submersible Pump 8. Blower Motor 9. Photoelectric Switch	

			10. Centrifugal Magnetic Pump 11. Temperature Controller 12. Visual Programmable Logic Controller 13. Bellows Pump 14. Magnetic Switch	Net to net	
--	--	--	--	------------	--

-:24:-

			15. Noise Filter 16. Solenoid Valve 17. Heater for Dryer 18. Cartridge Heater 19. Relay 20. Socket 21. Main Switch 22. Thermocouple & mounting screws 23. Rollers 24. Cable 25. PUC Ball Valves 26. Relevant Stainless Steel Sheet	1.05 kg/kg content in the export product	
C1855	Telephone Cable of relevant size (pairs) having copper	1 KM	As per Engineering Table No. 9(4)		

	conductor 0.398/0.4 mm dia			
C1856	Telephone Cable of relevant size (Pairs) having copper conductor 0.89/ 0.90 mm dia	1 KM	As per Engineering Table No. 9(5)	
C1857	Copper Sleeves (of High Conductivity 99.99% Pure Copper) as a component of Copper-T	1 kg	1. Seamless Oxygen free Copper Tube (of High Conductivity 99.99% Pure Copper)	1.05 kg

-:25:-

C1858	Ferro-Molybdenum Cored Wire	1 kg	1. Ferro-Molybdenum granule/Powder 2. CRCA Steel Strip	1.015 kg/kg content in export product 1.01 kg/kg content in the export product
-------	-----------------------------	------	---	---

-:26:-

ENGINEERING TABLE- 9 (4)

EXPORT ITEM- TELEPHONE CABLE OF RELEVANT SIZE (PAIRS) HAVING
COPPER CONDUCTOR 0.398/0.4 MM DIA

IMPORT ITEMS
(WITH QUANTITIES
IN Kgs.)

1.	Copper	111.7325	223.4649	335.1974	558.6623	1117.325	1675.987	2234.649
2.	HDPE	16.48401	32.96803	49.45204	82.42006	164.8401	247.2602	329.6803
3.	Cable Filling Jelly	29.30209	44.78076	78.29716	128.8662	242.1827	361.3002	482.9437
4.	Al Foil Stock	17.15211	22.86948	28.93336	37.24953	51.9761	63.58409	73.45955
5.	LDPE	107.6925	135.0299	164.024	203.7874	285.2778	342.8365	376.9238

-:28:-

Annexure “D” to the
Public Notice No. 54
Dated: 03/01/2003

FOOD PRODUCTS

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
E110	Wheat Flour	50 kg	1. Relevant LDPE Bags (Inner) 2. Relevant HDPE Bags (Outer)	1.01 kg/kg weight of the relevant Bag 1.01 kg/kg weight of the relevant Bag

-:29:-

Annexure “E” to the
Public Notice No. 54
Dated: 03/01/2003

PLASTIC PRODUCTS

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
H-517	GRP (SMC) Moulded Components	1 kg	1. Fibre Glass 2. Low Profile Additive 3. p-Benzoquinone 4. Unsaturated Polyester Resin 5. Catalyst 6. Wetting and Dispersion Additives 7. Coathylene Powder 8. Magnesium Oxide Paste/ Luvitol 9. Carrier Web Film 10. Filler (Calcium Carbonate, Aluminium, Tryhydrate etc.) 11. Release Agents 12. Pigments	0.3675 kg 0.0975 kg 0.0003 kg 0.2280 kg 0.0079 kg 0.0100 kg 0.0110 kg 0.0080 kg 0.0100 kg 0.2900 kg 0.0110 kg 0.0220 kg
Note:1. The export product description should also include the different types of panels exported along with their unit weight and numbers. Note:2. The Glass Fibre content in the export product will be 35% $\pm$ 2%. Note:3. Against the raw materials imported, wherever items are imported on brand name in addition to the above mentioned description, the brand names are to be indicated below the description of the export item as in above entries in the licences.				

-:30:-

H-518	Poly Methyl Methacrylate Copolymer (White Free Flowing Powder)	1 kg	1. Methyl Metha Acrylate 2. Ethyl Metha Acrylate	1.01 kg 0.11 kg
H-519	Poly Acrylic Acid Complex (White free flowing Powder)	1 kg	1. Acrylic Acid 2. Triemethylol Propane Triacrylate/ 1,3 Butylene Glycol Diacrylate Santomer 3. Solvent (Benzene/ Toluene)	1.03 kg 0.17 kg 3.3 kg

