

(TO BE PUBLISHED IN THE GAZETTE OF INDIA EXTRAORDINARY PART-1-SECTION-1)

**GOVERNMENT OF INDIA
MINISTRY OF COMMERCE & INDUSTRY
DEPARTMENT OF COMMERCE**

PUBLIC NOTICE NO. 66 (RE- 03)/ 2002-2007
NEW DELHI : DATED : 04/03/2003.

Attention is invited to Paragraph 2.4 of the Export and Import Policy 2002-2007, as amended and Paragraphs 4.9 and 4.10 of the Handbook of Procedures, Vol.1, 2002-2007, as amended and also to the Handbook of Procedures, Vol.2, 2002-2007, as amended from time to time.

2. In exercise of the powers conferred under Paragraph 2.4 of the Export and Import Policy 2002-2007, as amended, the Director General of Foreign Trade hereby makes the following amendments/deletions/corrections and additions in the Handbook of Procedures, Vol.2, 2002-2007, as amended.
3. In the statement of Standard Input Output Norms as contained in the Handbook of Procedures, Vol.2, 2002-2007, as amended, amendments/ corrections/ deletion at appropriate places as mentioned in Annexure "A" to this Public Notice shall be made.
4. In the statement of Standard Input Output Norms, following additions shall be made at appropriate places as mentioned below:-

CHEMICALS AND ALLIED PRODUCTS

After the existing entry at Sl.No.A-3140, new entries at Sl. No. A-3141 to A-3149 shall be added as per Annexure "B" to this Public Notice.

-:2:-

ENGINEERING PRODUCTS

After the existing entry at Sl.No.C-1862, new entries at Sl.No.C-1863 to C-1872 shall be added as per Annexure "C" to this Public Notice.

PLASTIC PRODUCTS

After the existing entry at Sl.No.H-524, new entries at Sl. No. H-525 to H-527 shall be added as per Annexure "D" to this Public Notice.

SPORTS GOODS

After the existing entry at Sl.No.I-47, new entries at Sl. No. I-48 to I-50 shall be added as per Annexure "E" to this Public Notice.

5. This issues in public interest.

(L. MANSINGH)
DIRECTOR GENERAL OF FOREIGN TRADE

(S.N. DUBEY)
DY. DIRECTOR GENERAL OF FOREIGN TRADE
FOR DIRECTOR GENERAL OF FOREIGN TRADE

-:3:-

Annexure “A” to the
Public Notice No. 66
Dated: 04/03/2003

AMENDMENTS/CORRECTIONS

Sl. No.	Page No.	Reference	Amendments/Corrections
1	2	3	4
1.	28	<u>Chemicals & Allied Products</u> Sl.No.A116	The description of import item at Sl. No.2, (with quantity) shall be amended to read as under:- “2. Peracetic Acid - 1.08 kg OR (i) Acetic Acid - 1.08 kg (ii) Hydrogen Peroxide - 0.456 kg”

2.	145	<u>Chemicals & Allied Products</u> Sl.No.A1051	The norm covered by this entry shall be substituted by the following:-
----	-----	---	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A1051	Unpolished / Polished Marble Slab	1 MT	1. Steel saw Blades/ Diamond Segment/ Circular saw Blades or blanks 2. Industrial Diamond Beads / Pearls	Upto 4% of FOB value of exports Upto 2% of FOB Value of

			3. Diamond Abrasives/ Synthetic Abrasives (for polished marble slabs only)	exports Upto 3% of FOB Value of exports
			4. Epoxy Resin(for resin coated /filled marble slabs only)	Upto 2% of FOB Value of exports

-:4:-

3.	145	<u>Chemicals & Allied Products</u> Sl.No.A1052	The norm covered by this entry shall be substituted by the following:-
----	-----	---	---

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A1052	Unpolished / Polished Marble Tiles	1 MT	1. Diamond Segment / Diamond Circular saw Blades/Circular saw Blades or blanks 2. Industrial Diamond Beads/Pearls 3. Diamond Abrasives/ Synthetic Abrasives (for polished Marble Tiles only) 4. Epoxy Resin (for Resin coated / filled Marble Tiles only)	Upto 6% of FOB value of exports Upto 2% of FOB Value of exports Upto 3% of FOB Value of exports Upto 2% of FOB Value of exports

4.	211	<u>Chemicals & Allied</u>	1. The description of export item shall be
----	-----	-------------------------------	--

		<u>Products</u> Sl.No.A1704	amended to read as under:- “Relevant Natural Rubber / Synthetic Rubber based Rubber Compounded Sheets/Rings/Gaskets” 2. Further the description (without any change in quantity) of import item at Sl. No. 1 shall be amended to read as under:- “1. Natural Rubber/ Relevant Synthetic Rubber, namely, SBR (1502/1712), Neoprene, PBR, Nitrile, EPDM Rubber”
--	--	--------------------------------	--

-:5:-

5.	226	<u>Chemicals & Allied Products</u> Sl.No.A1764	The norm covered by this entry shall be substituted by the following:-
----	-----	---	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A1764	Acrylic Staple Fibre/ Acrylic Tow	1 kg	1. Acrylonitrile 2. Methyl Acrylate 3. Sodium Methyl Sulphonate OR Sodium Styrene Sulphonate (SSS)	0.959 kg 0.086 kg 0.005 kg 0.0041 kg 0.044 kgs

			4. Dimethyl Formamide (DMF)	0.002 kg
			5. Finish Oil T1 & T2	0.002 kg
			6. Finish Oil T3	

6.	230	<u>Chemicals & Allied Products</u> Sl.No.A1795	The norm covered by this entry shall be substituted by the following:-
----	-----	---	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A1795	Unpolished/ Polished Granite Monuments	1 MT	1. Diamond Segment / Diamond Circular saw Blades / Circular saw Blades or blanks	Upto 7% of FOB value of exports
			2. Polishing Abrasives (for Polished Granite monuments only)	Upto 3% of FOB value of exports

-:6:-

7.	230	<u>Chemicals & Allied Products</u> Sl.No.A1796	The norm covered by this entry shall be substituted by the following:-
----	-----	---	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
--------	-------------	------	-------------	--------------

A1796	Unpolished/ Polished Granite Tiles	1 MT	1. Diamond Segment / Diamond Circular saw Blades / Circular saw Blades or blanks 2. Polishing Abrasives (only for Polished Granite Tiles)	Upto 15% of FOB value of exports Upto 3% of FOB value of exports
-------	------------------------------------	------	--	---

8.	235	<u>Chemicals & Allied Products</u> Sl.No.A1833	The norm covered by this entry shall be substituted by the following:-
----	-----	---	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A1833	Unpolished/ Polished Granite Slabs	1 MT	1. Steel grits or shots / Gangsaw Blades 2. Diamond Segment/ Diamond Circular Saw Blades/ Circular Saw Blades or blanks 3. Polishing Abrasives (for polished granite slabs only)	Upto 5% of FOB value of exports Upto 4% of FOB value of exports Upto 3% of FOB value of exports

Note: Consumables at Sl. No. 2 are allowed only for slabs cut to regular geometrical shape.

9.	254	<u>Chemicals & Allied Products</u> Sl.No.A1985	After the description of import item at Sl. No.5, the following additional import items (with quantity) shall be added:- 6. Sodium Salt of Condensed - 0.002 kg Naphthalene Sulphonic Acid 7. Unsaturated Fatty Acids - 0.0040 kg having C14-18 and C16-18 8. 1,4,-Benzene Diol - 0.0004 kg
----	-----	---	--

10.	254	<u>Chemicals & Allied Products</u> Sl.No.A1986	The norm covered by this entry shall be substituted by the following:-
-----	-----	---	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A1986	Cut & Dressed Marble Blocks	1 CBM	1. Industrial Diamond Beads/ Pearls	Upto 5% of FOB value of exports

11.	264	<u>Chemicals & Allied Products</u> Sl.No.A2069	The quantities of import items at Sl. Nos. 1(i) to (vii) shall be amended to read as under:- “i) Isophthalic Acid - 1.40 kg ii) Iodine - 2.16 kg iii) Methanol - 2.39 kg iv) ISO Propyl Alcohol - 11.00 kg (IPA) v) Nitromethane - 0.48 kg vi) S(-)2-Acetoroy - 0.85 kg Propionyl Chloride vii) Dimethyl Formamide - 0.78 kg
-----	-----	---	---

			(DMF)
--	--	--	-------

12.	290	<u>Chemicals & Allied Products</u> Sl.No.A2263	The description of import item at Sl. No.6 (without any change in quantity) shall be amended to read as under:- “2-Methoxy Propene”
-----	-----	---	--

-:8:-

13.	320	<u>Chemicals & Allied Products</u> Sl.No.A2499	The description of import item at Sl. No. 3, (without any change in quantity) shall be amended to read as under:- “PU Resin based on solid contents 35%+/-2% or equivalent quantity proportionate to solid content”
-----	-----	---	--

14.	10	<u>Chemicals & Allied Products</u> Sl.No.A3021 (Notified vide Public Notice No. 37 Dated.03.10.2002)	The description of import item at Sl. No.1 shall be amended to read as under:- “1. Gum Terpentine containing Alpha Pinene maximum 82.5% instead of Gum Terpentine containing Alpha Pinene 82.5%”
-----	----	---	---

15.	10	<u>Chemicals & Allied Products</u> Sl.No.A3022 (Notified vide Public Notice No. 37 Dated.03.10.2002)	The description of import item at Sl. No.1 shall be amended to read as under:- “1. Gum Terpentine containing Alpha Pinene maximum 82.5% instead of Gum Terpentine containing Alpha Pinene 82.5%”
-----	----	---	---

16.	34	<u>Chemicals & Allied Products</u>	After the description of import item at Sl. No.1, the following alternative import item (with quantity) shall be added:-
-----	----	--	--

		Sl.No.A3042 (Notified vide Public Notice No. 44 Dated.18.10.2002)	“OR 1. Gum Terpentine Oil - 2.910 kg (containing Alpha Pinene Maximum 82.5%”
--	--	---	--

17.	652	<u>Electronics Products</u> Sl.No.B-133	The description of export item shall be amended to read as under:- “Quartz analog clock/time pieces with or without Alarm/ Chime/ Pendulum function and Quartz timing mechanism/ movement for the above types of clocks/time pieces (in casing)/SKD condition”
-----	-----	--	---

-:9:-

18.	475	<u>Electronics Products</u> Sl.No.B-247	The description of import item at Sl. No. 7, (without any change in quantity) shall be corrected to read as under:- “Alumina Substrate”
-----	-----	--	--

19.	500	<u>Engineering Product</u> Sl.No.C155	After the description of import item at Sl. No. 4, the following additional import items (with quantity) shall be added:- “5. Pre Compressed - 0.05 kg per KVA Press Board 6. Press Board - 1 Set (Net to net) Moulding 7. Motorised Off - 1 No (Net to net) Load/on Load Tapchanger
-----	-----	--	---

20.	500	<u>Engineering Product</u>	After the description of import item at Sl.
-----	-----	----------------------------	---

		Sl.No.C156	No. 4, the following additional import items (with quantity) shall be added:- “5. Pre Compressed - 0.08 kg per KVA Press Board 6. Press Board - 1 Set per Job Moulding 7. Motorised Off - 1 No per Job Load/on Load Tapchanger”
--	--	------------	--

21.	500	<u>Engineering Product</u> Sl.No.C157	After the description of import item at Sl. No. 4, the following additional import items (with quantity) shall be added:- “5. Pre Compressed - 0.08 kg per KVA Press Board 6. Press Board - 1 Set per Job Moulding 7. Motorised Off - 1 No per Job Load/on Load Tapchanger
-----	-----	--	---

-:10:-

22.	500	<u>Engineering Product</u> Sl.No.C158	After the description of import item at Sl. No. 4, the following additional import items (with quantity) shall be added:- “5. Pre Compressed - 0.05 kg per KVA Press Board 6. Press Board - 1 Set (Net to net) Moulding 7. Motorised Off - 1 No (Net to net)
-----	-----	--	---

			Load/on Load Tapchanger
--	--	--	----------------------------

23.	501	<u>Engineering Product</u> Sl.No.C159	After the description of import item at Sl. No. 4, the following additional import items (with quantity) shall be added:- “5. Pre Compressed - 0.05 kg per KVA Press Board 6. Press Board - 1 Set (Net to net) Moulding 7. Motorised Off - 1 No (Net to net) Load/on Load Tapchanger
-----	-----	--	---

24.	536	<u>Engineering Product</u> Sl.No.C283	After the description of import item at Sl. No. 4, the following additional import items (with quantity) shall be added:- “5. Pre Compressed - 0.05 kg per KVA Press Board 6. Press Board - 1 Set (Net to net) Moulding 7. Motorised Off - 1 No (Net to net) Load/on Load Tapchanger
-----	-----	--	---

-:11:-

25.	536	<u>Engineering Product</u>	After the description of import item at Sl.
-----	-----	----------------------------	---

		Sl.No.C284	No. 4, the following additional import items (with quantity) shall be added:- “5. Pre Compressed - 0.08 kg per KVA Press Board 6. Press Board - 1 Set per Job Moulding 7. Motorised Off - 1 No per Job Load/on Load Tapchanger
--	--	------------	--

26.	537	<u>Engineering Product</u> Sl.No.C285	After the description of import item at Sl. No. 4, the following additional import items (with quantity) shall be added:- “5. Pre Compressed - 0.05 kg per Press Board KVA 6. Press Board - 1 Set Moulding (Net to net) 7. Motorised Off - 1 No Load/on Load (Net to net) Tapchanger
-----	-----	--	---

27.	6	<u>Engineering Product</u> Sl.No.C313 (vide Public Notice No. 54 Dated:03/01/2003)	The description of import item at Sl. No. 1, (with quantity) shall be substituted by the following:- “1. Copper Scrap - 1.05 MT/MT of Copper content in the export product OR Copper Tube/ - 1.03 MT/MT Copper Cathode/ content in the Copper Wire Bar/ export product Billets”
-----	---	---	--

-:12:-

28.	652	<u>Engineering Product</u> Sl.No.C787	The note below this entry shall be deleted.
29.	652	<u>Engineering Product</u> Sl.No.C794	The description of export item shall be amended to read as under:- “Seamless Stainless Steel Tubes/Pipes (Hot Finished)”
30.	680	<u>Engineering Product</u> Sl.No.C961	The description of export item shall be amended to read as under:- “Above 175 cc and upto 250 cc motorcycles in CBU/SKD/CKD condition”
31.	681	<u>Engineering Product</u> Sl.No.C963	The description of export item shall be amended to read as under:- “Above 250 cc and upto 500 cc motorcycles in CBU/SKD/CKD condition”
32.	687	<u>Engineering Product</u> Sl.No.C967	The description of export item shall be amended to read as under:- “45 cc to 75 cc motorcycles in CBU/SKD/CKD condition”
33.	699	<u>Engineering Product</u> Sl.No.C1033	The description of export item shall be amended to read as under:-

			“Three wheeler Drive Away Chassis/Freight carrier powered by Petrol engine of 125 cc to 200 cc in CBU/SKD/CKD condition”
--	--	--	--

34.	828	<u>Engineering Product</u> Sl.No.C1577	The description of import item at Sl. No. 1, (without any change in quantity) shall be amended to read as under:- “Hardened & Tempered Carbon Steel / Stainless Steel (Martensitic Grade) Strips (in Coils)”
-----	-----	---	---

-:13:-

35.	833	<u>Engineering Product</u> Sl.No.C1606	1. The description of export item shall be amended to read as under:- “PFA or FEP or PTFE or PVDF resin lined ball valves with PTFE components like seals, seats, packings etc. in assorted size/weight” 2. the description of import item at Sl.No. 1, (without any change in quantity) shall be amended to read as under:- “PFA or FEP or PTFE or PVDF resin”
-----	-----	---	--

36.	22	<u>Engineering Product</u> Sl.No.C1809 (Notified vide Public Notice No.37 Dated:03.10.2002)	The norm covered by this entry shall be substituted by the following:-
-----	----	--	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
C1809	Zinc Builders Hardware Lacquered/ Powder Coated (T/C	1 MT	1. Zinc Ingot (High Grade Special 99.995% purity)	1.12 kg/kg content of Zinc

	Pressure Die Cast & Zinc Alloy conforming to Z-3 Specification)		2. Cylinders with or without key(s) 3. Plastic Chips for Plastic component such as washers key holders etc. Polyamide 66/ Nylon 66/ Polyamide6 / Nylon6/ Polyacetal/ Delrin/ Polyoxymethylene	in export product Net to net 1.05 kg/kg content in export product
--	---	--	--	---

-:14:-

			4. Machine Screws 5. (a) Berlaclear CT Laquer or Albrilac HB (for Electrophoretic Lacquer) OR Polyester Powder for coating (b) Solvent for Electrophoretic Lacquer (c) Rinse additive for Electrophoretic Lacquer	Net to net cif value limited to 4% of FOB of export
--	--	--	--	--

6. Abrasive Belt 50 mm x 3500 mm for grinding	
7. Abrasive Belt 150 mm x 2000 mm for grinding	
8. Liquid polishing compound for polishing Rough Finish	
9. Trichloro Ethylene for degreasing	
	cif value for
	Import item
	Nos. 6 to 12
	shall be
	limited to 4%
	of

-:15:-

10.Bar Polishing compound Final Finish (Pre-polishing compound, polishing compound Finishing compound)	FOB value of export
---	------------------------

			11.Polishing Buffs (Pre-polishing Buffs, Polishing Buffs, Finishing Buffs 12.Plastic Vibratory Media	
--	--	--	---	--

37.	18	<u>Engineering Product</u> Sl.No.C1829 (Notified vide Public Notice No.52 Dated:05.12.2002)	After the description of import item at Sl. 8, following items (with quantities) shall be added:- “9. Polypropylene - 1.05 kg/kg content in the export product 10. Relevant Capacitor - 1 No. 11. Relevant Switches - 2 Nos. 12. Kraft Paper - as per packing policy”
-----	----	--	---

38.	910	<u>Food Products</u> Sl.No.E-42	The description of export item shall be corrected to read as under:- “Soyabean Extraction (Soyabean De-oiled cake or meal”
-----	-----	------------------------------------	---

-:16:-

39.	1025	<u>Plastic Products</u> Sl.No.H-349	The norm covered by this entry shall be substituted by the following:-
-----	------	--	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
H-349	Yarn/Tape (Plain/ Twisted) of HDPE/ PP	1 kg	1. Relevant HDPE/PP Granules/ Chips	1.05 kg/kg content in the export product
Note : In case of export of coloured items relevant colour master batches shall also be allowed as an additional input @ 0.02 kg/kg weight of Polymers and accordingly, the quantity of relevant Polymer shall be reduced to 1.03 kg./kg content in the export product				

40.	1044- 1045	<u>Plastic Products</u> Sl.No.H-461	The description of export item shall be amended to read as under:- “Prepared Adhesives based on Plastics (Two components Laminating Adhesives consisting of A. Adhesive (Polyurethane Solution Containing 60% resin content and 40% solvent) and B. Additive (Poly Isocyanate Solution containing 50% solid and 50% solvent)”
-----	---------------	--	--

-:17:-

41.	30	<u>Plastic Products</u> Sl.No.H-512 (Notified vide Public Notice No. 46 Dated:06/11/2002)	The norm covered by this entry shall be substituted by the following:-
-----	----	--	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
H-512	PVC Sole for Hawaii Chappal (without Filler)	1 kg	1. PVC Compound without filler (Hawaii Chappal Grade) OR 1. (a)PVC Resin (Suspension Grade) (b) Dioctyl Phthalate Plasticizer (DOP) (c)Di-iso-Decyl Phthalate Plasticizer (DIDP) (d)Lead Stabilizer	1.03 kg 0.752 kg 0.280 kg 0.032 kg 0.011 kg

42.	1129-1130	<u>Miscellaneous Products</u> Sl.No.K-61	The description of import item at Sl. No. 3, the following alternative import item (with
-----	-----------	---	--

			quantity) shall be added:- “3. Polyester Sewing - 0.441 kg Thread (300D+/-15%) OR Polyester Texturised - 0.441 kg Yarn (300D+/-15%)
--	--	--	--

-:18:-

43.	1141	<u>Miscellaneous Products</u> Sl.No.K-133	The norm covered by this entry shall be substituted by the following:-
-----	------	--	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
K-133	Dimensional Dressed Granite Blocks	1 CBM	1. Diamond Wire 2. Drill Rod	Upto 2.5% of FOB value of exports Upto 2.5% of FOB value of exports

-:19:-

Annexure “B” to the
Public Notice No. 66
Dated: 04/03/2003

CHEMICALS AND ALLIED PRODUCTS

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A3141	Epoxy Resin Lapox C-	1 kg	1. Epichlorohydrin	0.600 kgs

	50 (Epoxy Value 5.0-5.25)		2. Bisphenol-A	0.676 kgs
A3142	Synthetic Tanning agent Blend of sodium salt of polymer of Naphthalene sulfonic acid with formaldehyde and aromatic dibasic salt (Active content 60%)	1 kg	1. Crude Naphthalene	0.229 kg
A3143	Ketorolac Acid	1 kg	1. Pyrrole 2. Iso Propenyl Acetate 3. 5% Palladium on Charcoal	1.48 kg 1.20 kg 0.04 kg
A3144	N-Acetyl-Thiazolidine-4-Carboxylic Acid	1 kg	1. L-Cysteine Hcl Monohydrate	1.38 kg
A3145	L-Cysteine Free Base	1 kg	1. L-Cysteine Hcl Monohydrate	1.54 kg

-:20:-

A3146	Cefuroxime Acid	1 kg	1. 7 Amino Cephalosporanic Acid (7 ACA)	1.10 kg
-------	-----------------	------	---	---------

				2. 2 Ethyl Hexanoate 3. Chlorosulphonyl Isocyanate 0.584 kg 0.60 kg 4. Syn-Methoxyimino Furanyl Acetic Acid Ammonium Salt (SMIA) 0.88 kg 5. Dimethyl Acetamide 6. Ethyl Acetate/ Acetone 1.65 kg 7. Methanol/Methylene 4.61 kg 8. Tetrahydrofuran/ Acetonitrile 3.23 kg 9. Activated Carbon 1.50 kg 10. Phosphorous Pentachloride 0.100 kg 11. Sodium Bicarbonate 1.00 kg 12. Sodium Hydroxide 0.31 kg 0.78 kg	
A3147	Secondary Quinoline	Butyl	1 kg	1. Secondary Butyl Benzene OR Secondary Butyl Aniline 1.214 kg 1.150 kg	

-:21:-

A3148	Epsilon Acid (1-Hydroxynaphthalene – 3, 8 Disulphonic Acid Dissodium Salt)	1 kg	1. Refind Naphthalene 2. Soda Ash	4.210 kg 2.153 kg
A3149	Solvent Red GS (condensed mass of 1-Nitro Anthraquinone & Mono Methyl Amine)	1 kg	1. 1-Nitro Anthraquinone	1.160 kg

-:22:-

Annexure “C” to the
Public Notice No. 66
Dated: 04/03/2003

ENGINEERING PRODUCTS

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
C1863	Graphite Cored Wire	1 kg	1. Graphite Powder/ Granules 2. CRCA Steel Strips	1.015 kg/kg content of powder/ granules in the export product 1.01 kg/kg content of CRCA Steel Strip in the export product
C1864	Automotive Head Lamps, Auxiliary Lamps, Work Lamps, Rubber Body lamps	1 No.	1. Relevant CRCA Steel Sheets/Wide Coils/ Strips	1.10 kg/kg content in the export product

	for Motor Vehicles (with or without bulbs)		2. Halogen/ Automotive Lamps (Bulbs)	Net to net
			3. Head Lamp Glass Lenses	Net to net
			4. Bonding Adhesive / Lacquer Thinner/ Epoxy Powder	4% of FOB value of exports
			5. Relevant Synthetic Rubber	1.10 kg/kg content in the export product
			6. Relevant Plastic Powder/ Granules	1.05 kg/kg content in the export product

-:23:-

C1865	Kapton 0.025 mm x 20 mm width x 500 Mtrs length per Roll (Polyamide film in cut length)	1 Roll	1. Kaneka PI Film “APICAL” Film 25 AH 1030 mm width x 0.025 mm Thickness (Polyamide film in running length)	1.03 kg/kg content in the export product
C1866	Cablosam 315.64-05 containing 1. Rhodorsil Resin 4085 – 0.027 kg/ Sq.Mtr. 2. Phlogophite Mica – 0.17 kg/Sq.Mtr.	1 Sq. Mtr	1. Rhodorsil Resin 4085 55 ± 5% Solid content 2. Phlogophite Mica	0.05 kg/ Sq. Mtr. content in the export product 0.2125 kg/ Sq. Mtr. content in the export product

	3. Hiblon Film HH 25-0.028 kg/Sq.Mtr. 4. Siccatif 9602 – 0.000093 kg./Sq.Mtr.		3. Hiblon Film HH 25 4. Siccatif 9602	0.028 kg/Sq. Mtr. Content in the export product 0.000093 kg/ Sq. Mtr. Content in the export product
C1867	Cablosam 315.64-04 containing 1. Rhodorsil Resin 4085 – 0.027 kg/Sq.Mtr. 2. Phlogophite Mica – 0.126 kg/Sq.Mtr. 3. Hiblon Film HH 25-0.028 kg/Sq.Mtr. 4. Siccatif 9602 – 0.000093 kg./Sq.Mtr.	1 Sq. Mtr.	1. Rhodorsil Resin 4085 $55 \pm 5\%$ Solid content 2. Phlogophite Mica 3. Hiblon Film HH 25 4. Siccatif 9602	0.05 kg/ Sq. Mtr. Content in the export product 0.1575 kg/ Sq. Mtr. Content in the export product 0.028 kg/Sq. Mtr. Content in the export product 0.000093 kg/ Sq. Mtr. Content in the export product

-:24:-

C1868	Electric Storage Water Heater	1 No.	1. Polypropylene for outer body 2. Heating Element 3. Polyol Resin	1 kg/kg content in export product 1 No. 0.408 kg/kg of PU Foam contained in the export product
-------	-------------------------------	-------	--	--

			4. Isocyanate Hardner 5. Thermostate 6. Safety Valve 7. S.S. Sheet/Wide Coil/ Strips of relevant grade 8. Nut & Bolt	0.612 kg/kg of PU Foam contained in the export product 1 No. 1 No. 1.05 kg/kg content in export product Net to net
C1869	Auto Control Cable for seat applications	1 kg	1. Galvanised Steel wire of relevant dia 2. Zinc Alloy Ingot (Z-5) 3. HDPE/PP Granules	1.03 kg/kg content in the export product 1.05 kg/kg content in the export product 1 kg/kg content in the export product
C1870	Auto Control Cable ASM Hood Cable	1 kg	1. Galvanised Steel wire of relevant dia	1.03 kg/kg content in the export product

-:25:-

C1871	Solid State Relays	1 No.	1. SCR 2. IC (Opto Coupler) 3. TRIACS 4. Regulator 5. IC-OP AMP	Net to net
-------	--------------------	-------	---	------------

			6. MOSFET 7. Transistor 8. Diode/Silicon Rectifier 9. Adhesives 10. Epoxy	Cif value of the items 9 & 10 taken together shall be restricted to 4% of the FOB value of exports
C1872	Empty Recessed fluorescent fitting complete with Aluminium Louver	1 No.	1. Relevant Aluminium Sheet	1.02 kg/kg content in the export product

-
-
-
-
-
-
-
-
-
-
-
-
-

Annexure “D” to the
Public Notice No. 66
Dated: 04/03/2003

PLASTIC PRODUCTS

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
H525	Polyestylene Foam Products	1 kg	1. Expandable Polystyrene Beads	1.07 kg/kg content in the export product
H526	PVC Compound without Filler (Hawai Chappal Grade)	1 kg	1. PVC Resin (Suspension Grade) 2. Dioctyl Phthalate Plasticizer (DOP) 3. Di-Iso-Decyl Phthalate Plasticizer (DIDP) 4. Lead Stabilizer	0.734 kg 0.274 kg 0.031 kg 0.011 kg
H-527	Polycarbonate Printed Self Adhesive Labels (Square/ rectangular)	1 kg	1. Relevant Polycarbonate Film/ Sheet (125 micron to 500 micron) 2. Double Sided Adhesive Tape with Release Paper 3. Screen Printing Ink	1.20 kg/kg content in the export product 1.20 kg/kg content in the export product 0.03 kg (CIF value restricted to 3% of FOB value of exports)

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
I48	Inflatable Synthetic (Moulded) Basket Ball of Size-7	1 No.	1. Butyl Rubber 2. Synthetic Rubber Nitrile/ SBR 3. Nylon/ Polyester Thread 4. Printing Ink 5. Relevant Colours / Pigment	40 gms 70 gms 38 gms 9 gms 4 gms
I49	Inflatable Synthetic (Moulded) Basket Ball of Size-5	1 No.	1. Butyl Rubber 2. Synthetic Rubber Nitrile/ SBR 3. Nylon / Polyester Thread 4. Printing Ink 5. Relevant Colours/ Pigment	35 gms 60 gms 33 gms 7 gms 3.5 gms
I50	Inflatable Synthetic (Moulded) basket Ball of Size-3	1 No.	1. Butyl Rubber 2. Synthetic Rubber Nitrile/ SBR 3. Nylon/ Polyester Thread 4. Printing Ink	24 gms 44 gms 25 gms 5 gms

			5. Relevant Colours / Pigment	3 gms
--	--	--	----------------------------------	-------