

(TO BE PUBLISHED IN THE GAZETTE OF INDIA EXTRAORDINARY PART-1-SECTION-1)

**GOVERNMENT OF INDIA
MINISTRY OF COMMERCE & INDUSTRY**

DEPARTMENT OF COMMERCE

PUBLIC NOTICE NO. 72 (RE-2001)/1997-2002
NEW DELHI : DATED : 01/03/2002.

Attention is invited to Paragraph 4.11 of the Export and Import Policy 1997-2002, as amended and Paragraphs 7.8 and 7.10 of the Handbook of Procedures, Vol.1, 1997-2002, as amended and also to the Handbook of Procedures, Vol.2, 1997-2002, as amended from time to time.

2. In exercise of the powers conferred under Paragraph 4.11 of the Export and Import Policy 1997-2002, as amended, the Director General of Foreign Trade hereby makes the following amendments/modifications and additions in the Handbook of Procedures, Vol.2, 1997-2002, as amended.
3. In the statement of Standard Input Output Norms as contained in the Handbook of Procedures, Vol.2, 1997-2002, as amended, amendments/ corrections/ deletion at appropriate places as mentioned in Annexure "A" to this Public Notice shall be made.
4. In the statement of Standard Input Output Norms, following additions shall be made at appropriate places as mentioned below:-

CHEMICALS AND ALLIED PRODUCTS

After the existing entry at Sl.No.A-2822, the new entries at Sl.No.A-2823 to A-2834 shall be added as per Annexure "B" to this Public Notice.

ENGINEERING PRODUCTS

After the existing entry at Sl.No.C-1743, the new entries at Sl.No.C-1744 to C-1764 shall be added as per Annexure "C" to this Public Notice.

-:2:-

FOOD PRODUCTS

After the existing entry at Sl.No.E-105, the new entry at Sl.No.E-106 shall be added as per Annexure "D" to this Public Notice.

TEXTILE PRODUCTS

After the existing entry at Sl.No.J-350, the new entries at Sl.Nos.J-351 to J-352 shall be added as per Annexure "E" to this Public Notice.

This issues in public interest.

(N.L. LAKHANPAL)
DIRECTOR GENERAL OF FOREIGN TRADE

(B.GANGAR)
DY. DIRECTOR GENERAL OF FOREIGN TRADE
FOR DIRECTOR GENERAL OF FOREIGN TRADE

-:3:-

Annexure "A" to the

Public Notice No. 72

Dated: 01/03/2002

AMENDMENTS/CORRECTIONS

Sl. No.	Page No.	Reference	Amendments/Corrections
1	2	3	4
1.	4	Chemicals & Allied Products Sl.No.A1037 (amended vide public Notice No. 40 Dated:01.10.2001)	The description of export item shall be amended to read as under:- “Glass Fibre Reinforced Plastic product containing 70% Polyester Resin and 30% Glass Fibre by weight (Tank, Vessels, Gratings, Scrubbers, Pipes and Ducting & their fittings etc.”

2.	145	Chemicals & Allied Products Sl.No.A1043	After import item at Sl. No. 4, the following import items (with quantity) shall be added:- “5. Furnace Oil/Fuel Oil - 1.22 Litre 6. High Speed Diesel - 0.112 Litre 7. Light Diesel Oil - 1.28 Litre”
----	-----	--	---

3.	146	Chemicals & Allied Products Sl.No.A1047	After import item at Sl. No. 11, the following import items (with quantity) shall be added:- “12. Furnace Oil/Fuel Oil - 1.01 Litre 13. High Speed Diesel - 0.09 Litre 14. Light Diesel Oil - 1.32 Litre”
----	-----	--	--

4.	165	Chemicals & Allied Products Sl.No.A1297	The norm covered by this entry shall be substituted by the following:-
----	-----	--	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
--------	-------------	------	-------------	--------------

A1297	Dihexyl Phthalate	1 kg	Phthalic Anhydride n-Hexanol	0.448 kg 0.640 kg
-------	-------------------	------	---------------------------------	----------------------

-:4:-

5.	237	Chemicals & Allied Products Sl.No.A1767	The norm covered by this entry shall be substituted by the following:-
----	-----	--	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A1767	Alkyl Phenolic Resin	1 kg	Para Tertiary Butyl Phenol Para Formaldehyde (Purity 91 $\pm$ 1%)	0.833 kg 0.240 kg

6.	243	Chemicals & Allied Products Sl.No.A1808	In the description of export product, the trade name "NAPERAK 6015" shall be deleted.
----	-----	--	---

7.	243	Chemicals & Allied Products Sl.No.A1810	In the description of export product, the trade name "NAPERAK 6019" shall be deleted.
----	-----	--	---

8.	243	Chemicals & Allied Products Sl.No.A1812	In the description of export product, the trade name "NAPERAK 6053" shall be deleted.
----	-----	--	---

9.	244	Chemicals & Allied Products Sl.No.A1813	In the description of export product, the trade name "NAPERAK 6003" shall be deleted.
----	-----	--	---

--	--	--	--

10.	251	Chemicals & Allied Products Sl.No.A1862	In the description of export product, the trade name “NAPERAK 5706” shall be deleted.
-----	-----	--	---

11.	251	Chemicals & Allied Products Sl.No.A1864	In the description of export product, the trade name “NAPERAK 3116” shall be deleted.
-----	-----	--	---

-:5:-

12.	251	Chemicals & Allied Products Sl.No.A1866	In the description of export product, the trade name “NAPERAK 3303” shall be deleted.
-----	-----	--	---

13.	251	Chemicals & Allied Products Sl.No.A1867	In the description of export product, the trade name “NAPERAK 3951” shall be deleted.
-----	-----	--	---

14.	251	Chemicals & Allied Products Sl.No.A1868	In the description of export product, the trade name “NAPERAK 2403” shall be deleted.
-----	-----	--	---

15.	267	Chemicals & Allied Products Sl.No.A2001	The existing quantity of 1.300 kg of import item at Sl. No. 1 shall be amended to read as under:- “0.965 kg”
-----	-----	--	---

16.	321	Chemicals & Allied Products Sl.No.A2387	After the description of import item at Sl. No.4 the following import item (with quantity) shall
-----	-----	--	--

			be added:- “5. n-Heptane - 1.59 kg”
--	--	--	--

17.	16	Chemicals & Allied Products Sl.No.A2482 (amended vide Public Notice No. 38 Dated:01/11/2000	The norm covered by this entry shall be substituted by the following:-
-----	----	--	---

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A2482	Zinc Dust containing minimum 99.50% Zinc	1 kg	Zinc Ingot	1.01 kg

-:6:-

18.	6	Chemicals & Allied Products Sl.No.A2640 (amended vide Public Notice No. 30 Dated:01/08/2001	In the description of export product, the word and figures “containing 0.0135 SBR” shall be deleted.
-----	---	--	--

19.	47	Chemicals & Allied Products Sl.No.A2647 (Amended vide Public Notice No.04 Dated: 31/03/2001	The norm covered by this entry shall be substituted by the following:-
-----	----	---	---

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A2647	Grease Gun Hoses	1 Meter	Relevant Thermoplastic	1.015 Meter

			High Pressure Hose of relevant Inner/ Outers Diameter	
--	--	--	---	--

20.	22	Chemicals & Allied Products Sl.No.A2718 (Amended vide Public Notice No. 24 Dated: 02/07/2001)	The description of import item at Sl. No. 2 shall be corrected (without any change in quantity) to read as under:- “Di-Isocyanate”
-----	----	---	---

-:7:-

21.	398	Electronics Products Sl.No.B-153	The norm covered by this entry shall be substituted by the following:-
-----	-----	-------------------------------------	---

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
B-153	SOFT FERRITE PART NAMELY THE FOLLOWING:- Manganese Zinc Soft Ferrite Parts	1 kg	Ferrit Oxide	0.8800 kg. 0.3040 kg

			Manganese Oxide (Manganous/ Manganic)	
			Zinc Oxide	0.1158 kg
			Poly Vinyl Alcohol (PVA)	0.0150 kg
			Polyethylene Glycol	
			Additives	0.0050 kg
	Magnesium Zinc Soft Ferrite parts	1 kg		0.0132 kg
			Ferrit Oxide	
			Zinc Oxide	0.752 kg
			Poly Vinyl Alcohol (PVA)	0.150 kg
			Magnesium Oxide	0.015 kg
			Polyethylene Glycol	
			Additives	0.111 kg
				0.005 kg
				0.103 kg
	Nickel Zinc Soft Ferrite Parts.	1 kg		
			Ferrit Oxide	0.7808 kg
			Zinc Oxide	0.1240 kg
			Poly Vinyl Alcohol (PVA)	0.0150 kg
			Cobalt Oxide	
			Nickel Oxide	0.0650 kg
			Additives	0.2987 kg
				0.1210 kg

22.	417	Sl.No.C22	The norm covered by this entry shall be substituted by the following:-
-----	-----	-----------	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
C22	Table, Kitchen & other house hold articles made of aluminium including anodized with or without handle irrespective of what material handle are made of (other than those covered under SION at Sl. No. C-1749)	1 kg	Aluminium Scrap Aluminium Ingot Aluminium Sheet/ Coils Aluminium Circle	1.15 kg/kg content of Aluminium in export product 1.12 kg/kg content of Aluminium in export product 1.10 kg/kg content of Aluminium in export product 1.03 kg/kg content of Aluminium in export product
Note: In case of anodised Export product the purity of inputs allowed i.e. Ingot Sheet/Coils/ Circles shall be 99.7% and above.				

23.		Engineering Products Sl.No.C149	The description of export item shall be amended to read as under:- “9 KV 5 KA Conventional/ Gapless Surge Arrester Distribution type with Mounting Brackets and Isolator (Disconnecter Device)”
-----	--	------------------------------------	--

			In the description of import item at Sl. No.2, the following alternative import items (with quantities) shall be added:- “OR a) Cobalt oxide with Assay - 1.05 kg/kg content of more than 72% content in the export product b) Bismuth Oxide with Assay content - 1.05 kg/kg 99.5% or more content in the export product c) Chromium Oxide with Assay content more than 99% - 1.05 kg/kg content in the export product d) Manganese Oxide with Assay content more than 99.5% or more - 1.05 kg/kg content in the export product”
--	--	--	--

24.	438	Engineering Products Sl.No.C169	The norm covered by this entry shall be substituted by the following:-
-----	-----	------------------------------------	--

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
C169	Complete Ceiling fan with Metal Blades 48”	1 No.	Super Enamelled Copper Wire/Copper Rod CRNGO Sheet/Coils	360 gms.

			OR Electric Stamping made out of CRNGO Sheet	3400 gms 1400 gms
--	--	--	---	----------------------

-:10:-

			Aluminium Alloy Kraft Paper Polypropylene M.S. Sheet Ball Bearing/Bush Aluminium Sheet/ CRCA Sheet/ Aluminium Alloy (for Blade of Fan) (only the relevant item used in the export to be allowed)	1100 gms. 1000 gms. 150 gms. 250 gms 2 Nos. 1.05 kg/kg content in the export product
--	--	--	---	---

25.	438 - 439	Engineering Products Sl.No.C171	The norm covered by this entry shall be substituted by the following:-
-----	--------------	------------------------------------	---

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
C171	Complete Ceiling fan with Metal Blades 56"	1 No.	Super Enamelled Copper Wire/Copper Rod CRNGO Sheet/Coils OR	380 gms. 3600 gms

			Electric Stamping made out of CRNGO Sheet	1500 gms.
			Aluminium Alloy	
			Kraft Paper	1200 gms.
			Polypropylene	1000 gms
			M.S. Sheet	150 gms.
			Ball Bearing/Bush	250 gms
			Capacitor	2 Nos.
				Net to net

-:11:-

			Aluminium Sheet/CRCA Sheet/Aluminium Alloy (for Blad of Fan) (only the relevant item used in the export to be allowed)	1.05 kg/kg content in the export product
Note: Norms covered by Sl. No. 168 to 171 above will also be applicable to shipment of product in SKD condition provided the exporter submit necessary proof of export of complete ceiling fans covered by various shipping bills at the time of closures of DEEC Book/Redemption of Bond/LUT.				

26.	451	Engineering Product Sl.No.C206	The description of import item at Sl. No. 1 shall be amended (without any change in
-----	-----	-----------------------------------	--

			quantity) to read as under:- “Copper Rod/ Copper Wire Rod (EC Grade)”
--	--	--	--

27.	463	Engineering Product Sl.No.C252	The description of import item at Sl. No. 1 shall be amended (without any change in quantity) to read as under:- “Continuous cast copper Rods/Copper Wire Rods/ Bars/Cathodes (EC Grade)”
-----	-----	-----------------------------------	--

28.	500	Engineering Products Sl.No.C375	The following note No. 2 shall be added below this entry:- “Note: 2. If the Export product is painted, in addition relevant paint may be allowed to the extent of 4% of the FOB value”
-----	-----	------------------------------------	---

-:12:-

29.	568	Engineering Products Sl.No.C549	The following note No. 1 shall be added below this entry:- “Note: 1. If the Export product is painted, in addition relevant paint may be allowed to the extent of 4% of the FOB value”
-----	-----	------------------------------------	---

30.	571	Engineering Products Sl.No.C570	The following note No. 1 shall be added below this entry:- “Note: 1. If the Export product is painted, in addition relevant paint may be allowed to the
-----	-----	------------------------------------	--

			extent of 4% of the FOB value”
--	--	--	--------------------------------

31.	4	Engineering Products Sl.No.C630 (As amended vide Public Notice No. 25 Dated: 01/08/2000	The quantity of import item at Sl. No. 1 shall be amended to read as under:- “1.07 kg/kg content in the export product”
-----	---	--	---

32.	590	Engineering Products Sl.No.C707	The norm covered by this entry shall be substituted by the following:-
-----	-----	------------------------------------	---

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
C707	M.S. Washer Galvanised/Painted	1 kg	CRCA/ HR Sheets/ Coils/ Strips/ Defective/ Secondary Zinc OR Paint	1.50 kg 0.04 kg 4% of the FOB value

-:13:-

33.	34	Engineering Products Sl.No.C1574 (Amended vide Public Notice No. 38 Dated: 01/11/2000	The norm covered by this entry shall be substituted by the following:-
-----	----	--	---

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
--------	-------------	------	-------------	--------------

C1574	Bicycle Tube valve mainly made of Brass	1 kg	Brass Scrap	1.20 kg per kg content of brass in the export product
-------	--	------	-------------	--

34.	14	Engineering Products Sl.No.C1580 (corrected vide Public Notice No. 49 Dated:01/01/2001)	The description of the import item at Sl. No.2, shall be amended (without any change in quantity) by adding the following words:- “and/or Lumps”
-----	----	--	---

35.	29, 53, 68 & 69	Engineering Products Sl.No.C-1590, C-1603, C- 1604, C1646, C-1647 (corrected vide Public Notice No. 53 Dated: 01/02/2001 and Public Notice No. 04 Dated: 31/03/2001)	The SION entries at Sl. Nos. C-1590, C- 1603, C-1604, C-1646 and C-1647 of Engineering Group shall be deleted and restored at Sl. Nos. B-248 to B-252 of Electronics Group (Category B).
-----	-----------------------	--	--

36.	14	Food Products Sl.No.E- 79 (amended vide Public Notice No. 36 Dated:03/10/2000)	The description of import item at Sl. No. 8 shall be amended (without any change in quantity) to read as under:- “Biocides, Fungicides and Insecticides (relevant to Sugar Industry only)”
-----	----	---	--

-:14:-

37.	880	Plastic Products Sl.No.H- 116	The description of export item shall be amended to read as under:-
-----	-----	----------------------------------	---

			“Hessian Bags with LDPE/ HDPE/ PP Liner/ Lamination and with/ without Zipper/ Handle”
38.	883	Plastic Products Sl.No.H- 132	The description of export item shall be amended to read as under:- “Jute Bags with HDPE Liner/ Lamination and with/ without Zipper/ Handle”
39.	883	Plastic Products Sl.No.H- 133	The description of export item shall be amended to read as under:- “Jute Bags with LDPE Liner/ Lamination and with/ without Zipper/ Handle”
40.	924	Plastic Products Sl.No.H-310	The description of export item shall be amended to read as under:- “Sterilized Disposable/ Auto-Disable Syringes with or without Needles (1ml, 2ml/3ml, 5ml, 10ml, 20ml)”
41.	12 & 11	Plastic Products Sl.No.H-440 (Amended vide Public Notice No.45 Dated 1.11.2001 & Public Notice No. 58 Dated: 01/01/2002	The quantity of import item at Sl. No. 3 shall be corrected to read as under:- “0.007 No.”

42.	14	Textile Products Sl.No.J-96 (amended vide Public Notice No. 45 Dated:01/11/2001	The description of import item at Sl. No. 2 (with quantity) shall be amended to read as under:- “2. Vat Indigo Blue Dye - 0.05 kg OR Vat (other than Indigo)/ - 0.015 kgs Reactive/sulphur/ Pigment dyes” The following Note below this entry shall be added:- “Note:1.Vat Indigo blue Dye shall be allowed for import only when the export item is Indigo blue dyed denim cloth.”
43.	983	Textile Products Sl.No.J-99	After the import item at Sl. No. 1, the following import item (with quantity) shall be added:- “2. Fuel for power generation HSD - 1.15 litres OR Furnace Oil - 1 litre The following Notes below this entry shall be added:- “Note:1.HSD and Furnace Oil shall be allowed only under AU condition. Note:2.The above norms for fuel are applicable only to those units having facilities for captive power generation using HSD/Furnace Oil”.

-:16:-

44.	13	Textile Products Sl.No.J-100 (amended vide Public Notice No. 24 Dated:02/07/2001)	The description of import item at Sl. No. 2, shall be amended (with quantity) to read as under:- “2. Fuel for power generation HSD - 1.50 litres OR Furnace Oil - 1.20 litre. The following Notes below this entry shall be added:- “Note:1.HSD and Furnace Oil shall be allowed only under AU condition. Note:2.The above norms for fuel are applicable only to those units having facilities for captive power generation using HSD/Furnace Oil”.
45.	983	Textile Products Sl.No.J-101	After the import item at Sl. No. 1, the following import item (with quantity) shall be added:- “2. Fuel for power generation HSD - 1.74 litres OR Furnace Oil - 1.45 litres.

		The following Notes below this entry shall be added:- “Note:1.HSD and Furnace Oil shall be allowed only under AU condition. Note:2.The above norms for fuel are applicable only to those units having facilities for captive power generation using HSD/Furnace Oil”.
--	--	--

-:17:-

Annexure “B” to the
Public Notice No.72
Dated: 01/03/2002

CHEMICALS AND ALLIED PRODUCTS

Sl.No.	Export Item	Qty.	Import Item	Qty. Allowed
A2823	Diphtheria and Tetanus Vaccine Adsorbed (Pediatric) 10 Doses vials	1 Lakh Vials (10 Lakh Doses)	L-Cysteine Mono-Hydrochloride Maltose L-Cystine Aluminium Chloride Tri Sodium Orthophosphate Thiomersal	0.05250 kg 5.25000 kg 0.04368 kg 5.25000 kg 8.19000 kg 0.05250 kg

			N-Z Case TT L-Tyrosine Sodium Acetate Trihydrate Glass Vials Rubber Stoppers Aluminium Caps/ Seals Cold Chain Monitor Cards Shipping Indicators	3.49960 kg 0.08700 kg 0.71400 kg 115.000 Nos 110.000 Nos 110.000 Nos 350 Nos 350 Nos
A2824	Hessian Cloth with LDPE/ HDPE/ PP Liner	1 kg weight of LDPE/ HDPE/ PP Liner excluding weight of Hessian	Relevant LDPE/ HDPE/ PP Granules for Liner	1.02 kg/kg content of relevant item in the export product

-:18:-

A2825	Sulpho C Acid (2-Naphthylamine 4,6,8 Trisulfonic Acid)	1 kg	Crude Naphthalene Soda Ash	1.330 kg 2.070 kgs
-------	--	------	-------------------------------	-----------------------

A2826	9-Anthracene Methanol	1 kg	9-Anthraldehyde	1.16 kg
A2827	Para Sulfo Benzoic Acid Potassium Salt	1 kg	Caustic Potash Dimethyl Formamide Potassium Permanganate	0.259 kg 0.930 kg 1.96 kg
A2828	Di (2-Ethyl Hexyl) Peroxydicarbonate, 40%	1 kg	2 Ethyl Hexyl Chloroformate Hydrogen Peroxide 50%	0.470 kg 0.083 kg
A2829	Di-Ethylene Glycol Mono Butyl Ether	1 kg	n-Butanol Ethylene Oxide	0.466 kg 0.554 kg
A2830	Ethylene Glycol Mono Butyl Ether	1 kg	n-Butanol Ethylene Oxide	0.640 kg 0.380 kg
A2831	Cationic Polyester Partially Oriented Yarn (DMT Route)	1 kg	DMT MEG Cationic Salt Titanium Dioxide Antimony Trioxide Manganese Acetate Tri Ethylene Glycol Santotherm Spin Finish Oil Corrugated Boxes Paper Cones Fuel	1.000 kg 0.370 kg 0.020 kg 0.0037 kg 0.00055 kg 0.00038 kg 0.009 kg 0.0020 kg 0.0101 kg Net to net Net to net 0.87 KL

A2832	Esbiothrin (2 methyl Furan Route)	1 kg	2-Methyl Furan	0.337 kg
			Dimethyl Formamide	0.278 kg
			Phosphorus Oxy Chloride	0.664 kg
			Magnesium Turnings	
			Allyl Chloride	0.087 kg
			Toluene	0.277 kg
			Tetra Hydro Furan	0.480 kg
			Ethylene Dichloride	0.293 kg
			L-Allethrilone	1.868 kg
			Glycine Ethyl Ester	0.297 kg
			Hydrochloride	1.950 kg
			2,5 Dimethyl 2, 4	
			Hexadiene	2.150 kgs
			L-Base (D-threo-(1-P Nitro	
			Phenyl 2 Amino Propane 1,	0.431 kg
			3 Diol)	
			Thionyl chloride	
			Pyridine	0.474 kg
			Methanol	0.295 kg
A2833	Glass Vials (4ml, 5ml, 10ml size)	1 kg	Di Isopropyl Ether	0.444 kg
			Sodium Nitrite	1.084 kg
A2834	Alkyl Phenol Resin	1 kg	Caustic Soda (100% basis)	0.958 kg
				2.840 kg
A2834	Alkyl Phenol Resin	1 kg	Para Tertiary Butyl Phenol	0.833 kg

			Para Formaldehyde (Purity 91±1%)	0.240 kg
--	--	--	----------------------------------	----------

-:20:-

Annexure “C” to the
Public Notice No. 72
Dated: 01/03/2002

ENGINEERING PRODUCTS

Sl.No.	Export Item	Qty.	Import Item	Qty Allowed
C1744	Hydraulic Jacking Beam Model SJ 15	1 Nos. (110 kgs)	Non-Alloy Steel Plate/Flat G.P. non Alloy Steel Sheet Non Alloy Steel Bars/Rods Non Alloy Steel Tube Bearing FAG 6200.2 ZR Screw/Nut/ Bolt/ Washer Springs Mechanical Seals Hose Assembly with end fittings PVC/ Rubber Grips & Pads	51 kg 5 kg 14.8 kg 40.6 kg 8 Nos. 1.9 kg 11 Nos.

				12 Nos. 1 No. 9 Nos.
C1745	Hermetically Sealed Compressor for air-conditioners using R 22 refrigerant gas having following cooling capacity:- 4790 K Cal/hr.	1 No.	1. COMPONENT Cluster Moulding Cluster Terminals Heat Shrink Caps Upper housing Lower Housing Hermetic Terminals Pump Kit consisting of the following:- Crank case Crank Shaft Piston	1 No. 3 Nos. 5. Nos. 1 No. 1 No. 1 No. 1 No. 1 No. 1 No. 1 No. 1 No. 2 No.

-:21:-

			Connecting Rod Valve Plate Assembly Cylinder Head Outboard Bearing Hermetic Motor Protector Non-Shrink Tube <u>2. RAW MATERIAL</u> CRNGO Steel Sheet Electrolytic Copper Rod/Wire Music Wire	2 Nos. 1 No. 1 No. 1 No. 1 No. 1 No. 8 No. 11.58 kg 1.92 kg
--	--	--	--	---

			Rod/Wire 3. Music Wire 4. Refrigeration Oil	0.0593 kg 1.042 ltrs.
C1747	Hermetically Sealed Compressor for air-Conditioners using R 22 refrigerant gas having following cooling capacity:- 6350 K Cal/hr.	1 No.	1. COMPONENT Cluster Moulding Cluster Terminals Heat Shrink Caps Upper Housing Lower Housing Hermetic Terminals Pump Kit consisting of the following:- a) Crank case Crank Shaft Piston Connecting Rod Valve Plate Assembly Cylinder Head Outboard Bearing Hermetic Motor Protector Non-Shrink Tube <u>2. RAW MATERIAL</u> CRNGO Steel Sheet Electrolytic Copper Rod/Wire Music Wire Refrigeration Oil	1 No. 3 Nos. 5. Nos. 1 No. 1 No. 1 No. 1 No. 1 No. 1 No. 1 No. 1 No. 1 No. 2 Nos. 2 Nos. 1 No. 1 No. 1 No. 1 No. 8 No. 15.36 kg 2.05 kg 0.0722 kg 1.27 ltrs

C1748	Hermetically Sealed Compressor for air - Conditioners using R 22 refrigerant gas having cooling capacity:- 3400 K Cal/hr.	1 No.	1. COMPONENT Cluster Moulding Cluster Terminals Heat Shrink Caps Upper Housing Lower Housing Hermetic Terminals Pump Kit consisting of the following:- a) Crank case Crank Shaft Piston Connecting Rod Valve Plate Assembly Cylinder Head Outboard Bearing Hermetic Motor Protector Non-Shrink Tube <u>2. RAW MATERIAL</u> CRNGO Steel Sheet Electrolytic Copper Rod/Wire Music Wire Refrigeration Oil	1 No. 3 Nos. 5. Nos. 1 No. 1 No. 1 No. 1 No. 1 No. 1 No. 1 No. 1 No. 1 No. 2 Nos. 2 Nos. 1 No. 1 No. 1 No. 1 No. 8 No. 11.02 kg 1.7 kg 0.0562 kg 1.02 ltrs.
C1749	Table, Kitchen & other house hold	1 kg	Aluminium Scrap	1.10 kg/kg content of

	articles made of aluminium including anodized with or without handle irrespective of what material handle are made of rectangular/ Square with straight edges.		Aluminium Ingot	Aluminium in export product 1.07 kg/kg content of Aluminium in export product
--	--	--	-----------------	--

-:24:-

			Aluminium Sheet/ Coils	1.05 kg/kg content of Aluminium in export product
Note: 1. In case of anodised Export product the purity of inputs allowed i.e. Ingot Sheet/Coils/ Circles shall be 99.7% and above. Note: 2. For other shapes refer C-22				
C1750	Vaporizer made of Aluminum	1 kg	Aluminium ingot	1.05 kg
C1751	Tyre curing press of all sizes	1 No.	Non-Alloy HR Plates Components required for the export product	1.10 kg/kg content in export product Net to net basis with accountability clause
Note: 1. Specification/capacity & weight of capital goods along with number is to be indicated in the application. Note: 2. Net weight of component & sub-assemblies to be imported to be procured indigeneously to be given in application.				

Note: 3. Net weight of components & items to be manufactured from each raw material to be imported is to be given in the application.

Note: 4. Weight of component & items to be manufactured from each indigenous material in export product is to be given in the application.

Note: 5. Weight of component and the item given as per notes 2 to 4 should tally with net weight of Capital Goods to be exported.

Note: 6. Total weight of each raw material is to be calculated on the basis of net weight given as per note 3 above plus wastage as permitted in the norms for the particular raw material.

-:25:-

C1752	Dry Cell-R6 PVC/ Paper jacket 16.45 gm/pc	1 No.	Manganese Dioxide (Electrolytic)	3.92 gms
			Acetylene Black	0.66 gms
			Zinc (Battery Grade)	5.665 gms
			Graphite Powder	0.002 gms
			LDPE	0.395 gms
			Tin Plate Electrolytic	0.50 gms
C1753	Dry Cell-R6 Metal Jacket 18.45 gm/pc.	1 No.	manganese Dioxide (Electrolytic)	4.55 gms
			Acetylene Black	0.672 gms
			Zinc (Battery Grade)	5.005 gms
			Graphite Powder	0.002 gms

			LDPE Tin Plate Electrolytic Mercury Free Separator	0.233 gms For Bottom 0.5 gm PMS 5.0 gms 18 Sq.Cms.
C1754	Dry Cell – R14 Metal Jacket 43 gm/pc.	1 No.	Manganese Dioxide (Electrolytic) Acetylene Black Zinc (Battery Grade) Graphite Powder LDPE Tin Plate Electrolytic Natural Manganese Ore (Powder)	2.60 gms 1.674 gms 8.652 gms 0.002 gms 0.8110 gms For Top 0.875 gms For Bottom 0.875 gms PMS 7.053 gms 4.146 gms

-:26:-

C1755	Dry Cell – R20 Metal Jacket 85 gm/pc.	1 No.	Manganese Dioxide (Electrolytic) Acetylene Black Zinc (Battery Grade) Graphite Powder LDPE Tin Plate Electrolytic	7.31 gms 2.92 gms 13.853 gms 0.004 gms 1.26 gms For Top 1.46 gms For
-------	--	-------	---	--

			Natural Manganese Ore (Powder)	Bottom 1.57 gms PMS 11.62 gms 16.44 gms
C1756	Dry Cell – R20 Metal Jacket (National) 85.59 gm/pc.	1 No.	Manganese Dioxide (Electrolytic) Acetylene Black Zinc (Battery Grade) Graphite Powder LDPE Tin Plate Electrolytic Natural Manganese Ore (Powder)	7.31 gms 2.92 gms 13.853 gms 0.004 gms 1.26 gms For Top 1.46 gms For Bottom 1.57 gms PMS 11.62 gms 16.44 gms
C1757	Dry Cell – R20 Paper Jacket 76.675 gm/pc.	1 No.	Manganese Dioxide (Electrolytic) Acetylene Black Zinc (Battery Grade) Graphite Powder LDPE Natural Manganese Ore (Powder)	1.173 gms 2.679 gms 13.853 gms 0.004 gms 1.26 gms 11.726 gms

C1758	CNC/ AMS Vertical Machining Centre with APC	1 No.	Ball Screw Super precision Bearing SIMO Drive with Motor OR CNC System SI Top Power Supply Smart Flux Coupling Encoder Switches LM Guides Disc. Spring	3 Nos. 4 Nos. 1 Set 1 No. 4 Nos. 1 No. 4 Nos. 1 No. 1 No.
Note: Import of components shall be allowed on net to net basis with accountability clause.				
C1759	Brown Fused Aluminium Oxide Grain	1 MT	Brown Fused Aluminium Oxide Crude/ Lump Purity 95% Minimum	1.1 MT
Note: Purity of export product should be more than the purity of imported input allowed.				
C1760	Power Take-offs/ Clutches	1 No.	Bearing Taper Roller TPR 32212 Bearing Ball SR DP Groove 6206ZZ Non-Asbestos Friction Plate 5878 Floating Plate Housing Sliding Sleeve HB Plate Bearing Retainer Hand Lever Operating Yoke	2 Nos. 1 No. 1 No. 1 No. 1 No. 1 No. 1 No. 1 No. 1 No. 1 No.

Adj. Yoke

1 No.

-:28:-

Driving Ring
 Toggle Lever
 Operating Shaft
 Clutch Shaft
 Hub Retainer
 Fitting – 60410026
 Fitting – 60410027
 Lock BRG Retainer
 Lever Link

1 No.
 4 Nos.
 1 No.
 1 No.
 1 No.
 1 No.
 1 No.
 1 No.
 8 Nos.

C1761

CRCA Circles of
Steel

1 MT

Hot Rolled Non-alloy
 Steel Strips/Wide Coils
 Cold rolling Mill Rolls
 Rolling Oil
 Pickling Oil
 Steel Strapping

1.30 MT

1.45 kg

0.40 kg

0.526 kg

As per packing
policyAs per packing
policy

VCI/Rusto Paper

C1762

Agricultural Sprinkler
made of Brass

1 No.

Brass Scrap

1.07 kg/kg
 content of the
 brass in the
 export product

C1763

Coils for Quartz
Analogue Wrist1000
nos.

Horological Steel Strip
 Cold rolled

210 gms.

	Watch of Caliber 2030/2035	(weight – 235 gms)	Enamelled magnet Copper Wire Printed Circuit Board (un populated)	158 gms. 1000 Nos.
--	-------------------------------	-----------------------	--	---------------------------

-:29:-

C1764	Polyamide-Imide Enamel Overcoated Enamelled Copper Wire	1 kg	Copper Wire Rod/ Cathodes Polyamide-Imide enamel	1.01 kg per kg content in the export product 1.01 kg per kg content in the export product
-------	--	------	--	--

-:30:-

Annexure “D” to the
Public Notice No. 72
Dated: 01/03/2002

FOOD PRODUCTS

Sl.No.	Export Item	Qty.	Import Item	Qty Allowed
E-106	Raw Sugar	1 MT	Bleaching Agent: (Silica / Lime / Sulphur Dioxide) Chemicals for Clarification: (soda Ash/ magnesium dioxide/ Polyphosphate/ E.D.T.A./ Bleaching Agent) Chemicals for Purification: (Phosphoric Acid/ Soda Ash/	9 kg 2 kg

polyphosphate/ bleaching Agent)	10 kg
Floculeants: (Chemfloc/ Mafloc)	
Sequestering Chemicals: (Inorganic Salts/ Polyphosphates)	2 kg
Antifoaming Agents: (Antifoaming Chemicals)	3 kg
	4 kg

-:31:-

Mills Sanitation Agents: (Bleaching Earth/ Antimold Agent)	4 kg
Biocides, Fungicides and Insecticides (Biocides and Addombin) {relevant to Sugar industry only}	10 kg

		Viscosity reducing Agents: (Viscosity reducing Chemicals)	7 kg
		Boiler Treatment Chemicals/Resins: (Maxtreat Sodium Nitrate/ Citric Acid/ tartaric Acid)	9 kg
		Cleaning Agents: (Sodium Loryal Sulphate/ Cleaning chemicals)	
		Packing Material : (HDPE/LDP/PP)	6 kg
			4 kg

-:32:-

Annexure “E” to the
Public Notice No. 72

Dated: 01/03/2002

TEXTILE PRODUCTS

Sl.No.	Export Item	Qty.	Import Item	Qty Allowed
J351	Children Snow suit (for age group upto 3 years)	1 No.	Fabric to be used Fabric as lining	sq.mtr. 1.40 sq.mtr.
J352	Viscose Filament Yarn Twisted/ Cabled	1 kg	Viscose Filament Yarn	1.005 kg/kg content in the export product

