

(TO BE PUBLISHED IN THE GAZETTE OF INDIA EXTRAORDINARY
PART-I-SECTION-1)

GOVERNMENT OF INDIA
MINISTRY OF COMMERCE & INDUSTRY
DEPARTMENT OF COMMERCE

PUBLIC NOTICE NO. 74/2009-2014
NEW DELHI: DATED: 08/06/2010

Subject: Amendment of SION A-1667

In exercise of the powers conferred under Paragraph 2.4 of the Foreign Trade Policy, 2009-14 and Paragraph 1.1 of the Handbook of Procedures (Vol.1), the Director General of Foreign Trade hereby makes the following amendments/corrections in the Handbook of Procedures, Vol.II, 2009-2014, as amended from time to time.

2. In the statement of Standard Input Output Norms (SION) as contained in the Handbook of Procedures (Vol.II), 2009-2014, as amended from time to time, amendments/corrections are made against SION entry at **A-1667** as mentioned in ANNEXURE “A” to this Public Notice.

This issues in public interest.

(R. S. Gujral)
Director General of Foreign Trade and
ex-officio Special Secretary to the Government of India

(Issued from F. No. 01/87/171/00001/AM11/DES-VII)

ANNEXURE “A” to Public Notice No. 74/2009-2014

Dated: 08.06.2010

EXPORT ITEM	QTY	IMPORT ITEM	QTY
Automobile Tyres reinforced with Nylon tyre-cord Warp-sheet or rayon tyre cord warp-sheet	100 kg	1 (a) Natural Rubber	44 kg
		1 (b) Synthetic Rubber (PBR/SBR - 1502/1712/1723/1783)	8.6 kg
		1 (c) V.P.Latices	0.4 kg
		2. Carbon Black	23 kg
		3. Nylon/ Tyre Yarn/ Cord/ Warp Sheet/Fabric(both dipped and undipped)	13 kg
		4. Bead wire	4 kg
		5. Pigments/ chemicals the following :-	
		(a) Rubber chemicals (Antioxidants, Acelerator, Antiozonant, Retarders and Peptizers). (Import of antioxidants however, shall not exceed 1 kg for each 2 kgs of Rubber chemicals allowed)	2.00 kg
		(b) Zinc oxide	2.00 kg
		(c) All other Miscellaneous materials/ chemicals viz., microcrystalline wax, paraffin wax, pigments and softeners, stearic acid solvents, plasticisers synthetic resins, bonding/ coupling agents, activatorsand fillers Dip Chemicals (excluding resorcinol) mould release agents, tackifiers and catalysts and syloff	7.40 kg
		(d) Resorcinol	0.10 kg
		(e) Insoluble Sulphur	0.50 kg
		6. Furnace Oil/ L.S.H.S.	23.8 Litres
Note: 1. In case of Bus/Truck Tyres, out of the total quantity 8.6 kgs. the quantity of SBR allowed is up to 3 kgs (maximum) and the quantity of PBR allowed is 5.6 kgs.			

- 2. The above norm is also applicable for Tubeless Tyres with Natural Rubber Inner Liner.**
- 3. If the firm import Dipped fabric, items allowed for dipping i.e. Resorcinol and V.P. Latex shall not be allowed but a weight of 0.61 kg may be added.**