

(TO BE PUBLISHED IN THE GAZETTE OF INDIA EXTRAORDINARY
PART-I-SECTION-1)

GOVERNMENT OF INDIA
MINISTRY OF COMMERCE & INDUSTRY
DEPARTMENT OF COMMERCE

PUBLIC NOTICE NO. 88 (RE: 2007)/2004-2009
NEW DELHI: DATED: 05/12/2007

In exercise of the powers conferred under Paragraph 2.4 of the Foreign Trade Policy, 2004-09 and Paragraph 1.1 of the Handbook of Procedures (Vol.1), the Director General of Foreign Trade hereby makes the following amendments/ additions/deletions/corrections in the Handbook of Procedures, Vol.2, 2004-2009, as amended from time to time

2. In the statement of Standard Input Output Norms (SION) as contained in the Handbook of Procedures (Vol.2), 2004-2009, as amended from time to time, amendments/corrections at appropriate places as mentioned in ANNEXURE "A" (Pages 2-3) to this Public Notice are made.

3. In the statement of Standard Input Output Norms, following additions shall be made at appropriate places as mentioned below:-

PLASTICS PRODUCTS

After the existing SION entry at Sl. No. H556, new entries at Sl. Nos. H557 to H561 are added as per Annexure "B" (Page 4) to this Public Notice.

This issues in public interest.

(R. S. Gujral)
DIRECTOR GENERAL OF FOREIGN TRADE

(Issued from F.No.01/87/171/00001/AM08/DES-VIII)

ANNEXURE “A” to the Public Notice No. 88 (RE: 2007)/2004-2009

Dated: 05.12.2007

AMENDMENTS/CORRECTIONS

Sl. No.	Page No.	Reference	Amendments/Corrections
1	2	3	4
01	A169	Product Group: Chemicals and Allied Products SION entry at Sl. No. A1955	The SION entry is amended to read as under:

EXPORT ITEM	QTY	IMPORT ITEM	QTY
Cable Filling/Flooding/Tube Filling Compound	1 kg	1. Base Oil	Net + 1% wastage
		2. Polyethylene Wax	Net to Net
		3. Microcrystalline Wax	Net to Net
		4. Polyisobutylene	Net to Net
		5. Polyalphaolefin	Net to Net
		6. Thermoplastic Elastomer	Net to Net
		7. Fumed Silica	Net to Net
		8. Organoclay Gellant	Net to Net
		9. Microspheres(Polymeric)	Net to Net
		10. Absorbent Polymer	Net to Net
		11. Antioxidant (Di-Tertiary)	Upto 1% of

		Butyl Hydroxy Phenyl Propionate)	weight of export product
		12.Fluid Bag (Bulk Bag Packing)	As per Packing Policy

02	H12	Product Group: Plastic Products SION entry at Sl. No. H97	The SION entry is amended to read as under:
----	-----	---	---

EXPORT ITEM	QTY	IMPORT ITEM	QTY
Flexible Intermediate Bulk Containers	1 kg	1. Polypropylene Granules	1.10 kg/kg content in the export product
		2. UV Stabilizer Master Batch (containing not more than 20% UV Stabilizer) where export product contains U.V. Stabilizer	2% of the basic Polypropylene Resin content
		3. LDPE Granules	1.05 kg/kg content in the export product
		4. Polypropylene Yarn for Stitching	1.05 kg/kg content in the export product
		5. Narrow Weaving Fabric for Tape	1.05 kg/kg content in the export product

03	H52	Product Group: Plastic Products	The SION entry is amended to read as under:
----	-----	---------------------------------	---

	SION entry at Sl. No. H447	
--	--------------------------------------	--

EXPORT ITEM	QTY	IMPORT ITEM	QTY
P.P. Woven Fabrics with/without U.V. Stabilization (2% by weight)	1 kg	1. P.P. Granules	1.058 kg
		2. UV Stabilizer Master Batch (containing not more than 20% UV Stabilizer)	0.022 kg

ANNEXURE “B” to the Public Notice No. 88 (RE: 2007)/2004-2009

Dated: 05.12.2007

Sl. No.	EXPORT ITEM	QTY	IMPORT ITEM	QTY
H557	Polyethylene White Opaque Printed Bags (containing 70% LDPE, 22% LLDPE, and 8% White Master Batch)	1 kg	1. LDPE Granules	0.735 kg
			2. LLDPE Granules	0.231 kg
			3. White Master Batch (containing 70% Titanium Dioxide and 30% LDPE)	0.084 kg
H558	30% Glassfiber Filled Nylon-	1 kg	1. Nylon-66/Polyamides	0.7099 kg

	66/Polyamide 66 Compound		66 Resin	
			2. Glass Fiber/Chopped Strands	0.3060 kg
			3. Heat Stabilizer	0.0041 kg
H559	50% Glassfiber Filled Nylon-66/Polyamide 66 Compound	1 kg	1. Nylon-66/Polyamides 66 Resin	0.5057 kg
			2. Glass Fiber/Chopped Strands	0.5100 kg
			3. Heat Stabilizer	0.0043 kg
H560	43% Glassfiber Filled Nylon-66/Polyamide 66 Compound	1 kg	1. Nylon-66/Polyamides 66 Resin	0.5810 kg
			2. Glass Fiber/Chopped Strands	0.4390 kg
H561	33% Glassfiber Filled Nylon-66/Polyamide 66 Compound	1 kg	1. Nylon-66/Polyamides 66 Resin	0.6824 kg
			2. Glass Fiber/Chopped Strands	0.3366 kg
			3. Heat Stabilizer	0.0010 kg